

VOLUME 104 PART 9 MAY 1995

ISSN 0303-2515

QH
1
S67x
NH

ANNALS

OF THE SOUTH AFRICAN
MUSEUM

CAPE TOWN



INSTRUCTIONS TO AUTHORS

1. MATERIAL should be original and not published elsewhere, in whole or in part.
2. LAYOUT should be as follows:

- (a) *Centred masthead to consist of*
Title: informative but concise, without abbreviations and not including the names of new genera or species
Author's(s') name(s)
Address(es) of author(s) (institution where work was carried out)
Number of illustrations (figures, enumerated maps and tables, in this order)
- (b) *Abstract* of not more than 200 words, intelligible to the reader without reference to the text
- (c) *Table of contents* giving hierarchy of headings and subheadings
- (d) *Introduction*
- (e) *Subject-matter* of the paper, divided into sections to correspond with those given in table of contents
- (f) *Summary*, if paper is lengthy
- (g) *Acknowledgements*
- (h) *References*
- (i) *Abbreviations*, where these are numerous.

3. MANUSCRIPT, to be submitted in triplicate, should be typewritten and neat, double spaced with 3 cm margins all round. First lines of paragraphs should be indented. Tables and a list of captions for illustrations should be typed separately, their positions indicated in the text. All pages should be numbered consecutively.

Major headings of the paper are centred capitals; first subheadings are shouldered small capitals; second subheadings are shouldered italics; third subheadings are indented, shouldered italics. Further subdivisions should be avoided, as also enumeration (never roman numerals) of headings and abbreviations.

Footnotes should be avoided unless they are short and essential.

Only generic and specific names should be underlined to indicate italics; all other marking up should be left to editor and publisher.

4. ILLUSTRATIONS should be reducible to a size not exceeding 12 × 18 cm (19 cm including caption); the reduction or enlargement required should be indicated (and preferably uniform); originals larger than 35 × 47 cm should not be submitted; photographs should be rectangular in shape and final size. A metric scale should appear with all illustrations, otherwise magnification or reduction should be given in the caption; if the latter, then the final reduction or enlargement should be taken into consideration.

All illustrations, whether line drawings or photographs, should be termed figures (plates are not printed; half-tones will appear in their proper place in the text) and numbered in a single series. Items of composite figures should be designated by capital letters; lettering of figures is not set in type and should be in lower-case letters. If Letraset is used authors are requested to use Helvetica-style lettering, if possible.

The number of the figure should be lightly marked in pencil on the back of each illustration.

5. REFERENCES cited in text and synonymies should all be included in the list at the end of the paper, using the Harvard System (*ibid.*, *idem*, *loc. cit.*, *op. cit.* are not acceptable):

- (a) Author's name and year of publication given in text, e.g.:

'Smith (1969) describes . . .'
'Smith (1969: 36, fig. 16) describes . . .'
'As described (Smith 1969a, 1969b; Jones 1971)'
'As described (Haughton & Broom 1927) . . .'
'As described (Haughton *et al.* 1927) . . .'

Note: no comma separating name and year
pagination indicated by colon, not p.
names of joint authors connected by ampersand
et al. in text for more than two joint authors, but names of all authors given in list of references.

- (b) Full references at the end of the paper, arranged alphabetically by names, chronologically within each name, with suffixes *a*, *b*, etc., to the year for more than one paper by the same author in that year, e.g. Smith (1969a, 1969b) and not Smith (1969, 1969a).

For books give title in italics, edition, volume number, place of publication, publisher.

For journal article give title of article, title of journal in italics (according to the *World list of scientific periodicals*, 4th ed. London: Butterworths, 1963), series in parentheses, volume number, part number in parentheses, pagination (first and last pages of article).

Examples (note capitalization and punctuation)

- BULLOUGH, W. S. 1960. *Practical invertebrate anatomy*. 2nd ed. London: Macmillan.
FISCHER, P. H. 1948. Données sur la résistance et de la vitalité des mollusques. *Journal de conchyliologie* **88** (3): 100–140.
FISCHER, P. H., DUVAL, M. & RAFFY, A. 1933. Études sur les échanges respiratoires des littorines. *Archives de zoologie expérimentale et générale* **74** (33): 627–634.
KOHN, A. J. 1960a. Ecological notes on *Conus* (Mollusca: Gastropoda) in the Trincomalee region of Ceylon. *Annals and Magazine of Natural History* (13) **2** (17): 309–320.
KOHN, A. J. 1960b. Spawning behaviour, egg masses and larval development in *Conus* from the Indian Ocean. *Bulletin of the Bingham Oceanographic Collection, Yale University* **17** (4): 1–51.
THIELE, J. 1910. Mollusca. B. Polyplacophora, Gastropoda marina, Bivalvia. In: SCHULTZE, L. *Zoologische und anthropologische Ergebnisse einer Forschungsreise im westlichen und zentralen Süd-Afrika ausgeführt in den Jahren 1903–1905* **4** (15). *Denkschriften der medizinisch-naturwissenschaftlichen Gesellschaft zu Jena* **16**: 269–270.

(continued inside back cover)

ANNALS OF THE SOUTH AFRICAN MUSEUM
ANNALE VAN DIE SUID-AFRIKAANSE MUSEUM

Volume **104** Band
May **1995** Mei
Part **9** Deel



COLEOPTERA TYPE MATERIAL IN
THE SOUTH AFRICAN MUSEUM
PART 1. CARABIDAE

By

M. A. COCHRANE

Cape Town

Kaapstad

The ANNALS OF THE SOUTH AFRICAN MUSEUM

are issued in parts at irregular intervals as material
becomes available

Obtainable from the South African Museum, P.O. Box 61, Cape Town 8000

Die ANNALE VAN DIE SUID-AFRIKAANSE MUSEUM

word uitgegee in dele op ongereelde tye na gelang van die
beskikbaarheid van stof

Verkrygbaar van die Suid-Afrikaanse Museum, Posbus 61, Kaapstad 8000

OUT OF PRINT/UIT DRUK

1, 2(1-3, 5-8), 3(1-2, 4-5, 8, t.-p.i.), 4(1), 5(1-3, 5, 7-9),
6(1, 2, t.-p.i.), 7(1-4), 8, 9(1-2, 7), 10(1-3), 11(1-2, 5, 7, t.-p.i.),
14(1-3), 15(4-5), 24(2, 5), 27, 31(1-3), 32(5), 33,
36(2), 43(1), 45(1), 49(1), 67(5, 11), 84(2)

Copyright enquiries to the South African Museum

Kopieregnavrae aan die Suid-Afrikaanse Museum

ISBN 0 86813 162 8

COLEOPTERA TYPE MATERIAL IN THE SOUTH AFRICAN MUSEUM

PART 1. CARABIDAE

By

M. A. COCHRANE

Life Sciences Division, South African Museum, P.O. Box 61, Cape Town

[MS accepted 6 February 1995]

CONTENTS

	PAGE
Introduction	249
List of type specimens	250
Acknowledgements	305
References	306

INTRODUCTION

The *International Code of Zoological Nomenclature* (1985) recommended that institutions publish lists of name-bearing types in their possession. The South African Museum has over 6 000 primary types of insects in its holdings, approximately 50 per cent of which are beetles. The present paper lists the type material of the family Carabidae, including Cicindelinae, and is the first of a series aimed at listing the holdings of Coleoptera types. The list includes 708 type series, 571 (80%) of which were described by L. A. Péringuey, who worked at the South African Museum from 1884 to 1924.

Names listed are those in the original description. Other names are included under comments.

In our collections, a number is allocated to a series—that is, all specimens of a species collected at exactly the same locality, on the same date, by the same collector. A suffix, a–z, is then allocated to individual specimens. Before the re-organization programme of the collections commenced (1993), the prefix SAM-ENT was used. A different system was introduced with re-organization whereby the prefix for the beetles is SAM-COL-A. Catalogue numbers with the prefix SAM-ENT or SAM-COL-A have been attached to all type specimens. For the purposes of computerization, each number comprises six digits, e.g. SAM-ENT000364. However, the initial zeros used to make up the six digits have been omitted to keep this list as short as possible.

Collection details, as specified on the label, have been placed in quotes. If there are no details at all on the specimen, this fact is indicated under comments that are placed in square brackets.

The type status is stated in lowercase if taken directly from the label on the specimen and in uppercase if it was interpreted. The name of the collector is given within brackets in italics.

Péringuey's type material poses some problems. Many of his specimens are labelled 'type' or 'typ'. Where only one such specimen is labelled and where the description suggests only one specimen (i.e. definite dimensions are cited and not a range), it is considered to be the holotype. However, where a specimen is

assumed to be a holotype but other material may exist—unbeknown to us—in other collections, this may alter the status of the specimen in question. Where more than one specimen is labelled 'type' and where the description suggests more than one specimen, or where there is only one specimen labelled but the description suggests more than one, they are considered to be the syntypes. However, this is occasionally contradicted, as Péringuey sometimes suggested only one specimen, by citing a fixed dimension, in the description but then labelled more than one specimen 'type'. Discrepancies such as this are mentioned in square brackets.

There are many inconsistencies with the re-designation of Péringuey types. In some cases, where the status of lectotype and paralectotype should have been applied, the terms holotype and paratype were applied. In these instances, the status has been corrected and printed in uppercase and further comments included to help establish the true status. It has been assumed that the re-designations have been published.

In some cases, Péringuey designated only one of a series as 'type' and specialists examining the material later have designated the type specimen as holotype and other specimens in the series as paratypes. Where undesignated material of the type series in the collection exists, the details have been included under comments. Furthermore, where no designated material exists but there is material that could be type material, it has also been included.

In the collection there are specimens of which the status is uncertain, which Péringuey had labelled either 'type' or 'in litt': these specimens include the species *Abacetus capensis*, *Apotomus australis*, *Brachinus nodieri*, *Chlaenius jansei*, *Metaxymorphus umbraculatus*, *Systolocranius similans*, *Teratotarsa barnardi* and *Asemobius distinctus*. (*Asemobius* is a genus of the family Staphylinidae but the 'type' in question is a carabid and resembles *Metaxymorphus robustus* Péringuey.) These probably have no type status but are mentioned as they might be of some significance.

Some of the specimens bear green holotype and orange paratype labels that were apparently placed on the specimens by Dr A. J. Hesse (S. A. Museum, 1923–1974). These specimens are from Dr Péringuey's private collection and were removed by Dr Hesse, as they were considered to be the property of the South African Museum. These designations by Dr Hesse have never been published and are not considered valid, but are mentioned as they may be of some historical significance. It is possible that some type material from Péringuey's private collection still exists in other institutions.

LIST OF TYPE SPECIMENS

Family Carabidae

- abacetooides* (*Cyrtotelus*) Straneo, 1958: 396, figs 110, 115. Holotype: SAM-ENT669, 'Nkandla Forest, Zululand' (R. F. Lawrence), Jan. 1937.
- aculeatus* (*Chlaenius*) Péringuey, 1896b: 491, 518. HOLOTYPE: SAM-COL-A9433, 'K. W. T.', 371. [Labelled type by Péringuey. Head attached to separate card.] (= *Abacillius aculeatus* (Péringuey))

- adamantina* (*Lebia*) Péringuey, 1896b: 260, pl. 3 (fig. 8). SYNTYPES: SAM-ENT385a-c (3 specimens on same pin), 'Kimberley' (*J. Purcell*). [Labelled type by Péringuey.]
- adamantinus* (*Graphipterus*) Péringuey, 1888: 79. LECTOTYPE: SAM-ENT501, 'Kimberley', 1881. [This specimen bears no original Péringuey type label, only a Basilewsky type label and is presumed to be a lectotype. The description suggests more than one specimen.]
- aeneipennis* (*Harpalomorphus*) Péringuey, 1896b: 455. HOLOTYPE: SAM-ENT124 (1 ♂). [Specimen bears no collection details. Labelled type by Péringuey.]
- affinis* (*Dromius*) Péringuey, 1896b: 234. HOLOTYPE: SAM-ENT1745, 'Frere, Natal'. [The specimen bears no original Péringuey type label, only subsequent 'type' labels, one possibly by Mateu. Labelled *Mesolestes* s.str. *affinis* by Mateu.]
- affinis* (*Metaxymorphus*) Péringuey, 1896b: 208, pl. 5 (fig. 6). SYNTYPES: SAM-ENT275, 'Cape T.', Jan. [18]87. SAM-COL-A17050, 'Dunbrody', Jan. 9 [18]93. SAM-COL-A17051, no collection details. [SAM-ENT275 labelled type by Péringuey and latter two labelled cotype.]
- affinis* (*Trechus*) Péringuey, 1896b: 589. SYNTYPES: SAM-COL-A7096 (3 specimens on same pin), 'Stellenbosch' (*L. P.*), 1887. [Labelled type by Péringuey.]
- agatinus* (*Tachys*) Péringuey, 1926: 652. SYNTYPES: SAM-ENT801 (2 specimens on same pin), 'Gt. Winterhoek, Tulbagh 4 000 ft' (*R. M. Lightfoot*), Apr. 1916. [Labelled type by Péringuey.]
- agilis* (*Abacetus*) Péringuey, 1896b: 553. HOLOTYPE: SAM-ENT77 (1 ♀). [Labelled type by Péringuey. The specimen bears no collection details.] (= *A. tibiellus* Chaudoir)
- agilis* (*Graphipterus*) Péringuey, 1892a: 10. HOLOTYPE: SAM-ENT509. [Specimen bears no collection details. Labelled type by Péringuey.]
- agilis* (*Harpalus*) Péringuey, 1896b: 450. HOLOTYPE: SAM-ENT206, 'Pretoria, Tr.' (*E. Simon*), 1893. [Labelled type by Péringuey.]
- agilis* (*Hystrichopus*) Péringuey, 1892b: 97. PARALECTOTYPES (3 specimens): SAM-ENT297, 'C. T.', Feb. [18]87; SAM-ENT298, SAM-ENT299, 'Grah. T.' (*Billingham*), July [18]85. [Specimens bear no Péringuey type labels, only Basilewsky's paratype labels. The description suggests only one specimen.]
- agilis* (*Metaxymorphus*) Péringuey, 1896b: 206, 207, pl. 5 (fig. 3). SYNTYPE: SAM-ENT5724a, 'Oudtshoorn', July [18]86. [Labelled type by Péringuey. Also in the collection are undesignated specimens of the same series, SAM-ENT5724b-c.]
- agilis* (*Stenolophus*) Péringuey, 1896b: 460. HOLOTYPE: SAM-ENT127, 'Rikatla, Delagoa'. [Labelled type by Péringuey and *Anoplogenius agilis* by Basilewsky.]
- agilis* (*Trechus*) Péringuey, 1926: 645. SYNTYPES: SAM-ENT747, 'Clanwilliam' (*R. M. Lightfoot*), [19]01. SAM-ENT748, 'Clanwilliam'.

- [Both specimens bear red type labels but not the Péringuey type label. SAM-ENT747 also labelled *Trechosia laetula* var. *péringueyi* Jeann.; SAM-ENT748 also labelled *T. péringueyi* Jeann. The description suggests only one specimen.]
- agnatus* (*Meladroma*) Péringuey, 1896b: 169. SYNTYPE: SAM-ENT1727, 'Okavango R.' (A. W. Eriksson), Feb. [18]87. [The description suggests more than one specimen. Labelled type by Péringuey, holotype by Hesse and *Trienogenius carinulatus* ssp. *agnatus* Pér. by Basilewsky.]
- alacer* (*Abacetus*) Péringuey, 1896b: 549. HOLOTYPE: SAM-ENT4456, 'Mashunaland, Salisbury' (G. A. K. Marshall), 1893. [Labelled type by Péringuey.]
- alacer* (*Stenolophus*) Péringuey, 1896b: 460, 462. Holotype: SAM-ENT5714; paratype: SAM-ENT5715, 'Natal, Escourt' (*Haviland*), 1894. [Labelled type and cotype respectively by Péringuey. The holotype is also labelled *A. gracilis* Boh. [Boheman] by Basilewsky.]
- alba* (*Cicindela*) Horn, 1894: 112. SYNTYPE: SAM-ENT35 (1 ♀), 'Quilimane' (*Staudinger*). [Labelled type by Horn, and paratype by Hesse. The description suggests more than one specimen.]
- albicornis* (*Euleptus*) Péringuey, 1896b: 581. HOLOTYPE: SAM-ENT702 (1 ♀), 'Rikatla, Delagoa'. [Labelled type by Péringuey.] (= *E. péringueyi* Csiki)
- albolineatus* ssp. *zambianus* (*Graphipterus*) Basilewsky, 1977: 327. Paratype: SAM-ENT518, 'N. Rhodesia, Pemba' (*Father Casset*), 1918.
- albonotatus* (*Mastax*) Péringuey, 1888: 76. Holotype: SAM-ENT261a (1 ♂), 'C. T.', Mar. 1886. [Specimen bears no Péringuey type label, only a Basilewsky holotype label. Also in the collection are undesignated specimens of the same series, SAM-ENT261b-e.]
- algoa* (*Anthia*) Péringuey, 1896b: 372. LECTOTYPE: SAM-ENT3211a, 'Delagoa, Rikatla'. [Labelled type by Péringuey and holotype by Basilewsky. Also in the collection are two undesignated specimens, SAM-ENT3211b-c.]
- algoensis* (*Brachinus*) Péringuey, 1896b: 179. LECTOTYPE: SAM-ENT232, 'Rikatla, Delagoa'. [Specimen bears no Péringuey type label, only a Hesse paratype label and a Basilewsky holotype label. The description suggests more than one specimen.]
- algoensis* (*Casnonia*) Péringuey, 1896b: 150. LECTOTYPE: SAM-ENT159, 'Rikatla, Delagoa.'. [The description suggests more than one specimen. Labelled type by Péringuey and holotype by Hesse. Labelled *Eucolliuris algoensis* by Basilewsky.]
- algoensis* (*Myrmecoptera*) Péringuey, 1893: 67. HOLOTYPE: SAM-ENT31 (1 ♀), 'Delagoa Bay'. [Labelled type by Péringuey and holotype by Hesse. The description suggests only one specimen.]
- algoensis* (*Polyhirma*) Péringuey, 1896b: 351. LECTOTYPE: SAM-ENT94 (1 ♀), 'Rikatla, Delagoa'. [Specimen bears no Péringuey type label. Labelled *Cypholoba algoensis* Péringuey holotype by Basilewsky. The description suggests more than one specimen.]

- alienus* (*Abacetus*) Péringuey, 1926: 619, 622. SYNTYPES: SAM-ENT3767a-e (1 ♂ 3 ♀♀ 1?), 'S. Rhodesia, Umtali' (*A. Bodong*), 1903; SAM-ENT3769, no collection details. [Only SAM-ENT3767a and SAM-ENT3769 are labelled type by Péringuey; SAM-ENT3767a also bears a red type label; SAM-ENT3769 is labelled paratype by Hesse. Specimens described originally as *A. diversus* by Péringuey, but this name was pre-occupied.] (= *A. percoides* Fairmaire)
- alienus* (*Acupalpus*) Péringuey, 1908: 283. HOLOTYPE: SAM-ENT139. [Bears no collection details. Labelled type by Péringuey and Basilewsky and *Stenolophidius pallidus* Boh. [Boheman] by Basilewsky.]
- alstoni* (*Polyhirma*) Péringuey, 1892a: 14. Lectotype: SAM-ENT88; PARALECTOTYPE: SAM-ENT89, 'Hukail 19/1'. [SAM-ENT88 bears no collection details. Both specimens labelled type by Péringuey and *Cypholoba alstoni* Péringuey lectotype and paratype by Basilewsky.]
- alternans* (*Wahlbergia*) Straneo, 1951a: 424. Paratype: SAM-ENT695, 'Entabeni, Zpbg' (*G. van Son*), Nov. 1931.
- alticola* (*Pterostichus*) Péringuey, 1899: 365. HOLOTYPE: SAM-ENT694, 'Giant's Castle, Basutoland, Drakensberg Mts 8 500 ft'. [Labelled type by Péringuey.] (= *Cophosomorpha alticola* (Péringuey))
- altitudinis* (*Hystrichopus*) Péringuey, 1899: 326. LECTOTYPE: SAM-ENT294 (1 ♂), 'Mont aux Sources, Basutol.' PARALECTOTYPES: SAM-T296 (1 ♂ 1♀), 'Giant's Castle, Basutoland'. [Specimens labelled type by Péringuey. Labelled holotype and paratype by Basilewsky.]
- amabilis* (*Lebia*) Péringuey, 1896b: 261, pl. 6 (fig. 10). HOLOTYPE: SAM-ENT388, 'Wyk's Vley' (*G. Alston*), 11 Nov. [18]85. [Labelled type by Péringuey. Also in the collection is an undesignated specimen SAM-COL-A16538, same locality and collector, dated 1892.]
- amatonga* (*Cypholoba*) Péringuey, 1892b: 102. LECTOTYPE: SAM-ENT92 (1 ♀), 'Delagoa Bay'. [Bears no Péringuey type label, only a subsequent Basilewsky holotype label. The description suggests more than one specimen.]
- ambiguus* (*Trechus*) Péringuey, 1896b: 589. HOLOTYPE: SAM-ENT745, 'Stellenb. Cape Col.'. [Labelled type by Péringuey.]
- amicus* (*Graphipterus*) Péringuey, 1892a: 11. HOLOTYPE: SAM-ENT467, 'Ovambol.' (*A. W. Eriksson*), 1890-1891. [Specimen bears no Péringuey type label, only a Basilewsky type label.]
- amoenula* (*Casonia*) Péringuey, 1896b: 151. LECTOTYPE: SAM-ENT162, 'Natal, Frere'. [Labelled type by Péringuey, holotype by Hesse, and *Eucolliuris amoenula* Péringuey by Basilewsky. The description suggests more than one specimen.]
- amoenulum* (*Bembidium*) Péringuey, 1896b: 592. HOLOTYPE: SAM-ENT759. [Specimen bears no collection details. Labelled type by Péringuey. Labelled *Notaphus* s.str. *varius* Ol. by Basilewsky.]
- amoenulus* (*Dischissus*) Péringuey, 1896b: 485. HOLOTYPE: SAM-ENT3836a, (1 ♂), 'Rikatla, Delagoa'. [Labelled type by Péringuey. Also in the collection is a specimen of the same series SAM-ENT3836b.]

- amoenus* (*Stenolophus*) Péringuey, 1896b: 460. HOLOTYPE: SAM-ENT129a (1 ♂), 'Beira' (*P. A. Sheppard*), 24 June [19]03. [Also in the collection are specimens of the same series SAM-ENT129b-e. Only SAM-ENT129a is labelled type by Péringuey and labelled *Anoplogenius amoenulus* Pér. by Basilewsky, with an additional pink type label. Type status is dubious as the collection date is later than that of the description of the species.]
- amoenus* (*Callistomimus*) Péringuey, 1896b: 524. HOLOTYPE: SAM-ENT624, 'Natal, Frere' (*G. A. K. Marshall*), 1892. [Labelled type by Péringuey.]
- ampliolutus* (*Systolocranius*) Péringuey, 1926: 604. HOLOTYPE: SAM-ENT633a, 'Beira, E. Afr.' (*P. A. Sheppard*), Dec. 1906. [Also in the collection is another specimen of the same series, SAM-ENT633b. Only SAM-ENT633a is labelled type by Péringuey.]
- ancora* ssp. *subgiganteus* (*Graphipterus*) Basilewsky, 1977: 71, fig. 12b. Paratype: SAM-ENT422, 'Transvaal' (*Hughs*), 1878.
- andreaei* (*Bascanus*) Basilewsky, 1961b: 300. Holotype: SAM-ENT645a-b (2 specimens on same pin), 'Algoa Bay, Capland' (*Dr Brauns*). [The description cites 1 ♂.]
- andreaei* (*Brachinus*) Basilewsky, 1964: 295. Holotype: SAM-ENT264 (1 ♂); paratypes: SAM-ENT236 (1 ♂), SAM-ENT237 (1 ♀), SAM-ENT238 (1 ♀), SAM-ENT239 (1 ♂), SAM-ENT240 (1 ♀), SAM-ENT3786 (1 ♀), 'The Kelders. S. A. Museum', Feb. 1938.
- andreaei* (*Paraxinidium*) Basilewsky, 1963b: 314. Holotype: SAM-ENT47 (1 ♀), 'Cedarbergen, Cape 4[000]-5 000 ft' (*K. H. Barnard*), 19[2]3.
- angusta* (*Stenidia*) Péringuey, 1896b: 154. LECTOTYPE: SAM-ENT166; PARALECTOTYPE: SAM-ENT167, 'Mashunaland, Salisbury' (*G. A. K. Marshall*), 1894. [Specimens bear no Péringuey type label, only a Basilewsky holotype label on one, and Hesse paratype labels on both specimens.]
- angusticollis* (*Acupalpus*) Péringuey, 1908: 284. HOLOTYPE: SAM-ENT145, 'Dunbrody', 1897. [Labelled type by Péringuey and *Anthracus angusticollis* Péringuey type by Basilewsky.]
- angusticollis* (*Klepsiphrus*) Péringuey, 1904a: 175. LECTOTYPE: SAM-ENT314; PARALECTOTYPE: SAM-ENT315, 'Zoulouland' (*Dr Martin*). [Specimens labelled type by Péringuey, and *Coptoptera longicollis* Basil. holotype and paratype respectively by Basilewsky.]
- angusticollis* (*Myrmecoptera*) Péringuey, 1894&&&: 448. SYNTYPES: SAM-ENT24a-b (2 ♂♂), 'Mashunaland, Salisbury' (*G. Marshall*), 1893. [The specimens bear no Péringuey type labels, only the Hesse paratype labels. The description suggests more than one specimen.]
- angusticollis* ssp. *rhodesiana* (*Piezia*) Basilewsky, 1981: 28, fig. 6f. Paratypes (6 specimens): SAM-ENT529, 'Salisbury' (*Rev. J. O'Neil*), 1917; SAM-ENT530, 'Empanjeni', 13 Jan. 1919; SAM-ENT531, 'Empanjeni, Plumtree'; SAM-ENT532, 'Insiza, S. Rhodesia' (*G. French*), Jan. 1919; SAM-ENT533, 'Plumtree, Rhodesia' (*G. A. K. Marshall*), 15 Dec. 1905; SAM-ENT534, 'Plumtree', Feb. 1914.
- angusticollis* (*Thyreopterus*) Péringuey, 1904a: 182. HOLOTYPE: SAM-ENT1737a (1 ♀), 'Kentani' (*Dr Kolbe*), 1899. [Labelled type by Péringuey]

- and holotype by Hesse. Labelled *Stenocallida angusticollis* Pér. by Basilewsky. Also in the collection is another specimen from the same series, SAM-ENT1737b.]
- angustula* (*Hexagonia*) Péringuey, 1904a: 169. LECTOTYPE: SAM-ENT215a, 'Southern Rhodesia, Umtali' (*A. Bodong*), 1902. PARALECTOTYPE: SAM-ENT216, 'S. Rhodesia, Umtali' (*A. Bodong*), 190?. [Both specimens labelled type by Péringuey. Labelled holotype and paratype respectively by Basilewsky. Also in the collection are undesigned specimens of the same series, SAM-ENT215b-c.]
- annulaticornis* (*Apotomus*) Péringuey, 1896b: 539. HOLOTYPE: SAM-ENT634, 'Dunbrody, Uitenhage'. [Also labelled *A. australis* by Péringuey.]
- antiokanus* (*Graphipterus*) Péringuey, 1896b: 327. SYNTYPE: SAM-COL-A8974, 'Umfuli R.', Nov. 1895. [The specimen bears no Péringuey type designation.]
- apicalis* (*Klepsiphrus*) Péringuey, 1896b: 604. LECTOTYPE: SAM-ENT312, 'Natal, D'Urban' (*N. Barker*), 189?. PARALECTOTYPE: SAM-ENT313, 'Natal' (*Dr Martin*). [Specimens labelled type by Péringuey, and *Coptoptera apicalis* Péringuey, holotype and paratype, by Basilewsky.]
- arbornieri* (*Hyparpalus*) Lecordier, 1984: 48, fig. 1a(1). Paratypes: SAM-ENT3832, SAM-ENT3833, both 'Kokondekro-Bouake, Cote d'Ivoire' (*M. Arbonnier*), August 1975 and April 1975, respectively.
- arrogans* (*Tachys*) Péringuey, 1908: 295. HOLOTYPE: SAM-ENT803, 'Salisbury, Mashonaland', Feb. 1900. [Labelled type by Péringuey. Also in the collection is an undesigned specimen, SAM-COL-A6927, 'Salisbury' (*GAKM*), Jan. 1899.]
- aspera* (*Cosmema*) Péringuey, 1896a: 111. SYNTYPE: SAM-ENT22 (1 ♀), 'Graaff-Reinet'. [Labelled 'typ.' by Péringuey and allotype by Hesse. The description suggests more than one specimen.]
- assimilis* (*Graphipterus*) Péringuey, 1896b: 312. HOLOTYPE: SAM-ENT471, 'Hoopstad'. [Labelled type by Péringuey, and *G. lineelus assimilis* Péringuey type by Basilewsky.]
- aterrimus* (*Abacetus*) Péringuey, 1896b: 550. SYNTYPES: SAM-ENT83 (1 ♂), 'Oudtsh.', Jul. [18]86; SAM-ENT84 (1 ♂). [SAM-ENT84 bears no collection details. Both specimens labelled type by Péringuey.]
- aterrimus* (*Trechus*) Péringuey, 1896b: 588. SYNTYPES: SAM-ENT742, 'C. T.'; SAM-ENT743. [SAM-ENT743 bears no collection details. Both specimens labelled type by Péringuey.]
- atratus* (*Boeomimetes*) Péringuey, 1896b: 453. HOLOTYPE: SAM-ENT635, 'Ondera, Chichaubis'. [Labelled type by Péringuey.]
- atratus* (*Crepidogaster*) Péringuey, 1899: 322. HOLOTYPE: SAM-ENT5358. [The specimen bears no collection details. Labelled type by Péringuey and holotype by Hesse.]
- atriceps* (*Metaxymorphus*) Péringuey, 1896b: 603. HOLOTYPE: SAM-ENT3788, 'Dunbrody, Cape Col.'. [Labelled type by Péringuey.]

- audens* (*Hypolithus*) Péringuey, 1899: 348. HOLOTYPE: SAM-ENT188 (1 ♀). [Specimen bears no collection details. Labelled type by Péringuey and *Pseudohyarpalus audens* by Basilewsky.]
- auspicatus* (*Abacetus*) Péringuey, 1904a: 189. SYNTYPES (2 specimens): SAM-ENT64 (1 ♂), 'Salisbury, Mashonaland. Under stone by water' (*G. A. K. Marshall*), Dec. 1898; SAM-ENT65 (1 ♀), same as SAM-ENT64 except 'Under stone', Aug. 1899. [The specimens bear no Péringuey type designation, but SAM-ENT64 is labelled 'in litt.' by Péringuey. Labelled type and paratype, respectively, by Hesse.] (= *A. nigrinus* var. *auspicatus* Péringuey)
- australis* (*Anisodactylus*) Péringuey, 1896b: 425, 426. SYNTYPES: SAM-ENT5717a-b, 'Upper Limpopo'. SAM-ENT5718, 'Upper Limpopo' (*Eriksson A. W.*), March [18]8?. [Neither specimen bears any Péringuey type designation. SAM-ENT5717a bears a red type label and is also labelled *Dichaetochilus moestus* Chd. [Chaudoir] by Basilewsky.]
- australis* (*Dendrocellus*) Péringuey, 1896b: 160. Neotype (Basilewsky, 1960b: 180): SAM-ENT1696 (1 ♀), 'Delagoa Bay'. [Labelled *Desera australis* Pér. by Basilewsky.]
- australis* (*Siagona*) Péringuey, 1892a: 7. HOLOTYPE: SAM-ENT3772, 'Ovampoland' (*A. W. Eriksson*), 1890-1891. [Labelled type by Péringuey.]
- axillaris* ssp. *beirensis* (*Piezia*) Burgeon, 1929b: 202, fig. 4. LECTOTYPE: SAM-ENT542 (1 ♂), 'Beira, E. Afr.' (*P. A. Sheppard*), Nov. 1906. [Burgeon described 2 specimens. Labelled *P. licita* ssp. *beirensis* holotype by Basilewsky.]
- basalis* (*Graphipterus*) Péringuey, 1896b: 318. HOLOTYPE: SAM-ENT487 (1 ♀). [Specimen bears no collection details. Labelled type by Péringuey.]
- basalis* (*Lionychus*) Péringuey, 1896b: 239. LECTOTYPE: SAM-ENT345; PARALECTOTYPE: SAM-ENT346, 'Mashunaland, Salisbury' (*G. A. K. Marshall*), 1894. [Specimens labelled type by Péringuey, and holotype and paratype respectively by Basilewsky.]
- bicoloripes* (*Dichaetochilus*) Burgeon, 1936: 271. Paratypes: SAM-ENT180 (1 ♀), SAM-ENT179 (1 ♂), 'Lulua, Kapanga' (*F. G. Overlaet*), Sept. 1932.
- biguttata* var. *propinqua* (*Anthia*) Péringuey, 1896b: 362. Lectotype: SAM-ENT3200 (1 ♀), 'O'Kiep' (*L. P.*), 16 Nov. [18]86 or [18]96. PARALECTOTYPE: SAM-ENT3201 (1 ♀), 'O'kiep' (*L. P.*), 7 Nov. [18]86 or [18]96. [Neither of the specimens bears a Péringuey type designation. The description suggests more than one specimen. Labelled lectotype and paratype by Basilewsky.]
- bilineatus* ssp. *hamifer* (*Graphipterus*) Burgeon, 1929a: 299. Paratypes: SAM-ENT464, SAM-ENT465, SAM-ENT466 (3 specimens), 'Plumtree, Rhodesia', 17 Nov. [19]06, Feb. [19]14 and 16 Nov. [19]06, respectively.
- bilineatus* ssp. *salisburiensis* (*Graphipterus*) Burgeon, 1929a: 299. Holotype: SAM-ENT457, 'Salisbury' (*Rev. J. O'Neil*), 13 Nov. 1914. Paratypes: SAM-ENT458, 'Salisbury' (*Rev. J. O'Neil*), 2 Dec. 1914, SAM-ENT459a-b, 'Salisbury', 9 Dec. 1914.

- bilineatus* ssp. *subamicus* (*Graphipterus*) Basilewsky, 1977: 160. Holotype: SAM-ENT452, 'Omarramba (A. W. Eriksson), Jan. [18]89. Paratypes: SAM-ENT453, 'Ovambol.' (A. W. Eriksson), 1890-1891; SAM-ENT454, 'Ombombo SWA, Mus. Exped.', Feb. 1926.
- blaisea* (*Cophosomorpha*) Péringuey, 1926: 632. HOLOTYPE: SAM-ENT681, 'Mosselbay'. [Labelled *C. blaisiana* type by Péringuey.] (= *C. capicola* Tschitschérine)
- bohemani* var. *raffrayi* (*Plocamotrechus*) Jeannel, 1930: 67. Paratypes (6 specimens): SAM-ENT755, 'Gt. Winterhoek 4 000 ft., Tulbagh' (R. M. Lightfoot), Apr. 1916; SAM-ENT756, 'Cape Town' (F. C. Purcell), 1886; SAM-ENT757 (3 specimens on same pin), 'Cape T.' (L. Péringuey), 1904; SAM-ENT758, 'Ceres Div. Matroosberg 3 500 ft.' (R. M. Lightfoot), Jan. 1917.
- brevicornis* (*Orthogonius*) Péringuey, 1896b: 290. LECTOTYPE: SAM-ENT5016 (1 ♀). [Specimen bears no collection details. Labelled type by Péringuey and *Neoglyptus brevicornis* Péringuey type by Lecordier.]
- brevipennis* (*Cosmema*) Péringuey, 1893: 87. SYNTYPES: SAM-COL-A5462, 'Natal, Malvern' (Barker). [No Péringuey type designation; labelled paratype by Hesse. However, the locality contradicts the published type locality—Pietermaritzburg, Natal.]
- brevis* (*Drypta*) Péringuey, 1896b: 160. HOLOTYPE: SAM-ENT1744 (1 ♂), 'Natal, Frere'. [Labelled type by Péringuey and holotype by Hesse.]
- brieni* (*Reicheia*) Basilewsky, 1951d: 141. Paratype: SAM-ENT1014, 'I.R.S.A.C. Mus. Congo. Ruanda: Forét Rugege 2 200-2 400 m' (N. Leleup), 13 Feb. 1951. [Also in the collection is an additional specimen, SAM-ENT1015, of the same locality but 2 400 m, March 1951.]
- brunneus* (*Abacetus*) Straneo, 1939a: 171. Paratype: SAM-ENT657, 'N. Nigeria, Azare' (Dr Lloyd), 1928-1929.
- burgeoni* (*Caelostomus*) Straneo, 1941: 9. Paratype: SAM-ENT58, 'Is. Fernando Poo, Basilé 400-600 m' (L. Fea), Sept. 1901.
- caeruleolimbatu*s (*Chlaenius*) Péringuey, 1896b: 492. HOLOTYPE: SAM-ENT602, 'S. E. Trop. Afr., Menima R.' (J. B. Butler), 7 Oct. 1892. [Labelled type by Péringuey.]
- caffer* (*Berea*) Péringuey, 1926: 627. HOLOTYPE: SAM-ENT668, 'Kentani' (A. Pegler), 1904. [Labelled type by Péringuey.] (= *Cyrtotelus caffer* (Péringuey))
- caffer* (*Crepidogaster*) Péringuey, 1896b: 188, 191. SYNTYPES: SAM-ENT5218, 'Grah. T. Mus'. SAM-ENT5219, 'Port Elizabeth', 1877. SAM-ENT5739, 'Grah. T.' (Billingsh.), May [18]85. [Only SAM-ENT5218 bears a Péringuey type designation. Designated as holotype and paratypes respectively by Hesse.]
- caffer* (*Tachys*) Péringuey, 1896b: 595. LECTOTYPE: SAM-ENT768a; PARALECTOTYPES: SAM-ENT768b-f (on same pin), 'K. W. T.'. PARALECTOTYPE: SAM-ENT769, 'Grahamstown', 1893. [Only SAM-ENT768a bears the original Péringuey type label. Labelled holotype and paratype respectively by Basilewsky.]

- candida* var. *herero* (*Cicindela*) Péringuey, 1893: 34. HOLOTYPE: SAM-ENT44 (1 ♀), 'L. Namaqua.' (*De Vyl*d). [Labelled type by Péringuey and bears a red allotype label. The description suggests only one specimen.]
- capensis* (*Abacetus*)—see *minutus* (*Abacetus*)
- capensis* (*Anaulacus*) Péringuey, 1896*b*: 543. HOLOTYPE: SAM-ENT650, 'G. T.', Oct. [18]92. [Labelled type by Péringuey. The genitalia of this specimen are on slide SAM-29.B.5.]
- capensis* (*Dyschirius*) Péringuey, 1885: 79. Neotype: SAM-ENT5510, 'Cape T. (*L. P.*)', 1886. [Designated by neotype Fedorenko in 1991. Also in the collection, not seen by Fedorenko, are SAM-COL-A15896, 'Cape T.', Aug. [18]86, and SAM-COL-A15897, 'C. T.', Nov. [18]86.]
- capensis* var. *elizabethae* (*Cicindela*) Péringuey, 1893: 33. SYNTYPE: SAM-ENT34 (1 ♂), 'Port Elizabeth' (*L. P.*), Nov. [18]89. [This specimen bears no Péringuey type label, only a Hesse paratype label. The description suggests more than one specimen.]
- capensis* (*Pachytrachelus*) Péringuey, 1896*b*: 420. SYNTYPES: SAM-ENT147a-c (3 specimens on same pin), 'Zambeze'. [No Péringuey type designation, only a subsequent type label. Labelled *P. promontorii* by Basilewsky.]
- capensis* (*Rembus*) Péringuey, 1896*b*: 537. SYNTYPE: SAM-ENT5699, 'C. T.', Aug. [18]86. [Specimen bears no type designation.]
- capensis* (*Stenolophus*) Péringuey, 1896*b*: 458. SYNTYPES (2 specimens): SAM-ENT132a (1 ♀), 'Stellenbosch, Cape Col.'; SAM-ENT3779 (1 ♂), 'Beira' (*P. A. Sheppard*), July 1903. [Specimens labelled type by Péringuey, and *Egadroma capense* Péringuey by Basilewsky. SAM-ENT3779 labelled *S. inops* by Péringuey. Also in the collection are undesignated specimens, SAM-ENT132b-f of the same series.]
- capicola* (*Acupalpus*) Péringuey, 1896*b*: 463. SYNTYPES: SAM-ENT144a-g (7 specimens on same pin), 'Stellenb., Cape'. [Labelled type by Péringuey and *A. gracilis* Boh. [Boheman] by Basilewsky.]
- capicola* (*Casnonia*) Péringuey, 1896*b*: 152. HOLOTYPE: SAM-ENT163, 'Stellenbosch' (*A. Raffray*), 1894. [Labelled type by Péringuey, holotype by Hesse, and *Eucolliuris capicola* Pér. by Basilewsky.]
- capicola* (*Coptoptera*) Péringuey, 1896*b*: 231. LECTOTYPE: SAM-ENT316; PARALECTOTYPES: SAM-ENT317, SAM-ENT318 (2 specimens), 'C. T.', Jan. [18]87. [Only SAM-ENT316 labelled type by Péringuey. Labelled holotype and paratype by Basilewsky.]
- capicola* (*Coscinia*) Péringuey, 1908: 276. SYNTYPES: SAM-ENT578a-c (3 specimens on same pin), 'Cape, Willowmore' (*Dr H. Brauns*). [Specimens bear no Péringuey type designation. Labelled type and paratype, respectively, by Hesse. The description suggests only one specimen.]
- capicola* (*Drypta*) Péringuey, 1896*b*: 158. SYNTYPES: SAM-ENT1713 (1 ♀), 'C. T.', Aug. [18]87; SAM-ENT1714a-b (1 ♂ ?), 'C. T.', Sept. [18]86. [Only SAM-ENT1713 bears a Péringuey type label. Labelled holotype and paratype by Hesse. The description suggests only one specimen.]

- capicola* (*Harpalomorphus*) Péringuey, 1896b: 454. SYNTYPE: SAM-ENT122 (1 ♂). [Specimen bears no collection details. Labelled type by Péringuey.]
- capicola* (*Parixenus*) Basilewsky, 1958a: 325. HOLOTYPE: SAM-ENT333 (1 ♂), 'George Dist. C. P.' (*C. Thorne*), Aug. 1931.
- capicola* (*Platynus*) Péringuey, 1896b: 577. SYNTYPES (2 specimens): SAM-ENT727 (1 ♀), 'Grahamstown' (*Rev. J. O'Neil*), 1893; SAM-ENT728, 'G. T.', Sept. 1893. [Only SAM-ENT727 labelled type by Péringuey. Labelled holotype and paratype by Hesse. The description suggests only one specimen.]
- capicola* (*Tachys*) Péringuey, 1896b: 595. SYNTYPES: SAM-ENT774, no locality. [Only SAM-ENT774 labelled type by Péringuey; it also bears a subsequent red type label, and is labelled *Tachyura capicola* Péringuey by Basilewsky. Also in the collection are undesignated specimens that could be type material: SAM-ENT775, 'Cape' (*Raffray*); SAM-COL-A6899, 'Stellenb. Cape. Col.'; SAM-COL-A6909 (2 specimens), 'Stellenb.', April [18]87; SAM-COL-A6954 (3 specimens), 'Cape T.' (*Lightfoot*), June [18]86; SAM-COL-A6955, 'C.T.', Aug. [18]86; SAM-COL-A6956, 'C.T.', Aug. [18]87.]
- carinatipennis* (*Anaulacus*) Péringuey, 1908: 289. HOLOTYPE: SAM-ENT651 (1 ♀), 'L. 1675 Humewood, Algoa Bay, Cape Col.', 30 Sept. [19]05. [Labelled type by Péringuey. Also labelled *A. carinipennis*.]
- castelli* (*Macquena*) Péringuey, 1926: 635. HOLOTYPE: SAM-ENT692 (1 ♀), 'Giant's Castle' (*Symonds*), Nov. 1914. [Labelled type by Péringuey.] (= *Cophosomorpha castelli* (Péringuey))
- cautus* (*Tachys*) Péringuey, 1899: 371. HOLOTYPE: SAM-ENT800, 'Stellenbosch' (*L. Péringuey*), 1897. [Labelled type by Péringuey and Basilewsky.]
- cavicola* (*Caelostomus*) Basilewsky & Straneo, 1950: 190. PARATYPE: SAM-ENT56 'I.R.S.A.C. Mus. Congo. Thysville: Grotte. B 13a' (*N. Leleup*), 18 Aug. 1949.
- cephalotes* var. *ovampoia* (*Anthia*) Péringuey, 1896b: 364. Lectotype: SAM-ENT3197; PARALECTOTYPE: SAM-ENT3198, 'Ovampoland' (*A. W. Eriksson*), 1890-1891. [Neither specimen is labelled type by Péringuey. Labelled lectotype and paratype by Basilewsky.]
- cephalotes* var. *torva* (*Anthia*) Péringuey, 1896b: 364. LECTOTYPE: SAM-ENT3196, 'Delagoa Bay', [18]87. [Specimen bears no Péringuey type designation, only a red Basilewsky holotype label.]
- chalcites* (*Abacetus*) Péringuey, 1896b: 553. HOLOTYPE: SAM-ENT78 (1 ♂). [Labelled type by Péringuey. The specimen bears no collection details.]
- chaudoiri* (*Graphipterus*) Péringuey, 1888: 77, pl. 1 (fig. 2). LECTOTYPE: SAM-ENT3791, 'Transvaal Leydenburg Dist.'. [The specimen bears no Péringuey type designation, only a subsequent *binvouloiri chaudoiri* holotype label by Basilewsky. Also in the collection are undesignated specimens: SAM-COL-A8529 (2 specimens), 'Natal, Frere' (*Marshall*), 1892; SAM-COL-A8530, 'Transvaal, Klerksdorp' (*E. G. Alston*), Nov. [18]90.]

- chrysographa* var. *marqueza* (*Cicindela*) Péringuey, 1896a: 105. SYNTYPE: SAM-COL-A5711 (1 ♀). [Labelled type by Péringuey. No collection details.]
- cognata* (*Clivina*) Péringuey, 1896b: 410. Syntypes: SAM-ENT572a-c (3 specimens on same pin), 'Mashunaland, Salisbury' (*G. A. K. Marshall*), 1893. [Labelled type by Péringuey. Also in the collection are undesignated specimens of the same series, SAM-ENT572d-h.]
- collarti* (*Cyclosomus*) Burgeon, 1931: 307. Paratype: SAM-ENT1032, 'Congo, Forêt de Kawa, Lac Albert' (*A. Collart*), 21 Apr. 1929.
- comes* (*Chlaenius*) Péringuey, 1896b: 512. SYNTYPES: SAM-ENT608a-b, 'Delagoa, Rikatla'. [Neither specimen is designated by Péringuey; only SAM-ENT608b bears a red type label. Labelled *Chlaeites comes* by Basilewsky.]
- commista* (*Polyhirma*) Péringuey, 1904a: 184. LECTOTYPE: SAM-ENT97a (1 ♀), 'NE Damaral.' (*A. W. Eriksson*), Oct. [18]99. PARALECTOTYPES: SAM-ENT97b-j, same as above specimen; SAM-ENT98 (1 ♂ 2 ♀♀), 'Omiramba' (*A. W. Eriksson*), Jan. [18]88; SAM-ENT99a-d (2 ♂♂ 2 ♀♀), 'N. Damarald' (*A. W. Eriksson*), [18]99; SAM-ENT100 (1 ♀), 'Omiramba' (*A. W. Eriksson*), Jan. 1889. [Only SAM-ENT97a-b are designated as types by Péringuey. Hesse designated these as allotype and holotype and the rest of the series as paratypes. Basilewsky designated SAM-ENT97a as the lectotype and the remaining specimens as paratypes.]
- commistus* (*Chlaenius*) Péringuey, 1896b: 503. SYNTYPES: SAM-ENT604a, 'Upper Limpopo' (*A. W. Ericks[son]*), Mar. 1887. [Labelled type by Péringuey. Also in the collection are undesignated specimens of the same series, SAM-ENT604b-c. Labelled *Chlaenius cruciatus* ssp. *commistus* by Basilewsky.]
- concinna* (*Dromica*) Péringuey, 1904b: 448. SYNTYPES: SAM-ENT27a-b (1 ♂ 1 ♀). [Labelled type by Péringuey. No collection details on the specimens or in the description. The description suggests more than one specimen.]
- concinus* (*Spanus*) Péringuey, 1926: 614. HOLOTYPE: SAM-ENT639, 'Fort Beaufort'. [Labelled type by Péringuey and *Dyschiridium concinnum* (Péringuey) by Basilewsky.]
- concors* (*Abacetus*) Péringuey, 1926: 623. HOLOTYPE: SAM-ENT4466 (1 ♀), 'Natal, Durban' (*H. W. Bell-Marley*). [Labelled type by Péringuey.]
- conformis* (*Abacetus*) Péringuey, 1896b: 607. HOLOTYPE: SAM-ENT85 (1 ♂), 'Dunbrody'. [Labelled type by Péringuey.] (= *A. natalensis* Chaudoir)
- confusa* (*Tyronia*) Basilewsky, 1959: 312. Holotype: SAM-ENT5233, 'Natal' (*G. A. K. Marshall*), Sept. 1892. Paratypes: SAM-ENT5234 (1 ♂), 'Swaziland, Mbabane' (*R. H. Lawrence*), July 1938; SAM-ENT5743, 'Natal, S. A. Museum' (*R. H. Lawrence*), Feb. 1938. [Labelled *Crepidobadia confusa* Basil. by Basilewsky.]
- confusus* (*Boeomimetes*) Basilewsky, 1948: 73. Holotype: SAM-ENT120 (1 ♀), 'Gt Karas Mts SWA, SAM-677' (*Museum staff*), Nov. 1936. Paratype: SAM-ENT121, 'Bechuanaland' (*Mr Stone*), May-June 1930. [The

holotype is described as ♂ but the specimen is labelled ♀. Only one of the two paratypes cited is in the collection.]

- confusus* (*Periphobus*) Basilewsky, 1956*b*: 240, fig. 3. Holotype: SAM-ENT289 (1 ♂), 'Oudtshoorn', July 1886.
- congener* (*Pterostichus*) Péringuey, 1899: 364. SYNTYPE: SAM-ENT691. [Specimen bears no collection details. Labelled type by Péringuey.] (= *Cophosomorpha congener* (Péringuey))
- congoana* (*Perigona*) Burgeon, 1935: 221. Paratypes (2 specimens): SAM-ENT1027, 'Musée du Congo, Lulua: Kapanga' (*F. G. Overlaet*), Aug. 1932; SAM-ENT1028, 'Musée du Congo, Haut Uele, Watsa' (*L. Burgeon*), Nov. 1919.
- congoensis* (*Abacetus*) Tschitschérine, 1898: 419, 425. HOLOTYPE: SAM-ENT658. [Specimen bears no collection details.]
- congrua* (*Lebia*) Péringuey, 1896*b*: 260, pl. 6 (fig. 13). HOLOTYPE: SAM-ENT386. [Specimen bears no collection details. Labelled type by Péringuey.]
- congruens* (*Abacetus*) Péringuey, 1926: 622. SYNTYPES: SAM-ENT3770 (1 ♂), 'Umtali, Rhod.' (*A. Bodong*); SAM-ENT3771a-f (2 ♂♂ 4 ♀♀), 'Umtali, S. Rhodesia' (*A. Bodong*), 190?. [Only SAM-ENT3771a is labelled type by Péringuey. SAM-ENT3770 and SAM-ENT3771a bear red type labels.] (= *A. zanzibaricus* Tschitschérine)
- congruens* (*Pterostichus*) Péringuey, 1896*b*: 562. HOLOTYPE: SAM-ENT693. [Specimen bears no collection details. Labelled type by Péringuey.] (= *Cophosomorpha congruens* (Péringuey))
- connexa* (*Cosmema*) Péringuey, 1893: 90. SYNTYPE: SAM-COL-A5398a, 'Natal, Estcourt' (*Barker*), 1894. [Labelled type by Péringuey and holotype by Hesse, although not from the type locality. There are undesigned specimens of the above series, SAM-COL-A5398b-d, and specimens from the type locality, SAM-ENT21a-c, 'Frere, Natal' (*Marshall*), Dec. [18]92. The description suggests more than one specimen.]
- connexus* (*Hypolithus*) Péringuey, 1896*b*: 436. Holotype: SAM-ENT192a (1 ♂), 'Natal, Durban' (*C. N. Barker*), 1894. [Specimen bears no Péringuey type label, only a Basilewsky *Nesiopelus connexus* Péringuey type label. Also in the collection is another undesigned specimen of the same series, SAM-ENT192b (1 ♂).]
- consobrinus* (*Chlaenius*) Péringuey, 1896*b*: 509. HOLOTYPE: SAM-ENT606, 'Delagoa, Rikatla'. [Labelled type by Péringuey. Labelled *Chlaenites consobrinus* by Basilewsky.]
- consobrinus* (*Crepidogaster*) Péringuey, 1896*b*: 190. Holotype: SAM-ENT5221, 'Dunbrody', June [18]93. [Labelled type by Péringuey and *Crepidogaster cosobrina* Péringuey holotype by Basilewsky. The elytra of this specimen are damaged.]
- consobrinus* (*Graphipterus*) Péringuey, 1896*b*: 310. LECTOTYPE: SAM-ENT448a, 'Natal, Newcastle' (*A. E. Hunt*), 189?. PARALECTOTYPES: SAM-ENT448b-c, same details as above; SAM-ENT449, same details as above but date 1893. [The description suggests only one specimen; the specimens

- bear no Péringuey type designation. Labelled *G. plagiatus* ssp. *consobrinus* type and paratypes by Basilewsky.] (= *G. sexvittatus* ssp. *consobrinus*)
- consobrinus* (*Klepterus*) Péringuey, 1896b: 236. LECTOTYPE: SAM-ENT328. [Specimen bears no collection details. Labelled type by Péringuey and holotype by Basilewsky. The description suggests more than one specimen.]
- consocius* (*Graphipterus*) Péringuey, 1896b: 319. SYNTYPES: SAM-ENT512a-b (2 specimens), 'Bechuanal. Ramoutsa' (*O'Neil*), 1894. [Specimens bear no Péringuey type designation. One is designated as type by Basilewsky.] (= *G. incanus* ssp. *quadrilineatus* Brulle)
- consors* (*Astata*) Péringuey, 1899: 337. HOLOTYPE: SAM-ENT404, 'Umlazi'. [Labelled type by Péringuey.]
- consors* (*Chlaenius*) Péringuey, 1896b: 516. SYNTYPE: SAM-ENT618, 'Kashona' (*De Vyllder*). [Locality and collector on separate labels. Labelled type by Péringuey.] (= *Chlaenites consors* (Péringuey))
- conspicuus* (*Oodes*) Péringuey, 1892a: 20. SYNTYPES (2 specimens): SAM-ENT630, 'Ovampoland' (*A. W. Eriksson*), 1890; SAM-ENT631, 'Transvaal, Barberton'. [Both specimens labelled type by Péringuey. The description mentions two specimens but both from Barberton, Transvaal. Ovampoland, Kenhardt and Barberton were indicated as type localities in a subsequent description (1896).]
- controversus* (*Chlaenius*) Péringuey, 1926: 598. SYNTYPE: SAM-ENT610, 'Beira, E. Africa' (*P. A. Sheppard*), Nov. 1906. [Labelled type by Péringuey, and *Pachydinodes controversus* (Pér.) by Basilewsky.]
- convexicollis* (*Dromica*) Péringuey, 1908: 271. HOLOTYPE: SAM-ENT30 (1 ♂), 'Zoutpansberg, Tvl'. [Labelled type by Péringuey. The description suggests only one specimen.]
- cordiger* ssp. *betshuana* (*Graphipterus*) Burgeon, 1929a: 294. Paratypes (3 specimens): SAM-ENT427 to SAM-ENT429, all 'Plumtree Rhodesia', but 16 Nov. [19]06, 26 Jan. [19]06 and 8 Jan. 1906, respectively.
- cordiger* ssp. *natalicus* (*Graphipterus*) Basilewsky, 1977: 87. Holotype: SAM-ENT430, 'Mfongosi Zululand' (*W. E. Jones*), Dec.-Feb. 1935. Paratypes: SAM-ENT431, 'Mfongosi, Zululand' (*Misses Jones*), Jan. 1923; SAM-ENT432, 'Mfongosi, Zululand' (*Misses Jones*), 1922; SAM-ENT433a-b, 'Mfongosi, Zululand' (*W. E. Jones*), Apr.-May 1934; SAM-ENT434, 'Pietermaritzburg' (*R. Lawrence*), Nov. 1940.
- cordiger* (*Phloeozetus*) Péringuey, 1896b: 249. HOLOTYPE: SAM-ENT360. [Specimen bears no collection details. Labelled type by Péringuey.]
- cordiger* ssp. *subcordiger* (*Graphipterus*) Basilewsky, 1977: 81. Paratype: SAM-ENT424, 'Ovampol.' (*A. W. Eriksson*), 1890-1891.
- cordiger* ssp. *subhamatus* (*Graphipterus*) Basilewsky, 1977: 84. Paratype: SAM-ENT438, 'Durban' (*Millar*), [18]92.
- cordiger* ssp. *transfugus* (*Graphipterus*) Péringuey, 1896b: 324. HOLOTYPE: SAM-ENT426, 'Makapan (Tr.)' (*E. Simon*), 1893. [Labelled type by Péringuey.]

- costata* (*Myrmecoptera*) Péringuey, 1893: 69, pl. 2 (fig. 6). SYNTYPE: SAM-ENT11 (1 ♀), 'Tvl, Potchefstroom' (Purch. *T. Ayres*), 1879. [The specimen bears no Péringuey type label, only a Hesse paratype label.]
- costipennis* (*Scarites*) Péringuey, 1896b: 391. HOLOTYPE: SAM-ENT580, 'Cape C., Bredasdorp'. [Collector's name illegible. Labelled type by Péringuey.]
- crassescens* (*Tachys*) Péringuey, 1896b: 598. HOLOTYPE: SAM-ENT799. [Specimen bears no collection details. Labelled type by Péringuey and bears red Basilewsky type label.]
- crassicornis* (*Abacetus*) Péringuey, 1896b: 547. HOLOTYPE: SAM-ENT66 (1 ♂), 'Zambez. Bulawayo'. [Labelled type by Péringuey.]
- crassiusculus* (*Tachys*) Péringuey, 1896b: 594. SYNTYPES: SAM-ENT762a-c (3 specimens on same pin), 'Mashunaland, Salisbury' (*G. A. K. Marshall*), 1893. [The specimens bear no Péringuey type label, only a Basilewsky typus label. Also in the collection is an undesignated specimen, SAM-COL-A6897, 'Bechuana., Ramoutsa' (*O'Neil*), which may be a type.]
- crenatostriatatus* (*Atimus*) Péringuey, 1896b: 555. HOLOTYPE: SAM-ENT699 (1 ♀), 'S. Africa' (*Dr Holub*). [Labelled type by Péringuey. One elytron missing.] (= *Pterstichus wollastoni* Woll.)
- crenatostriatatus* (*Klepsiphrus*) Péringuey, 1899: 328. Holotype: SAM-ENT310, 'Lower MKomas M.', Sept. [18]97. [Labelled type by Péringuey and holotype by Basilewsky. Also labelled *Coptoptera brunnea* Chd. [Chaudoir] by Basilewsky.]
- crenatostriatatus* (*Platynus*) Péringuey, 1896b: 574. HOLOTYPE: SAM-ENT724 (1 ♀), 'Mashunaland, Salisbury' (*G. A. K. Marshall*), 1894. [Labelled type by Péringuey.]
- cribricollis* (*Phloeozetus*) Péringuey, 1904a: 177. SYNTYPES: SAM-ENT375, SAM-ENT376 (2 specimens), 'Salisbury', Dec. [18]97. [Labelled type by Péringuey.]
- crudelis* (*Chlaenius*) Péringuey, 1896b: 493. HOLOTYPE: SAM-ENT582, 'Mazoe, Zambesia'. [Labelled type by Péringuey. Labelled *Rhysotrachelus crudelis* (Pér.) by Basilewsky.]
- cruentulus* (*Hypolithus*) Péringuey, 1908: 277. Holotype: SAM-ENT187 (1 ♂), 'Salisbury, Mashonaland' (*G. A. K. Marshall*), Sept. 1901. Paratype: SAM-ENT189 (1 ♂), 'Salisbury, Mashonalnd' (*G. A. K. Marshall*), Sept. 1900. [Labelled type and cotype respectively by Péringuey. SAM-ENT187 is labelled *Pseudohyparpalus audens* Pér. by Basilewsky.]
- cupricollis* ssp. *katangana* (*Eccooptoptera*) Basilewsky, 1953a: 216, fig. 51. Paratype: SAM-ENT528, 'Congo Belge P.N.U. Mabwe, Upemba (585 m) Mis. G. F. de Witte 716a', 21-23 Aug. 1947.
- cursor* (*Metaxymorphus*) Péringuey, 1896b: 207, pl. 5 (fig. 4). SYNTYPE: SAM-ENT286. [Specimen bears no collection details. Labelled type by Péringuey.]
- cursorius* (*Harpalus*) Péringuey, 1896b: 450. SYNTYPE: SAM-ENT3783, 'Natal, Escourt' (*E. Havila[nd]*). [Bears no Péringuey type label, only a red (Basilewsky) type label. Labelled *H. agilis* Pér. by Basilewsky.]

- curtula* (*Dioryche*) Péringuey, 1908: 282. HOLOTYPE: SAM-ENT190 (1 ♂), 'Rhodesia, Sebakwe' (*D. Dods*), 1903. [Labelled type by Péringuey. Labelled *Platymetopus curtulus* Pér. by Basilewsky.]
- curtulus* (*Brachytachys*) Basilewsky, 1953a: 51. Paratypes (2 specimens): SAM-ENT1021, 'Congo Belge P.N.U. Kabwe s/Muye af. dr. Lufire 1 320 m (tamisage), 6 May 1948, Mis. G. F. de Witte. 1590a'; SAM-ENT1022, 'Congo Belge: P.N.U. Grde Kafwe af. dr. Lufwa (1 780 m) (af. dr. Lufira) terre 17.3.1948 tamisee, Mis. G. F. de Witte. 1742a'.
- curtulus* (*Crepidogastrillus*) Basilewsky, 1959: 338, fig. 37. Paratypes: SAM-ENT5235, 'S. W. A. Otjikondo, Mus. Exped.', Jan. 1925; SAM-ENT5744, 'Bulawayo, S. Rhodesia', 20 June 1920.
- curtus* (*Graphipterus*) Péringuey, 1899: 341. LECTOTYPE: SAM-ENT525, 'Enkeldoorn, Zambezia'. PARALECTOTYPE: SAM-ENT526, 'Bulawayo' (*Selous*), 1896. [Only SAM-ENT525 bears a Péringuey type label. The description suggests only one specimen. Labelled holotype and paratype by Basilewsky.]
- cymindoides* (*Plagyopyga*) Péringuey, 1896b: 221. HOLOTYPE: SAM-ENT309, 'Oudtshoorn, Cango Caves'. [Labelled type by Péringuey and holotype by Basilewsky.]
- damara* (*Cicindela*) Péringuey, 1893: 35, pl. 1 (fig. 3). SYNTYPE: SAM-ENT37 (1 ♀), 'Sandwich Harbour'. [Labelled type by Péringuey and bears a red type label. The description suggests more than one specimen.]
- damarensis* (*Graphipterus*) Péringuey, 1896b: 301. HOLOTYPE: SAM-ENT511, 'Damaraland'. [Labelled type by Péringuey.]
- darlingi* (*Graphipterus*) Péringuey, 1899: 341. LECTOTYPE: SAM-ENT514, 'Enkeldoorn' (*Darling*). PARALECTOTYPES: SAM-ENT515, 'Enkeldoorn, Zambezia'; SAM-ENT516a-b, 'Rhodesia, Enkeldoorn' (*Darling*). [The specimens do not bear Péringuey type labels. Labelled *albolineatus darlingi* Péringuey holotype and paratype by Basilewsky.]
- debile* (*Zuphium*) Péringuey, 1899: 319. LECTOTYPE: SAM-ENT1720 (1 ♀); PARALECTOTYPE: SAM-ENT221 (1 ♀), 'Salisbury', Jan. [18]98. [Only SAM-ENT1720 is labelled type by Péringuey. Labelled *Parazuphium debile* Péringuey holotype and paratype by Basilewsky. The description suggests only one specimen.]
- debilis* (*Lebia*) Péringuey, 1896b: 263, pl. 6 (fig. 12). SYNTYPE: SAM-ENT398, 'Kimberley' (*Miss Leppan*). [Labelled type by Péringuey.]
- debilis* (*Metaxymorphus*) Péringuey, 1899: 324. Holotype: SAM-ENT274, 'Cape Col. Cape Town'. [Labelled type by Péringuey and *Metaxymorphus debilis* Péringuey holotype by Basilewsky.]
- debilis* (*Tachys*) Péringuey, 1908: 295. LECTOTYPE: SAM-ENT794a-b (2 specimens on same pin), 'Salisbury, Mashonald' (*G. A. K. Marshall*), Apr. 1900. PARALECTOTYPE: SAM-ENT795, same as SAM-ENT794 but collected Aug. [18]99. [Labelled type by Péringuey and *Elaphropus debilis* Péringuey holotype and paratype by Basilewsky. Also in the collection is an undesigned specimen, SAM-COL-A6970, 'Mashonald, Salisbury', 1900.]

- debilis* (*Xenitenus*) Péringuey, 1896b: 229. Holotype: SAM-ENT336, 'van Wyks Vley' (*J. Alston*). [Labelled type by Péringuey and holotype by Basilewsky.]
- debruynei* (*Reicheia*) Basilewsky, 1951d: 136, fig. 1. Paratype: SAM-ENT1009, 'I.R.S.A.C. Mus. Congo. Ruanda: Forêt de la Rugege 2 150 m' (*N. Leleup*), Apr. 1951.
- decemguttata* var. *stolida* (*Anthia*) Péringuey, 1896b: 367. Lectotype: SAM-ENT3202, 'Oudtshoorn' (*W. Thomas*), Dec. [18]90. [The description suggests more than one specimen. The specimen bears no Péringuey type label, only a subsequent Basilewsky *Thermophilum 10-guttatum* var. *stolidum* Péringuey lectotype label.]
- decemguttata* var. *vorax* (*Anthia*) Péringuey, 1896b: 367. LECTOTYPE: SAM-ENT3203, 'Ladismith' (*Chadwick*), Dec. [18]90. [The description suggests more than one specimen. The specimen does not bear a Péringuey type label, only Basilewsky's *Thermophilum 10-guttatum* var. *vorax* Péringuey holotype label. The locality on the label appears to have been changed from Ladysmith to Ladismith.]
- deceptor* (*Graphipterus*) Péringuey, 1892a: 9. LECTOTYPE: SAM-ENT443a, 'Ovambol.' (*A. W. Eriksson*), 1890-1891. PARALECTOTYPES (4 specimens): SAM-ENT443b-e, same series as lectotype. [Only SAM-ENT443a is labelled type by Péringuey. The description suggests only one specimen. Labelled *G. suturiger* ssp. *deceptor* Péringuey type and paratypes by Basilewsky.]
- deceptor* (*Lachanissus*) Péringuey, 1896b: 210. HOLOTYPE: SAM-ENT283, 'Matjiesfontein. (C. C.)' (*E. Simon*), 1893. [Labelled type by Péringuey.] (= *Metaxymorphus deceptor* (Péringuey))
- deceptor* (*Oodes*) Péringuey, 1908: 287. HOLOTYPE: SAM-ENT640, 'Salisbury, Mashonaland' (*G. A. K. Marshall*), April 1900. [Labelled type by Péringuey.]
- decolorata* (*Crepidogaster*) Basilewsky, 1959: 299, fig. 24. Holotype: SAM-ENT5231, 'Enon'. Paratype: SAM-ENT5232, 'Caledon' (*L. Péringuey*), 1905. [The head of SAM-ENT5231 is missing.]
- decoratus* (*Acupalpus*) Péringuey, 1896b: 465. HOLOTYPE: SAM-ENT133 (1 ♀). [Bears no collection details. Labelled type by Péringuey. Labelled *Egadroma scapulare* Dej. [Dejean] by Basilewsky.]
- delagoensis* (*Abacetus*) Péringuey, 1926: 622. SYNTYPES: SAM-ENT86 (1 ♀), SAM-ENT4921 (1 ♀), 'Rikatla, Delagoa'. [Labelled type and 'n. sp.' respectively by Péringuey, and SAM-ENT4921 also bears a Hesse paratype label. SAM-ENT86 previously labelled *A. algoensis* by Péringuey.] (= *A. natalensis* Chaudoir)
- demoulini* (*Brachinus*) Basilewsky, 1962b: 135. Paratypes: SAM-ENT267, 'Congo Belge, P.N.G., Mis. de Saeger, 2/gd/14' Réc. H. de Saeger, 1876, 6 June 1951; SAM-ENT268, same as SAM-ENT267, but '2/ge/6' Réc. H. de Saeger, 1877, 8 June 1951.
- desaegeri* (*Abacetus*) Straneo, 1963: 30. Paratype: SAM-ENT5392, 'Congo Belge, P.N.G. Mission de Saeger', 2 Oct. 1951.

- difficilis* (*Hypolithus*) Péringuey, 1896b: 436. SYNTYPES: SAM-ENT197a-b (2 specimens), 'Natal, Durban SAM696-697' (*C. N. Barker*). [Labelled type by Péringuey and *Africobatus harpaloides* Guer. by Basilewsky. Also in the collection are undesignated specimens, SAM-COL-A14922a-g, which are probably from the same series but dated 1894.]
- dilucidus* (*Abacetus*) Péringuey, 1904a: 192. SYNTYPES: SAM-ENT73a-c (2 ♂♂ 1 ♀), 'Southern Rhodesia, Umtali' (*A. Bodong*), 190?. [All specimens are labelled type by Péringuey. SAM-ENT73a bears a red type label, and SAM-ENT73b-c are labelled paratype by Hesse.] (= *Abacetus nitens* Tschitschérine)
- dilucidus* (*Xenitenus*) Péringuey, 1896b: 229. HOLOTYPE: SAM-ENT338, 'Vryburg, 'Bech.1.' (*E. Simon*), 1893. [Bears no Péringuey type label, only an early cotype label. Labelled holotype by Basilewsky. The description suggests more than one specimen.]
- diluta* (*Tyronia*) Basilewsky, 1959: 257, fig. 6b. Paratype: SAM-ENT5212, 'S. W. A. Outjo, Mus. Exped.', Jan. 1926.
- dilutipes* ssp. *mosambicana* (*Drypta*) Basilewsky, 1960b: 165. Paratypes: SAM-ENT1712a-c (3 ♂♂), 'Lucitania R. Busi E. Afr.' (*P. A. Sheppard*), 24-31 Oct. 1903. [Labelled *D. mashona mosambicana* by Basilewsky.]
- discrepans* (*Abacetus*) Péringuey, 1904a: 197. SYNTYPE: SAM-ENT4467, 'Salisbury', May [18]98. [Labelled type by Péringuey.] (= *A. confinis* Boheman)
- discrepans* (*Lebia*) Péringuey, 1899: 334. HOLOTYPE: SAM-ENT394, 'Malvern, Natal'. [Labelled type by Péringuey.]
- dispar* (*Dyschirius*) Péringuey, 1896b: 411. Lectotype: SAM-ENT5508a-b (on same pin), 'C. T.', Nov. [18]86. Paralectotypes: SAM-ENT5508c-f (3 specimens on same pin), 'C. T.', Nov. [18]86; SAM-ENT5509, 'Cape T.' 11.[18]85; SAM-ENT5665, 'Cape T.' (*Raffray*). [Lectotype and paralectotypes designated by Fedorenko in 1991. Specimens bear no Péringuey type labels. SAM-ENT5508d-f were not seen by Fedorenko as they were found subsequently.]
- dispar* (*Pentagonica*) Péringuey, 1904a: 181. HOLOTYPE: SAM-ENT211, 'Durban, Natal' (*C. N. Barker*). [Labelled type by Péringuey.]
- dissepta* (*Myrmecoptera*) Péringuey, 1896a: 116. SYNTYPE: SAM-ENT36 (1 ♀), 'Umfuli R.', Nov. [18]95. [The specimen bears no Péringuey type label, only a Hesse paratype label.]
- dissidens* (*Bascanus*) Péringuey, 1908: 290. HOLOTYPE: SAM-ENT641, 'Umtali, Mashonaland' (*A. Bodong*), 1902. [Labelled type by Péringuey and also bears a subsequent red type label.]
- dissidens* (*Camptoscelis*) Péringuey, 1926: 630. HOLOTYPE: SAM-ENT3793 (1 ♂). [Specimen bears no collection details. Labelled type by Péringuey.]
- dissidens* (*Chlaenius*) Péringuey, 1926: 591. HOLOTYPE: SAM-ENT589a, 'Rhodesia, Umtali' (*A. Bodong*), 1903. [Labelled type by Péringuey. Labelled *Ocybatus dissidens* Pér. by Basilewsky. Also in the collection is an undesignated specimen of the same series, SAM-ENT589b.]

- dissidens* (*Piezia*) Péringuey, 1896b: 333. LECTOTYPE: SAM-ENT552, 'Mashunaland, Salisbury' (*G. A. K. Marshall*), 1893. [Specimen bears no Péringuey type label, only the subsequent Basilewsky holotype label.]
- dissimilis* (*Cicindela*) Péringuey, 1893: 50. SYNTYPE: SAM-ENT33 (1 ♂), 'Delagoa Bay' (*Purch. Rev. Junod*), June [18]92. [This specimen bears no Péringuey type label, only a Hesse paratype label.]
- dissimilis* (*Crepidogaster*) Basilewsky, 1959: 259. Paratypes: SAM-ENT5226, 'Kawares, SWA', March 1926; SAM-ENT5734, 'Okorosave, SWA', March 1926; SAM-ENT5735a, 'Kaross, SWA', Feb. 1925; SAM-ENT5736a, 'Kaoko Otavi, SWA', March 1926; SAM-ENT5737a, 'Kamanjab, SWA', Jan. 1925. [There are also undesignated specimens, SAM-ENT5735b-d, ENT5736b-g and ENT5737b.]
- dissimilis* (*Eucolliuris*) Basilewsky, 1965: 146. Holotype: SAM-ENT164 (1 ♂), 'Malvern, Natal' (*C. N. Barker*).
- distincta* (*Callida*) Péringuey, 1896b: 197. LECTOTYPE: SAM-ENT1724, 'Kingwilliamstown'. PARALECTOTYPE: SAM-ENT1718, 'Hammanskraal (Tr.)' (*E. Simon*), 1893. [Both labelled type by Péringuey and *Stenocallida distincta* Péringuey by Basilewsky. SAM-ENT1724 designated as holotype by Basilewsky. The description suggests more than one specimen.]
- distincta* (*Casonia*) Péringuey, 1896b: 152. LECTOTYPE: SAM-ENT174a, 'Rhodesia, Sebakwe' (*D. Dods*), 1902. PARALECTOTYPES: SAM-ENT174b-f (on same pin), same series as above. [Labelled type by Péringuey and *Lachnothorax distinctus* Péringuey holotype and paratype by Basilewsky. Also in the collection are undesignated specimens of the same series, SAM-ENT174g-m and SAM-ENT174n-q.]
- distinctus* (*Brachinus*) Péringuey, 1896b: 181. Holotype: SAM-ENT241 (1 ♀), 'Rikatla, Delagoa'. [Labelled type by Péringuey and holotype by Basilewsky.]
- distinctus* (*Graphipterus*) Péringuey, 1899: 340. SYNTYPE: SAM-ENT423, 'Lydenburg District', 1896. [Labelled type by Péringuey and *G. fasciatus* ssp. *distinctus* Pér. by Basilewsky.]
- ditulus* (*Chlaenius*) Péringuey, 1904a: 184. HOLOTYPE: SAM-ENT591, 'Salisbury, Mashonaland' (*G. A. K. Marshall*), Nov. 1900. [Labelled *Vertagus ditulus* type by Péringuey and *Ocybatus ditulus* by Basilewsky.]
- diversa* (*Cophosomorpha*) Péringuey, 1926: 633. HOLOTYPE: SAM-ENT678, 'C. T.', Mar. [18]87. [Labelled *C. dissidens* type by Péringuey (probably in error) and later *C. diversa* by Hesse.]
- diversus* (*Abacetus*)—see *alienus* (*Abacetus*)
- diversus* (*Platynus*) Péringuey, 1896b : 574, 578. HOLOTYPE: SAM-ENT729. [Specimen bears no collection details. Labelled type by Péringuey and *Neomegalonychus diversus* Péringuey by Basilewsky.]
- dodsi* (*Tetracha*) Péringuey, 1904a: 167. LECTOTYPE: SAM-ENT3a (1 ♂), 'S. Rhodesia, Sebakwe' (*D. Dods*), 1903. [The specimen bears no Péringuey type label but labelled *Megacephala asperata* ssp. *dodsi* holotype by Basilewsky. There are also undesignated specimens of the same series, SAM-ENT3b-c (2 ♀♀). The description suggests more than one specimen.]

- dollmani* (*Crepidogaster*) Liebke, 1934: 81. Paratype: SAM-ENT5359, 'N. W. Rhodesia, Kashitu' (*H. C. Dollman*), Feb. 1915.
- dorsalis* (*Casonia*) Péringuey, 1896b: 151. HOLOTYPE: SAM-ENT158. [Specimen no longer in the collection.]
- dorsalis* (*Phloeozetus*) Péringuey, 1896b: 247, pl. 5 (fig. 16). HOLOTYPE: SAM-ENT352, 'Somerset W.' (*J. Purcell*). [Labelled type by Péringuey.]
- dubia* (*Lebia*) Péringuey, 1896b: 263. HOLOTYPE: SAM-ENT407, 'Dunbrody', July [18]93. [Labelled type by Péringuey.]
- dusaulti* ssp. *discrepans* (*Chlaenius*) Basilewsky, 1949: 155. Holotype: SAM-ENT615, 'Ovampol.' (*A. W. Eriksson*), 1890-1891. Paratypes: SAM-ENT5704, 'Mfongosi, Zululand' (*W. E. Jones*), Dec.-Feb. 1935; SAM-ENT5705, 'Bulawayo' (*R. Stevenson*), 27 July 1923; SAM-ENT5706, 'Enkeldoorn' (*Darling*); SAM-ENT5707a, 'Insiza, S. Rhod.' (*G. French*), Jan. 1919; SAM-ENT5708a-b, 'Upper Limpopo' (*Eriksson*), March [18]87. [There are also undesignated specimens of the same series in the collection, SAM-ENT5707b-c and SAM-ENT5708b.]
- dusaulti* ssp. *discrepans* var. *pseudodigraphus* (*Chlaenius*) Basilewsky, 1949: 155. Holotype: SAM-ENT616, 'Mfongosi, Zululand' (*W. E. Jones*), April-May 1934.
- duvivieri* (*Graphipterus*) Burgeon, 1929a: 327. Paratype: SAM-ENT527, 'Moliro' (*J. Duvivier*).
- edax* (*Polyhirma*) Péringuey, 1892a: 13. Lectotype: SAM-ENT114a (1 ♀), 'Cunene, Ondonga. Evare?'. PARALECTOTYPES: SAM-ENT114b (1 ♂), 'Cunene, Ondonga. Evare?'; SAM-ENT115 (1 ♀), 'Ovagnenjani, Cunene Riv.' [Only SAM-ENT114a is labelled type by Péringuey; labelled holotype, allotype and paratype respectively by Hesse, and *Cypholoba edax* Péringuey lectotype and paratypes respectively by Basilewsky.]
- effugiens* (*Chlaenius*) Péringuey, 1908: 286. HOLOTYPE: SAM-ENT593 (1 ♂), 'S. Rhodesia, Umtali' (*A. Bodong*), 1903. [Labelled type by Péringuey. Labelled *Stenodinodes effugiens* (Pér.) by Basilewsky.]
- effulgens* (*Abacetus*) Péringuey, 1904a: 199. HOLOTYPE: SAM-COL-A9250, 'Rhod., Umtali' (*Bodong*), 1903, 'No. 8'. [Labelled type by Péringuey.] (= *A. foveolatus* Chaudoir)
- egenus* (*Omostropus*) Péringuey, 1908: 281. HOLOTYPE: SAM-ENT3782a, 'Bulawayo' (*G. A. K. Marshall*), 1900. [Labelled type by Péringuey and Basilewsky. Also in the collection is an undesignated specimen of the same series, SAM-ENT3782b.]
- egregia* (*Arsinoe*) Péringuey, 1896b: 272, pl. 7 (fig. 7). SYNTYPES (4 specimens): SAM-ENT1697, 'Natal' (*G. A. K. Marshall*), Sept. [18]92; SAM-ENT1698a-c, 'Mashunaland, Salisbury' (*G. A. K. Marshall*), 1893. [Only SAM-ENT1697 bears the original Péringuey type label. Labelled holotype and paratype respectively by Hesse. Also in the collection are undesignated specimens of the latter series, SAM-ENT1698d-e.]
- egregia* (*Lasiocera*) Péringuey, 1896b: 145, pl. 10 (fig. 9). HOLOTYPE: SAM-ENT176, 'Mashuana., Salisbury' (*G. A. K. Marshall*), 1894. [Labelled type by Péringuey and holotype by Hesse.]

- electum* (*Egadroma*) Basilewsky, 1948: 74. HOLOTYPE: SAM-ENT130 (1 ♀), 'Salisbury, Mashonaland' (*G. A. K. Marshall*), June 1901. [The seven paratypes from Umtali referred to in the description are no longer in the collection.]
- elegans* (*Euleptus*) Péringuey, 1896b: 580. HOLOTYPE: SAM-ENT700 (1 ♀). [Specimen bears no collection details. It bears a red type label but not the Péringuey type label and appears to be verified by Basilewsky as the holotype.]
- elegans* (*Gazanus*) Péringuey, 1904a: 205. SYNTYPES: SAM-ENT710a-d (3 ♂♂ 1 ♀), 'S. Rhodesia' (*A. Bodong*), 1903; SAM-ENT711a (1 ♀), 'S. Rhodesia' (*A. Bodong*), 190?. [Labelled type by Péringuey and SAM-ENT710a also bears a red type label. There are also additional undesignated specimens of both series in the collection.] (= *Leptagonum elegans* (Péringuey))
- elegans* (*Pentagonica*) Péringuey, 1896b: 283, pl. 7 (fig. 10). SYNTYPE: SAM-ENT210a, 'Mashonaland, Salisbury' (*G. A. K. Marshall*), 1894. [Labelled type by Péringuey. Also in the collection is an undesignated specimen of the same series, SAM-ENT210b.]
- elegans* (*Stenolophus*) Péringuey, 1896b: 461. SYNTYPES: SAM-ENT131a-c (3 ♂♂), 'Natal, Escourt' (*E. Haviland*), 1894. [Labelled type by Péringuey. Labelled *Egadroma quadripustulatum s. elegans* by Basilewsky. Also in the collection are three undesignated specimens from the type locality, SAM-COL-A14488a-c, 'Mashonaland, Salisbury' (*G. A. Marshall*), 1894.]
- elegantula* (*Stenidia*) Péringuey, 1896b: 154. SYNTYPE: SAM-ENT165, 'Delagoa' (*L. Péringuey*). [Specimen bears no Péringuey type label, only a Hesse paratype label.]
- elizabethae* (*Cophosomorpha*) Péringuey, 1926: 632. HOLOTYPE: SAM-ENT680 (1 ♂), 'Port Elizabeth' (*Dr Martin*). [Labelled type by Péringuey.] (= *C. capicola* var. *elizabethae* Péringuey)
- emeritus* (*Abacetus*) Péringuey, 1899: 359. HOLOTYPE: SAM-ENT61 (1 ♀), 'Mashonaland, Salisbury' (*G. A. K. Marshall*), 189?. [Labelled type by Péringuey.]
- emeritus* (*Platynus*) Péringuey, 1904a: 202. HOLOTYPE: SAM-ENT721 (1 ♂), 'Salisbury', [18]97. [Labelled type by Péringuey. The legitimacy of this type is suspect, as the description locality (Durban) and label locality do not agree. Labelled *Metagonum emeritum* Péringuey by Basilewsky.]
- emeritus* (*Tachys*) Péringuey, 1899: 369. SYNTYPES: SAM-ENT760a-b (on same pin), SAM-ENT760c, 'Dunbrody'. [All specimens labelled type by Péringuey. SAM-ENT760a-b bear a red type label and SAM-ENT760c is labelled paratype (probably by Basilewsky). Labelled *Tachyura emerita* Péringuey by Basilewsky. Another specimen, SAM-ENT805, previously listed, is no longer in the collection. There is an additional pin with no specimen labelled type by Péringuey, 'Kaapmuiden, E. Transv.' (*R. Tucker*), Nov. 191?.]
- enonensis* (*Brachinus*) Péringuey, 1899: 320. LECTOTYPE: SAM-ENT253 (1 ♂), 'Enon'. PARALECTOTYPE: SAM-ENT254 (1 ♀), 'Enon'. [Both

- specimens labelled type by Péringuey, and holotype and paratype by Basilewsky.]
- enonensis* (*Chlaenius*) Péringuey, 1899: 353. Syntypes: SAM-ENT597, no locality details, SAM-ENT598, 'Dunbrody'. [Both are labelled type by Péringuey and SAM-ENT597 is labelled *Chlaenius communimacula* Chaud. [Chaudoir] by Basilewsky. Also in the collection are undesignated specimens, which could be part of the series, SAM-COL-A13967-A13969.]
- epigraphidius* (*Chlaenius*) Péringuey, 1899: 355, pl. 11 (fig. 9). HOLOTYPE: SAM-ENT619, 'S. Rhodesia, Umtali' (*A. Bodong*), 1903. [The specimen is not designated as type by Péringuey and is probably not the type, as its locality differs from that in the description. It bears a subsequent red type label = *Umtalinus epigraphidus* Pér. Labelled *Aleptocerus quadripustulatus* Dej. [Dejean] by Basilewsky.]
- erikssoni* (*Chlaenius*) Péringuey, 1892a: 18. HOLOTYPE: SAM-ENT583. [Specimen bears no collection details in the description. Not labelled type by Péringuey. Labelled *Chlaenius insignis* ssp. *eriksoni* Pér. by Basilewsky.]
- erikssoni* (*Graphipterus*) Péringuey, 1892a: 12. HOLOTYPE: SAM-ENT510, 'Ovampol.' (*A. W. Eriksson*), 1890-1891. [Labelled type by Péringuey. There is also an additional headless specimen.]
- errans* (*Cylindrocraanius*) Péringuey, 1896b: 225, pl. 5 (fig. 13). HOLOTYPE: SAM-ENT1721, 'Damaral.' (*A. W. Eriksson*), Apr. [18]92. [Labelled type by Péringuey and holotype by Basilewsky. Also in the collection is an undesignated specimen, SAM-COL-A16765, 'Walfisch Bay' (*Cleverley*), May 1894.]
- errans* (*Harpalus*) Péringuey, 1896b: 445. HOLOTYPE: SAM-ENT205. [Specimen bears no collection details. Labelled type by Péringuey. Labelled *H. rufocinctus* Chd. [Chaudoir] by Basilewsky.]
- evicta* (*Lebia*) Péringuey, 1904a: 180. SYNTYPES (7 specimens): SAM-ENT378 (6 specimens on same pin), 'Southern Rhodesia, Umtali' (*A. Bodong*), 190?; SAM-ENT379, 'Salisbury, Mashonaland' (*G. A. K. Marshall*), Feb. 1901. [Labelled type by Péringuey.]
- evulsus* (*Abacetus*) Péringuey, 1904a: 198. HOLOTYPE: SAM-ENT4462a, 'Beira' (*Sheppard*), 12 July [19]03; PARATYPE: SAM-ENT4463, same as above but 1 July. [Labelled type by Péringuey and SAM-ENT4462a also bears a red type label. There are also undesignated specimens of the above series, SAM4462b-d.]
- eximia* (*Lebia*) Péringuey, 1896b: 259. HOLOTYPE: SAM-ENT399. [Specimen bears no collection details. Labelled type by Péringuey.]
- extremus* (*Mastax*) Péringuey, 1896b: 187. LECTOTYPE: SAM-ENT262 (1 ♂); PARALECTOTYPES: SAM-ENT263 (1 ♂ 4 ♀♀), 'G. T.', Sept. [18]93. [Only SAM-ENT262 labelled type by Péringuey and holotype by Basilewsky. The paralectotypes labelled by Hesse.]
- fallaciosus* (*Platynus*) Péringuey, 1899: 367. SYNTYPES (2 ♀♀): SAM-ENT708, 'Natal, Durban' (*C. N. Barker*), 189?; SAM-ENT709, 'Malvern, Natal', May [18]97. [Neither specimen is labelled type by Péringuey; they bear only red type labels. SAM-ENT708 is labelled *Agonum fallaciosum*

Péringuey by Basilewsky. Also in the collection is an undesignated specimen which could belong to the type series, SAM-COL-A9607, 'Natal, Durban' (*Barker*), 1894, and SAM-COL-A9608, 'Malvern', June [18]97.] (= *Neobatus fallaciosus* (Péringuey))

fallax (*Brachinus*) Péringuey, 1896b: 184. LECTOTYPE: SAM-ENT257 (1 ♀); PARALECTOTYPE: SAM-ENT266 (1 ♂), 'Durban, Natal'. [Only SAM-ENT257 is labelled type by Péringuey; also labelled *Styphlomerus fallax* Péringuey holotype by Basilewsky. SAM-ENT266 is labelled paratype by Hesse.]

fallax (*Euleptus*) Péringuey, 1896b: 582. HOLOTYPE: SAM-ENT734 (1 ♀), 'Grahamstown, Cape Colony'. [Labelled type by Péringuey. Also labelled *Enoicus fallax*.]

fallax (*Stenolophus*) Péringuey, 1896b: 459. SYNTYPE: SAM-ENT3780 (1 ♂). [Specimen bears no collection details. Labelled type by Péringuey. Labelled *Egadroma capense* Pér. by Basilewsky.]

fartus (*Tachys*) Péringuey, 1896b: 597. SYNTYPES: SAM-ENT779, 'Stellenb.' (*L. Péringuey*), Nov. [18]87; SAM-ENT780 (4 specimens on same pin), 'Grahamstown' (*Rev. J. O'Neil*), [18]93; SAM-COL-A6913, 'Dunbrody' (*O'Neil*), 1898; SAM-COL-A6914a-e (5 specimens on one pin), 'Stellenbosch' (*L. P.*), 1897. [SAM-ENT779 and SAM-ENT780 are labelled type by Péringuey. SAM-COL-A6913 and SAM-COL-A6914 are labelled type by Basilewsky, although they were collected after they were described. There are also undesignated specimens, SAM-COL-A6977, 'Natal, Estcourt' (*Haviland*), 1894; SAM-COL-A6979, 'Stellenb.' (*L. P.*); SAM-COL-A6980, 'Stellenb.' (*L. P.*), [18]86; SAM-COL-A6983, 'Estcourt'.

fasciatus (*Phloeozetus*) Péringuey, 1896b: 249, pl. 5 (fig. 19). HOLOTYPE: SAM-ENT362, 'Koeberg', Nov. [18]83. [Labelled type by Péringuey.]

fastigiatus var. *damara* (*Pheropsophus*) Péringuey, 1896b: 175. SYNTYPES SAM-COL-A17611a-d, 'Damaral.' (*Evanssen*), April [18]92. [The specimens bear no Péringuey type designation but are assumed to be type material.]

faustus (*Tachys*) Péringuey, 1896b: 596. LECTOTYPE: SAM-ENT781, 'Grah.', 259. PARALECTOTYPES: SAM-ENT782a-c, 'C.C., Grahamstown'. [SAM-ENT781 is labelled type by Péringuey and Basilewsky; SAM-ENT782 is labelled paratype by Basilewsky.]

femoratus ssp. *bushmanicus* (*Graphipterus*) Basilewsky, 1977: 100. Holotype: SAM-ENT498, 'Bushmanland' (*S. Alston*), 1894.

ferrugineus (*Exocus*) Péringuey, 1896b: 557. SYNTYPE: SAM-ENT674, 'Natal, Estcourt' (*E. Haviland*). [Labelled type by Péringuey. There is also an undesignated specimen, SAM-COL-A9164, 'Natal, Estcourt'.]

ferus (*Phloeozetus*) Péringuey, 1899: 330. SYNTYPE: SAM-ENT374, 'Marandellas, Mashl.', Nov. [18]97. [Labelled type by Péringuey.]

fervida (*Callida*) Péringuey, 1904a: 173. LECTOTYPE: SAM-ENT1699, 'Natal, Verulam', July [18]97. PARALECTOTYPES: SAM-ENT269, SAM-ENT270, SAM-ENT1700a, 'Natal' (*Dr Martin*). [Only SAM-ENT1699 and

- SAM-ENT1700a are labelled type by Péringuey and *Stenocallida fervida* Péringuey holotype and paratype respectively by Basilewsky. SAM-ENT269 and SAM-ENT270 were labelled paratype by Hesse. There is also an undesignated specimen, SAM-ENT1700b, of the same series.]
- finitimus* (*Chlaenius*) Péringuey, 1908: 287. Syntypes (2 specimens): SAM-ENT595, SAM-ENT596, 'Umtali, Mashonaland' (*A. Bodong*), 1902. [SAM-ENT595 bears no collection details only a number—1005. Both labelled type by Péringuey.]
- forcipatus* (*Atrotus*) Péringuey, 1896b: 583. SYNTYPES (2 specimens): SAM-ENT626, 'Stellenbosch' (*L. Péringuey*); SAM-ENT627, 'Oudtshoorn', July [18]86. [Labelled type by Péringuey.]
- formidulosa* (*Umgenia*) Péringuey, 1899: 324. LECTOTYPE: SAM-ENT1707, 'Umgeni Mts N.', July 1897. PARALECTOTYPES: SAM-ENT1715, 'Zoulouland' (*Dr Martin*); SAM-ENT1716, 'Durban, Natal' (*Leigh*), [19]03. [All labelled type by Péringuey and the lectotype labelled *Parena formidulosa* Péringuey holotype by Basilewsky.]
- fortesculptus* (*Bascanus*) Basilewsky, 1961b: 299, fig. 4. Paratype: SAM-ENT642 (1 ♀), 'Salisbury' (*Rev J. O'Neil*), 1 Mar. 1920.
- fortuita* (*Lebia*) Péringuey, 1899: 331. HOLOTYPE: SAM-ENT387, 'Malvern', July [18]97. [Labelled type by Péringuey.]
- fragilis* (*Demetrias*) Péringuey, 1896b: 226. LECTOTYPE: SAM-ENT1728a (1 ♀); PARALECTOTYPES: SAM-ENT1728b, SAM-ENT342 (1 ♀), SAM-ENT343 (1 ♀), 'Mashonaland, Salisbury' (*G. A. K. Marshall*), 1903; SAM-ENT1729a-b (1 ♂ 1?), same locality as above but no date. [None of these specimens is labelled type by Péringuey. Labelled holotype and paratype respectively by Hesse. Description suggests one specimen.]
- fraterna* (*Arsinoe*) Péringuey, 1896b: 274. Holotype: SAM-ENT1708, 'Omaramba' (*A. W. Eriksson*), Jan. [18]89. [Specimen bears no Péringuey type label. Labelled holotype by Basilewsky.]
- fraterna* (*Lebia*) Péringuey, 1896b: 254, 256. SYNTYPES: SAM-ENT5719, 'East London'; SAM-ENT5720, 'Grah. T.' (*H. Bilingh.*), March [18]85. [Neither specimen has been designated but both assumed to be type material.]
- fraterna* (*Stenidia*) Péringuey, 1896b: 155. SYNTYPES (3 specimens): SAM-ENT171 (1 ♂) and SAM-ENT172 (1 ♀) on same pin, SAM-ENT173 (1 ♂), 'Rikatla, Delagoa'. [Only SAM-ENT171 and SAM-ENT172 are labelled type by Péringuey. The three are labelled holotype, allotype and paratype respectively by Hesse.]
- fraternus* (*Chlaenius*) Péringuey, 1892a: 20. HOLOTYPE: SAM-ENT601, 'Cunene R.' [Labelled type by Péringuey.]
- fraternus* (*Graphipterus*) Péringuey, 1892b: 100. SYNTYPE: SAM-COL-A8908. [No collection details. Labelled type by Péringuey. Description suggests more than one specimen.]
- freyi* (*Hystrichopus*) Basilewsky, 1954a: 34, fig. 9. Paratypes: SAM-ENT290, 'Johannesburg' (*R. F. Lawrence*), Nov. 1933; SAM-ENT5728, 'Weenen S A Museum' (*R. F. Lawrence*), Aug. 1941. [There is only one specimen from the second locality and not two as specified in the description.]

- funebri* (*Brachinis*) Péringuey, 1899: 320. HOLOTYPE: SAM-ENT229 (1 ♀), 'Algoa Bay, Capland' (*Dr H. Brauns*). [Labelled type by Péringuey and *Brachynomorphus funebri* Péringuey holotype by Basilewsky.]
- fuscus* (*Dromius*) Péringuey, 1896b: 235. HOLOTYPE: SAM-ENT1701. [Specimen bears no collection details. Labelled type by Péringuey and *Mesolestes* s.str. *fuscus* Pér. by Mateu.]
- gaza* (*Polyhirma*) Péringuey, 1896b: 340. LECTOTYPE: SAM-ENT93 (1 ♂), 'Mozambique, Gazaland'. [Specimen bears no Péringuey type label, only a basilewsky holotype label and Hesse paratype label. Description suggests more than one specimen. The specimen is named as *P. gaza* in the key but *P. marquez*a in the description. Labelled *Cypholoba gaza* Péringuey by Basilewsky.]
- gentilis* (*Astata*) Péringuey, 1896b: 265. SYNTYPES (2 specimens): SAM-ENT402, 'Natal, Newcastle', 1893; SAM-ENT403, 'Joburg' (*W. F. Purcell*), 1905. [Labelled type by Péringuey. The head/thorax, abdomen and one elytron of SAM-ENT402 are mounted separately.]
- gentilis* (*Lobodontus*) Péringuey, 1896b: 275. LECTOTYPE: SAM-ENT1741, 'Mashunald, Salisbury' (*G. A. K. Marshall*), 1893. PARALECTOTYPES (3 specimens): SAM-ENT1742, SAM-ENT414, SAM-ENT415, labels as for SAM-ENT1741, except SAM-ENT414 bears no date and SAM-ENT415 bears date 1894. [Specimens bear no Péringuey type labels. SAM-ENT1741 is labelled holotype by Basilewsky and SAM-ENT1742, SAM-ENT414 and SAM-ENT415 are labelled paratypes by Hesse.]
- gentilis* (*Phloeozetus*) Péringuey, 1896b: 247. HOLOTYPE: SAM-ENT355, 'Somerset West' (*J. Purcell*). [Labelled type by Péringuey.]
- germanus* var. *nigerianus* (*Abacetus*) Straneo, 1939a: 173. Paratype: SAM-ENT666, 'N. Nigeria, Azare' (*Dr L. Lloyd*), 1928-1929.
- gilli* (*Abacetus*) Straneo, 1947: 25. Holotype: SAM-ENT79 (1 ♀), 'Cape Town' (*E. Simon*), 1893. (= *A. minutus* Dejean)
- gilli* (*Graphipterus*) Burgeon, 1929a: 314. Holotype: SAM-ENT468a; paratype: SAM-ENT468b, 'Inhambane', Apr. [19]14.
- gracilis* (*Bascanus*) Péringuey, 1896b: 541. HOLOTYPE: SAM-ENT643, 'Oudtshoorn', Jul. [18]86. [Labelled type by Péringuey and bears subsequent red type label.]
- gracilis* (*Euleptus*) Péringuey, 1896b: 581. HOLOTYPE: SAM-ENT703 (1 ♂), 'Rikatla, Delagoa'. [Labelled type by Péringuey.]
- gracilis* (*Hystrichopus*) Péringuey, 1896b: 216. Holotype: SAM-ENT308 (1 ♂), 'Transv. Leydenb.' [Labelled type by Péringuey and holotype by Basilewsky.]
- grandis* (*Arsinoe*) Péringuey, 1899: 338. HOLOTYPE: SAM-ENT1730 (1 ♂), 'Mashunaland, Salisbury' (*G. A. K. Marshall*), 1895. [Labelled type by Péringuey and holotype by Hesse.]
- grandis* (*Graphipterus*) Péringuey, 1892a: 7. LECTOTYPE: SAM-ENT419a, 'Ovambol.' (*A. W. Eriksson*), 1890-1891. PARALECTOTYPES: SAM-ENT419b-c, 'Ovambol.' (*A. W. Eriksson*), 1890-1891. [Only SAM-

- ENT419a is labelled type by Péringuey. Labelled holotype and paratypes respectively by Basilewsky. Description suggests one specimen.]
- gratus* (*Callistomimus*) Péringuey, 1896b: 523, 525. SYNTYPES: SAM-COL-A14155, 'Mashunal., Salisbury' (*G. A. Marshall*), 1893; SAM-COL-A14156, 'Mashunal., Salisbury' (*G. A. Marshall*), 1894. [Specimens bear no Péringuey type designation and are assumed to be type material.]
- gratus* (*Stenolophus*) Péringuey, 1896b: 459. HOLOTYPE: SAM-ENT128a, 'Rikatla, Delagoa'. [Labelled type by Péringuey and *Anoplogenus gratus* by Basilewsky. There is also an undesignated specimen of the same series, SAM-ENT128b.]
- gravis* (*Trechus*) Péringuey, 1899: 368. SYNTYPE: SAM-ENT754a (1 ♂), 'Enon'. [Labelled type by Péringuey. There is also an undesignated specimen of the same series, SAM-ENT754b.] (= *Plocamotrechus gravis* (Péringuey))
- grossepunctata* (*Leleupidia*) Basilewsky, 1953d: 270, fig. 9. Paratypes: SAM-ENT1039, SAM-ENT1040 (2 specimens), 'I.R.S.A.C. Mus. Congo. Kivu, Terr. Fizi, Bas Itombwe 1 000 m for. Mukere' (*N. Leleup*), Feb. 1952.
- harpalinus* (*Anisodactylus*) Péringuey, 1896b: 426. SYNTYPE: SAM-ENT3781a, 'Durban, d:light', Jan. [18]99. [Not labelled type by Péringuey but bears a subsequent red type label. Dated after publication date. There are additional undesignated specimens of the same series, SAM-ENT3781b-c. There is an undesignated specimen, SAM-COL-A14249, 'Cape Town' (Pres. *L. P.*), 1882?, which could be type material.]
- harpaloides* (*Platynus*) Péringuey, 1896b: 578. SYNTYPES: SAM-ENT4922a-d (4 specimens on same pin), SAM-ENT737a-d (4 specimens on same pin), 'Oudtshoorn', July 1886. [Only SAM-ENT4922 specimens labelled type by Péringuey. SAM-ENT737 specimens bear only Hesse paratype labels. Labelled *Phimus harpaloides* by Basilewsky.]
- harroyi* (*Reicheia*) Basilewsky, 1951d: 140, fig. 7. Paratypes (2 specimens): SAM-ENT1011a-b, 'I.R.S.A.C. Mus. Congo. Kivu, Terr. Kalehe contr. S. O. Kahuzi, 2 200 m' (*N. Leleup*), 12 Aug. [19]51.
- herlanti* (*Lymnastis*) Basilewsky, 1951c: 85, fig. 1. Paratypes (2 specimens): SAM-ENT1025a-b, 'I.R.S.A.C. Mus. Congo, Kivu, Terr. Kabare contref. S. E. Kahuzi, 2 080 m' (*N. Leleup*), 10-26 Aug. [19]51.
- hessei* (*Abacetus*) Straneo, 1940: 165. Holotype: SAM-ENT63 (1 ♂), 'Umtali' (*Rev J. O'Neil*), separate label.
- hessei* (*Amblystomus*) Basilewsky, 1948: 81. Holotype: SAM-ENT151, 'Beira' (*P. A. Shepperd*), Jul. [19]03.
- hessei* (*Callistoides*) Basilewsky, 1949: 163. Holotype: SAM-ENT600, 'Mashunaland, Salisbury' (*G. A. K. Marshall*), 189?. Paratypes: SAM-ENT5709, 'N. Rhod. Pemba' (*Father Casset*), 1918; SAM-ENT5710, 'Kaapmuiden, Tvl' (*R. Tucker*), 10 Oct. 1918.
- hessei* (*Cophosomorpha*) Straneo, 1958: 423. Holotype: SAM-ENT686a (1 ♂), 'N'Kandhla Forest, Zululand' (*R. F. Lawrence*), Jan. 1937. Paratype:

SAM-ENT686b, 'N'Kandhla Forest, Zululand' (*R. F. Lawrence*), Jan. 1937. [One of the paratypes mentioned in the description is no longer in the collection.]

- hessei* (*Crepidogaster*) Basilewsky, 1959: 286, fig. 20a. Holotype: SAM-ENT5229 (1 ♂), 'Zuurberg Mts, Enon'. Paratypes: SAM-ENT5230, 'Jo'burg' (*W. Watson*), 1901; SAM-ENT5741, 'Cape Col. Enon', 5 Aug. [19]03; SAM-ENT5742, 'Enon', 15 Oct. [19]02.
- hessei* (*Graphipterus*) Burgeon, 1929a: 339. Holotype: SAM-ENT524, 'German South West Africa, Prince of Wales Bay' (*Martsh?*).
- hessei* (*Hystrichopus*) Basilewsky, 1954a: 55, fig. 26. Holotype: SAM-ENT291 (1 ♂), 'Salisbury, Rhodesia' (*Rev. J. O'Neil*), 9 Mar. 1922.
- hessei* (*Leptosarcus*) Basilewsky, 1954b: 88, fig. 2a. Holotype: SAM-ENT3895 (1 ♂), 'Nkandhla Forest, Zululand' (*R. F. Lawrence*), Jan. 1937.
- hessei* (*Metagonum*) Basilewsky, 1950a: 292, fig. 20. Holotype: SAM-ENT717 (1 ♂), 'Zoutpansberg, Louis Trichardt, Tvl, 4 500 ft' (*R. F. Lawrence*), Feb. 1928. Paratypes: SAM-ENT718 (1 ♂), 'Natal' (*R. F. Lawrence*), Feb. 1938; SAM-ENT719 (1 ♂), 'Cloudlands 6 000 ft, Vumbu Hts, S. Rhodesia', 6-17 Apr. 1923.
- holubi* (*Lebistina*) Péringuey, 1896b: 270. HOLOTYPE: SAM-ENT411. [Specimen bears no collection details. Labelled type by Péringuey.]
- horni* ssp. *staudingeri* (*Graphipterus*) Burgeon, 1928: 229. Paratypes: SAM-ENT495a-c (3 specimens), 'Kigonsera, Nyasa-See'.
- humeralis* (*Cymindoidea*) Péringuey, 1899: 326. Holotype: SAM-ENT273. [Specimen bears no collection details. Labelled type by Péringuey and holotype by Basilewsky.]
- humeralis* (*Tachys*) Péringuey, 1896b: 599. LECTOTYPE: SAM-ENT791a-1 (2 cards of 6 specimens), 'Mashunald, Salisbury' (*G. A. K. Marshall*), 1893. PARALECTOTYPES: SAM-ENT792, 'Mashunald, Salisbury' (*G. A. Marshall*). [None of these specimens are labelled type by Péringuey. SAM-ENT791a-f bears a red type label and is labelled *Tachylopha humeralis* Péringuey. SAM-ENT792 is labelled paratype by Basilewsky. There is also an undesignated specimen, SAM-COL-A7018, 'Mashunald, Salisbury' (*G. A. Marshall*), 1894. The description suggests only one specimen.]
- humilis* (*Tachys*) Péringuey, 1896b: 599. SYNTYPE: SAM-ENT787, 'Mashunaland, Salisbury' (*G. A. K. Marshall*), 1893. [Labelled type by Péringuey.]
- hybridus* (*Macrochilus*) Péringuey, 1896b: 166. HOLOTYPE: SAM-ENT1693, 'Escourt, Natal'. [The specimen is labelled type by Péringuey and holotype by Hesse.]
- hypocritus* (*Chlaenius*) Péringuey, 1896b: 511. HOLOTYPE: SAM-ENT607, 'Delagoa, Rikatla'. [Labelled type by Péringuey.] (= *Chlaenites hypocritus* (Péringuey))
- imitans* (*Tachys*) Péringuey, 1896b: 597. SYNTYPE: SAM-ENT796, 'Natal, Estcourt' (*E. Haviland*), 1894. [Bears no Péringuey type designation but has a red Basilewsky type label and labelled *Tachyura conspicua* var. *imitans* Pér. by Basilewsky.]

- imitativus* (*Hypolithus*) Péringuey, 1908: 278. LECTOTYPE: SAM-ENT185 (1 ♂), 'Salisbury', July [18]98. PARALECTOTYPE: SAM-ENT186 (1 ♀), 'Salisbury', Nov. [18]98. [Specimens labelled type by Péringuey. SAM-ENT185 labelled *Orphanixus imitativus* Péringuey type by Lecordier. SAM-ENT186 labelled allotype by Hesse.]
- imitator* (*Lebia*) Péringuey, 1896*b*: 263, pl. 6 (fig. 9). HOLOTYPE: SAM-ENT401, 'Burghersd.' (D. P. R.), 1883. [Labelled type by Péringuey.]
- immaculatus* (*Chlaenius*) Péringuey, 1885: 80. HOLOTYPE: SAM-ENT581. [Labelled type by Péringuey. Specimen bears no collection details. Labelled *Rhysotrachelus immaculatus* Pér. by Basilewsky.]
- incertus* (*Geobaenus*) Péringuey, 1896*b*: 471. HOLOTYPE: SAM-ENT738, 'G/Tn.', Sept. [18]93. [Labelled type by Péringuey. There is also an undesigned specimen, SAM-COL-A9725, 'Gr. T.', 1891.]
- incertus* (*Melanodes*) Péringuey, 1908: 289. HOLOTYPE: SAM-ENT647, 'Malvern, Natal' (*C. N. Barker*), Feb. 1899. [Not labelled type by Péringuey but bears a subsequent red type label. Also labelled *M. intermedius* and *M. ebeninus*.] (= *Melanchiton aberrans* Chaudoir)
- incertus* (*Phloeozetus*) Péringuey, 1896*b*: 250, pl. 6 (fig. 3). HOLOTYPE: SAM-ENT372, 'Cape T. Cape Col.' [Labelled type by Péringuey.]
- inchoatus* (*Anisodactylus*) Péringuey, 1908: 277. HOLOTYPE: SAM-ENT181 (1 ♂), 'Salisbury. S A Museum 691', (*G. A. K. Marsh.*). [Date illegible. Labelled type by Péringuey.]
- inconspicua* (*Lebia*) Péringuey, 1896*b*: 263, pl. 6 (fig. 11). HOLOTYPE: SAM-ENT409. [Specimen bears no collection details. Labelled type by Péringuey.]
- inconspicua* (*Lachanissus*) Péringuey, 1896*b*: 210. SYNTYPES (2 specimens): SAM-ENT284, SAM-ENT3787, 'Oudtshoorn', July [18]86. [SAM-ENT284 labelled type by Péringuey. SAM-ENT3787 labelled cotype (not by Péringuey). The description suggests only one specimen.]
- indotata* (*Coptoptera*) Péringuey, 1904*a*: 175. HOLOTYPE: SAM-ENT330, 'Salisbury', June [18]98. [Labelled 'in litt.' and numbered 9911 by Péringuey. Labelled *Dromius indotatus* Péringuey holotype by Basilewsky.]
- inedita* (*Lebia*) Péringuey, 1904*a*: 179. HOLOTYPE: SAM-ENT400, 'Salisbury, Mashonald' (*G. A. K. Marshall*), Nov. 1900. [Labelled type by Péringuey.]
- infersus* (*Chlaenius*) Péringuey, 1926: 594. HOLOTYPE: SAM-ENT599 (1 ♂), 'Hanover' (*C. Schreiner*), [19]01. [Labelled type by Péringuey.]
- ingenuus* (*Geobaenus*) Péringuey, 1896*b*: 471. HOLOTYPE: SAM-ENT739. [Specimen bears no collection details, only 'dissect. no. 7 and 775'. Labelled type by Péringuey.]
- inopinus* (*Abacetus*) Péringuey, 1904*a*: 199. HOLOTYPE: SAM-ENT4455*a*, 'Rhode., Umtali' (*A. Bodong*), 1903. [Labelled type by Péringuey. There are also six undesigned specimens of the same series, SAM-ENT4455*b-g*.]
- inornatus* (*Xenitenus*) Péringuey, 1896*b*: 229. LECTOTYPE: SAM-ENT334; PARALECTOTYPE: SAM-ENT335, 'Klipfont.' (*L. Péringuey*), Nov.

- [18]85. [Neither specimen labelled type by Péringuey. Labelled holotype and paratype by Basilewsky and Hesse respectively.]
- insidiosa* (*Lebia*) Péringuey, 1896b: 258. SYNTYPE: SAM-ENT383. [Specimen bears no collection details. Labelled type by Péringuey.]
- insidiosus* (*Graphipterus*) Péringuey, 1896b: 311. Holotype: SAM-ENT447, 'Mozambique, Lobombo'. [Specimen labelled type by Péringuey and holotype by Basilewsky.]
- insignis* (*Crepidogaster*) Péringuey, 1896b: 188, pl. 7 (fig. 5). LECTOTYPE: SAM-ENT5214, 'Potchefstroom', Jan. [18]86. [The original Péringuey type label appears to have been deleted by Péringuey. The specimen also bears a subsequent type label and is labelled holotype by Basilewsky. The description suggests more than one specimen.]
- insignis* var. *fraudiger* (*Pherosophus*) Péringuey, 1896b: 176. HOLOTYPE: SAM-ENT223 (1 ♂), 'Natal, Frere'. [Labelled type by Péringuey and holotype by Hesse.]
- insolitus* (*Platynus*) Péringuey, 1904a: 202. LECTOTYPE: SAM-ENT722 (1 ♀), 'S. Rhodesia, Umtali' (*A. Bodong*), 190?. PARALECTOTYPE: SAM-ENT723 (1 ♀), 'Umtali' (*A. Bodong*), 1904?. [Both specimens labelled type by Péringuey. SAM-ENT722 labelled *Metagonum insolitum* Péringuey holotype by Basilewsky.]
- instabilis* (*Brachinus*) Péringuey, 1888: 74. LECTOTYPE: SAM-ENT248 (1 ♂), no collection details. PARALECTOTYPES: SAM-ENT249 (2 ♂♂ 2 ♀♀), 'Oudtshoorn', July [18]86; SAM-ENT5737, 'Stellenbosch' (*L. Péringuey*), Dec. [18]90. [Only SAM-ENT248 is labelled type by Péringuey and holotype by Basilewsky. The paralectotypes bear Hesse paratype labels.]
- instabilis* var. *nigrinus* (*Brachinus*) Péringuey, 1888: 75. LECTOTYPE: SAM-ENT251 (1 ♂). PARALECTOTYPE: SAM-ENT252 (1 ♂), 'Oudtshoorn', July [18]80. [SAM-ENT251 bears no collection details and only bears the Péringuey type label. Labelled *B. nigrinus* Pér. holotype by Basilewsky and paratype by Hesse, respectively. The description suggests more than one specimen.]
- instabilis* var. *quadrinotatus* (*Brachinus*) Péringuey, 1888: 74. LECTOTYPE: SAM-ENT255 (1 ♀). PARALECTOTYPE: SAM-ENT256 (1 ♂), 'Oudtshoorn', July [18]86. [SAM-ENT255 bears no collection details; it bears a Péringuey type label, as well as a Hesse holotype label and a Basilewsky *Brachinus diffusus quadrinotatus* Péringuey holotype label. SAM-ENT256 labelled paratype by Hesse. The description suggests more than one specimen.]
- insuetus* (*Callistomimus*) Péringuey, 1896b: 523, 526. SYNTYPE: SAM-COL-A14158, 'Rikatla, Delagoa'. [Bears no Péringuey type label and is assumed to be type material.]
- insuetus* (*Platynus*) Péringuey, 1904a: 201. LECTOTYPE: SAM-ENT725, 'Malvern' (*C. N. Barker*). PARALECTOTYPE: SAM-ENT726, 'Malvern N.', June [18]99. [Both specimens labelled type by Péringuey. SAM-ENT725 labelled *Metagonum insuetum* Péringuey holotype by Basilewsky. SAM-ENT726 labelled paratype by Hesse.]

- intermedius* (*Amblystomus*) Péringuey, 1899: 351. HOLOTYPE: SAM-ENT150. [Bears no collection details. Labelled type by Péringuey.]
- intermedius* (*Euleptus*) Péringuey, 1896*b*: 580. HOLOTYPE: SAM-ENT701 (1 ♂), 'Mashunald, Salisbury' (*G. A. K. Marshall*), 1893. [Labelled type by Péringuey.]
- intermedius* (*Melanodes*) Péringuey, 1896*b*: 535. HOLOTYPE: SAM-ENT648, 'Isipingo, Natal', Feb. [18]96. [Labelled type by Péringuey.] (= *Melanchiton intermedium* (Péringuey))
- intermedius* (*Pterostichus*) Péringuey, 1896*b*: 562. HOLOTYPE: SAM-ENT689, 'Cap. B. Spei', separate label 'Åkerbg'. [Labelled type by Péringuey.] (= *Cophosomomorpha fallaciosa* Tschitschérine)
- invicta* (*Lebia*) Péringuey, 1896*b*: 257, pl. 6 (fig. 18). HOLOTYPE: SAM-ENT382. [Specimen bears no collection details. Labelled type by Péringuey.]
- invictus* (*Tachys*) Péringuey, 1926: 650. HOLOTYPE: SAM-ENT766, 'Isipingo Beach, N.', Jan. [18]99. [Labelled n. sp. by Péringuey.]
- involutus* (*Stenolophus*) Péringuey, 1908: 282. HOLOTYPE: SAM-ENT136a (1 ♀), 'Dunbrody', Jan. [19]04. PARATYPE: SAM-ENT136b, 'Dunbrody', Jan. [19]04. [Labelled type and cotype by Péringuey. Labelled *Egadroma terminale* Pér. by Basilewsky.]
- irsac* (*Reicheia*) Basilewsky, 1953*c*: 171, fig. 1. Paratype: SAM-ENT1008, 'I.R.S.A.C. Mus. Congo. Kivu: Terr. Mwenga, 2 050 m Luiko' (*N. Leleup*), Jan. 1952.
- jeanneli* (*Lymnastis*) Basilewsky, 1951*a*: 283, figs 3, 4. Paratypes (2 specimens): SAM-ENT1023a-b, 'I.R.S.A.C. Mus. Congo, Kivu: Uvira, Luvubu 2 650 m' (*N. Leleup*), Nov. 1950.
- jubatulus* (*Abacetus*) Péringuey, 1904*a*: 200. SYNTYPES: SAM-ENT4475, 'Rhodesia, Umtali' (*A. Bodong*), 1902; SAM-ENT4476a-b, 'Rhodesia, Umtali' (*A. Bodong*), 1903. [Both labelled type by Péringuey.] (= *A. piliger* Chaudoir)
- jucunda* (*Stenidia*) Péringuey, 1896*b*: 154, pl. 7 (fig. 3). SYNTYPES: SAM-ENT168 and SAM-ENT169 on same pin, 'Rikatla, Delagoa'; SAM-ENT170 (1 ♂), 'Delagoa' (*L. Péringuey*). [Only SAM-ENT168 and SAM-ENT169 are labelled type by Péringuey. Labelled holotype, allotype and paratype respectively by Hesse. The description suggests only one specimen.]
- jucundulus* (*Abacetus*) Péringuey, 1904*a*: 193. HOLOTYPE: SAM-ENT74 (1 ♀), 'Umtali' (*A. Bodong*), 1903. [Labelled type by Péringuey and holotype by Hesse. Labelled *Abacetus nitens* Tsch. [Tschitschérine] by Straneo.]
- jucundulus* (*Tachys*) Péringuey, 1908: 294. HOLOTYPE: SAM-ENT798, 'Port Alfred'. [Labelled type by Péringuey.]
- junodi* (*Euschizomerus*) Péringuey, 1896*b*: 486. SYNTYPES: SAM-ENT3837a-b, 'Rikatla, Delagoa'. [Neither labelled type by Péringuey; only SAM-ENT3837a bears a red type label.]

- kafuena* (*Polyhirma*) Péringuey, 1908: 276. HOLOTYPE: SAM-ENT117 (1 ♀), 'Kafue River, N. Rhodesia' (*J. Drury*), [19]06. [Labelled type by Péringuey and holotype by Hesse and Basilewsky. Labelled *Cypholoba kafuena* by Basilewsky.]
- kafuenus* (*Tefflus*) Péringuey, 1908: 284. SYNTYPES: SAM-ENT1043 (1 ♂), 'N. Rhodesia, Kafue R.' (*J. Drury*), [19]06; SAM-ENT1044 (1 ♀), 'S. Rhodesia, Umtali' (*A. Bodong*), 190?. [Both specimens labelled type by Péringuey.]
- kahuziana* (*Leleupidia*) Basilewsky, 1953*d*: 269, fig. 16. Paratypes (2 specimens): SAM-ENT1037, SAM-ENT1038, 'I.R.S.A.C. Mus. Congo. Kivu: T. Kalehe, Bitale N. O. du Kahuzi 1 600 m' (*N. Leleup*), 29 June 1951.
- kahuziana* (*Reicheia*) Basilewsky, 1951*d*: 140, fig. 8. Paratype: SAM-ENT1013, 'I.R.S.A.C. Mus. Congo. Kivu: Terr. Kabare, contref. S. E. Kahuzi 2 000 m' (*N. Leleup*), 29 July [19]51.
- khoina* (*Anthia*) Péringuey, 1899: 343. LECTOTYPE: SAM-ENT3210, 'Namaqualand'. [This specimen does not bear an original Péringuey type label. Labelled *Anthia khoina* Péringuey holotype by Basilewsky. The description suggests more than one specimen.]
- khoinus* (*Tachys*) Péringuey, 1926: 651. HOLOTYPE: SAM-ENT784, 'Clanwilliam' (*R. M. Lightfoot*), [19]01. [Labelled type by Péringuey.]
- kundelunguana* (*Tyronia*) Basilewsky, 1959: 309, figs 27c, 28. Paratype: SAM-ENT1041, 'I.R.S.A.C. Mus. Congo Kundelungu 1 750 m (Savane boisee)' (*N. Leleup*), 6 Feb. 1950.
- laeta* (*Casnonia*) Péringuey, 1908: 273. LECTOTYPE: SAM-ENT155a (1 ♂), 'Malvern N' (*Barker*), Feb. [18]99. PARALECTOTYPES: SAM-ENT155b (1 ♀), 'Natal, Malvern' (*Barker*); SAM-ENT156a-b (1 ♀ 1 ♂), 'Malvern N.', Feb. [18]99; SAM-ENT157, 'Rhodesia, Sebakwe' (*D. Dods*), 1902. [Only SAM-ENT155a and SAM-ENT156a are labelled type by Péringuey. Labelled holotype, allotype and paratype by Hesse.]
- laetans* (*Cophosomorpha*) Péringuey, 1926: 634. HOLOTYPE: SAM-ENT685. [Specimen bears no collection details. Labelled type by Péringuey.]
- laetulus* (*Lionychus*) Péringuey, 1904*a*: 176. HOLOTYPE: SAM-ENT347a, 'Willowmore, Capland' (*Dr H. Brauns*). [Labelled type by Péringuey. There are also undesignated specimens of the same series, SAM-ENT347b-e.]
- laetulus* (*Platynus*) Péringuey, 1899: 366. SYNTYPES: SAM-ENT706a-d (3 ♂♂ 1 ♀, on same pin), SAM-ENT706e (1 ♂), 'Enon'. [Only SAM-ENT706a-d labelled type by Péringuey. SAM-ENT706e labelled paratype by Hesse.] (= *Neobatenus laetulus* (Péringuey))
- laetulus* (*Trechus*) Péringuey, 1899: 368. HOLOTYPE: SAM-ENT749, 'Paarl, Cape Col.'. [Labelled type by Péringuey.]
- laetus* (*Graphipterus*) Péringuey, 1892*a*: 11. LECTOTYPE: SAM-ENT477a; PARALECTOTYPES: SAM-ENT477b-f, 'Ovampol.' (*A. W. Eriksson*), 1890-1891. [Only SAM-ENT477a is labelled type by Péringuey. Labelled type and paratypes by Basilewsky. The description suggests only one specimen.]

- laetus* (*Pheropsophus*) Péringuey, 1888: 73. HOLOTYPE: SAM-ENT226, 'Damaraland'. [Labelled type by Péringuey and *P. capensis* var. *laetus* Péringuey holotype by Basilewsky.]
- laetus* (*Phloeozetus*) Péringuey, 1896b: 250, pl. 6 (fig. 2). HOLOTYPE: SAM-ENT370, 'Stellenb. C. C.'. [Labelled type by Péringuey.]
- laevicollis* (*Chlaenius*) Péringuey, 1926: 597. HOLOTYPE: SAM-ENT609. [Specimen bears no collection details. Labelled type by Péringuey. Labelled *Chlaenites laevicollis* by Basilewsky.]
- lateralis* ssp. *hanangiana* (*Tyronia*) Basilewsky, 1959: 307. Paratype: SAM-ENT1034, 'Coll. Mus. Congo, Tanganyika, Terr: Mt Hanang Versant Sud, prairie, 2 300-2 400 m' (*N. Leleup*), 29-30 May 1957.
- laticollis* (*Craspedophorus*) Péringuey, 1904a: 187. HOLOTYPE: SAM-ENT1049a, 'S. Rhodesia, Umtali' (*A. Bodong*), 190?. [Labelled type by Péringuey. There is also an undesignated specimen of the same series, SAM-ENT1049b.]
- latuscula* (*Inkosa*) Péringuey, 1926: 627. SYNTYPES: SAM-ENT670 (1 ♂ 1 ♀ on same pin), 'Natal, Kranz kop' (*K. H. Barnard*), Nov. 1917. [Labelled type by Péringuey.]
- latusculus* (*Platynus*) Péringuey, 1904a: 204. SYNTYPES: SAM-ENT715 (1 ♀), 'Salisbury, Mashonaland, under stone' (*G. A. K. Marshall*), Nov. [18]98; SAM-ENT716 (1 ♀), 'Rhodesia, Umtali' (*A. Bodong*), 1903; SAM-ENT5688, 'Salisbury, Mashonaland' (*G. A. K. Marshall*), Nov. 1899. [All specimens labelled type by Péringuey.]
- lautus* (*Abacetus*) Péringuey, 1904a: 192. HOLOTYPE: SAM-ENT67 (1 ♂), 'Umtali, (Rhod.)' (*A. Bodong*). [Labelled type by Péringuey.]
- leleupi* (*Caelostomus*) Straneo, 1955: 72, fig. 2. Paratype: SAM-ENT57, 'I.R.S.A.C. Mus. Congo. Kivu: T. Kalehe, Bitale, N. O. Kahusi 1 600 m' (*N. Leleup*), 29 June 1951.
- leleupi* (*Cyclicus*) Basilewsky, 1956c: 428, fig. 3. Paratype: SAM-ENT1033, 'I.R.S.A.C. Mus. Congo, Tshuapa: Lac Tumba, Mabali 350 m' (*N. Leleup*), Oct. 1955.
- leleupi* (*Polyderis*) Basilewsky, 1953b: 160. Paratypes: SAM-ENT790a-e, 'I.R.S.A.C. Mus. Congo, Ruanda: Forêt Rugege 2 200 m' (*N. Leleup*), Mar. 1951.
- leleupi* (*Reicheia*) Basilewsky, 1951d: 136. Paratype: SAM-ENT1016, 'I.R.S.A.C. Mus. Congo. Kivu: Terr. Uvira, Mulenge 1 880-2 010 m' (*N. Leleup*), May 1951.
- lenis* (*Oodes*) Péringuey, 1896b: 532. HOLOTYPE: SAM-ENT632. [Specimen bears no collection details. Labelled type by Péringuey.]
- licita* (*Piezia*) Péringuey, 1899: 342. LECTOTYPE: SAM-ENT537; PARALECTOTYPES (3 specimens): SAM-ENT538, 'Rhodesia, Enkeldoorn' (*Darling*); SAM-ENT539, 'Bulawayo' (*F. C. Selous*). [SAM-ENT537 bears no collection details; labelled type by Péringuey and holotype by Basilewsky. Paratypes labelled by Basilewsky.]
- limbatus* (*Planetes*) Péringuey, 1896b: 172. HOLOTYPE: SAM-ENT1734 (1 ♀), 'Rikatla, Delagoa'. [Labelled type by Péringuey and holotype by Hesse.]

- limbatus* (*Siopelus*) Péringuey, 1896b: 440. HOLOTYPE: SAM-ENT199. [Specimen bears no collection details. Labelled *Siopelus natalicus* type by Péringuey and *Aulacoryssus natalicus* Péringuey by Basilewsky. There is also an undesignated specimen, SAM-COL-A14952, 'Natal, Durban' (*N. Barker*), 1894.]
- limbipennis* var. *ovampoensis* (*Anthia*) Péringuey, 1892a: 15. SYNTYPE: SAM-COL-A7677, no collection details. [Labelled type by Péringuey. The description suggests more than one specimen.] (= *A. circumscripta* Klug.)
- lineelus* (*Graphipterus*) Péringuey, 1896b: 311. HOLOTYPE: SAM-ENT470. [Specimen bears no collection details. Labelled type by Péringuey.]
- livingstonei* ssp. *contracta* (*Piezia*) Basilewsky, 1981: 38. Holotype: SAM-ENT554, 'Pemba Bay' (*P. A. Sheppard*), Feb. 1902.
- longelytrata* (*Cophosomorpha*) Straneo, 1940: 12, 22. Paratype: SAM-ENT688 (1 ♀), 'Transvaal' (*G. A. K. Marshall*), 1917-[no.]55.
- longicollis* (*Bascanus*) Péringuey, 1896b: 541. HOLOTYPE: SAM-ENT644, 'Grahamstown' (*Wray?*), [18]84. [Labelled type by Péringuey and bears a subsequent red type label.]
- longicollis* (*Macrochilus*) Péringuey, 1904a: 170. HOLOTYPE: SAM-ENT1703, 'S. Rhodesia, Sebakwe' (*D. Dods*), 1903. [Labelled type by Péringuey and holotype by Hesse.]
- longicornis* (*Drimostoma*) Péringuey, 1899: 363. HOLOTYPE: SAM-ENT671. [Specimen bears no collection details. Labelled type by Péringuey.] (= *Celioschesis longicornis* (Péringuey))
- lucidulus* ssp. *lapillinus* (*Pleroticus*) Basilewsky, 1949: 165. Holotype: SAM-ENT586 (1 ♂), 'Latombo, Salisbury', 16 Mar. [19]12.
- luctuosus* (*Pogonus*) Péringuey, 1896b: 610. HOLOTYPE: SAM-ENT148. [Specimen bears no collection details. Labelled type by Péringuey and holotype by Hesse.] (= *Pachytrachelus luetuosus* (Péringuey))
- lugubrinus* (*Pterostichus*) Péringuey, 1896b: 563. SYNTYPES: SAM-ENT683a-c (2 ♂♂ 1 ♀), 'Somerset East', Jan. [18]84. [None labelled type by Péringuey, only SAM-ENT683a bears a red type label. All the specimens bear another number—614.]
- lugubrinus* (*Thyreopterus*) Péringuey, 1904a: 182. HOLOTYPE: SAM-ENT1723, 'S. Rhodesia, Umtali' (*A. Bodong*), 1903. [Labelled type by Péringuey and holotype by Hesse.]
- luror* (*Atrotus*) Péringuey, 1926: 610. HOLOTYPE: SAM-ENT628, 'Malvern, Natal', June [18]97. [Labelled type by Péringuey.]
- macropterus* (*Pterostichus*) Péringuey, 1899: 363. HOLOTYPE: SAM-ENT690 (1 ♂), 'K. Williamstown'. [Labelled type by Péringuey.] (= *Cophosomorpha macroptera* (Péringuey))
- mactus* (*Brachinus*) Péringuey, 1904a: 171. LECTOTYPE: SAM-ENT265 (1 ♀); PARALECTOTYPES: SAM-ENT242 (1 ♀), SAM-ENT243 (1 ♂), 'Salisbury, Mashonalnd. in marsh' (*G. A. K. Marshall*), July 1899. [Only SAM-ENT265 is labelled type by Péringuey. Labelled holotype and paratypes respectively by Basilewsky. The description suggests more than one specimen.]

- maculata* (*Celioschesis*) Straneo, 1939b: 177, fig. 11. Paratype: SAM-ENT672, 'N W Rhodesia, Nama-ula' (*H. C. Dollman*), 30 Aug. 1914.
- major* (*Caelostomus*) Straneo, 1941: 7, fig. 2. Paratype: SAM-ENT53 (1 ♀), 'Chirinda Forest, S. Rhodesia', Nov. 1930.
- majorinus* (*Abacetus*) Péringuey, 1896b: 550. HOLOTYPE: SAM-ENT4472, 'Tugela, Natal'. [Labelled type by Péringuey but type locality is Mozambique, Rikatla.]
- majorinus* (*Klepterus*) Péringuey, 1896b: 604. LECTOTYPE: SAM-ENT326, 'Stellenb. Cape Col.'. PARALECTOTYPE: SAM-ENT327, 'Cape T.' (*L. Péringuey*). [Only the SAM-ENT326 labelled type by Péringuey. Labelled holotype and paratype by Basilewsky.]
- malvernensis* (*Abacetus*) Péringuey, 1904a: 194. Holotype: SAM-ENT75 (1 ♂), 'Malvern', May-Aug. 1897. [Labelled 'in litt.' by Péringuey and holotype by Straneo.]
- marginicollis* (*Crepidogaster*) Barker, 1919: 105. Holotype: SAM-ENT5222, 'Salisbury' (*J. O'Neil*), 20 Nov. 1914.
- marginodentata* (*Reicheia*) Basilewsky, 1951d: 138, fig. 5. Paratype: SAM-ENT1010, 'I.R.S.A.C. Mus. Congo. Kivu: Terr. Kalehe verst. S. du Kahuzi, 2 850 m' (*N. Leleup*), Aug. 1951.
- marleyi* (*Chlaenius*) Péringuey, 1926: 591. HOLOTYPE: SAM-ENT590 (1 ♂), 'Durban' (*H. W. Bell-Marley*), Apr. 1915. [Labelled type by Péringuey. Labelled *Ocybatus durbanensis* Brk. [Barker] by Basilewsky.]
- marshalli* (*Cymindoidea*) Péringuey, 1899: 326. HOLOTYPE: SAM-ENT272. [Specimen bears no collection details. Labelled type by Péringuey and holotype by Basilewsky.]
- marshalli* (*Piezia*) Péringuey, 1896b: 333. LECTOTYPE: SAM-ENT545a, 'Salisbury' (*G. A. K. Marshall*), 1893. PARALECTOTYPES: SAM-ENT546b-f, same details; SAM-ENT546, 'Salisbury' (*G. A. K. Marshall*), 1894. [None of the specimens is labelled type by Péringuey. Labelled *P. mashuensis* var. *marshalli* Péringuey holotype and paratype by Basilewsky.]
- mashona* (*Drypta*) Péringuey, 1899: 318. SYNTYPES: SAM-ENT1694 (1 ♂), 'Mashonaland, Salisbury' (*G. A. K. Marshall*), 189?; SAM-ENT1695a-b (1 ♂ 1 ♀), 'Mashonaland, Salisbury' (*G. A. K. Marshall*), 1893. [Only SAM-ENT1694 is labelled type by Péringuey. Labelled holotype and paratype respectively by Hesse.]
- mashona* ssp. *mosambicana* (*Drypta*) Basilewsky—see *dilutipes* ssp. *mosambicana* (*Drypta*) Basilewsky.
- mashuana* (*Lebia*) Péringuey, 1892b: 96. HOLOTYPE: SAM-ENT369, 'Middle Limpopo' (*E. W. West*), Jan. [18]92. [Labelled type by Péringuey.] (= *L. modesta* Boheman)
- mashuna* (*Amoebaea*) Péringuey, 1896b: 147. SYNTYPES (2 specimens): SAM-ENT177, SAM-ENT178, 'Gadzima, Mash.', Dec. [18]95. [Only SAM-ENT177 is labelled type by Péringuey. Labelled holotype and paratype respectively by Hesse. Labelled *Smerigocera mashuna* (Pér.) by Basilewsky.]

- mashunensis* (*Abacetus*) Péringuey, 1926: 625. SYNTYPES: SAM-ENT4460a-b (on same pin), 'Rhodesia, Sebakwe' (*D. Dods*), 1903. [Labelled *A. mashunensis* type by Péringuey and bears a red type label. Published as *A. mashunus* but this species was described in 1896.] (= *A. pygmaeus* Boheman)
- mashunensis* (*Metallica*) Péringuey, 1904a: 180. HOLOTYPE: SAM-ENT1706, 'Mashonaland, Salisbury' (*G. A. K. Marshall*), Dec. 1898. [Labelled type by Péringuey and holotype by Basilewsky.]
- mashunensis* (*Piezia*) Péringuey, 1896b: 330. LECTOTYPE: SAM-ENT543, 'Mashunald, Salisbury' (*G. A. K. Marshall*), 1893. PARALECTOTYPE: SAM-ENT544, 'Mashunald, Salisbury' (*G. A. K. Marshall*), 1893. [Neither specimen is labelled type by Péringuey. Labelled holotype and paratype respectively by Basilewsky. The description suggests only one specimen. Described as *P. mashunensis* in the key and *P. mashuna* in description.]
- mashunus* (*Abacetus*) Péringuey, 1896b: 548. HOLOTYPE: SAM-ENT69 (1 ♂). [Bears no collection details. Labelled type by Péringuey. Péringuey described this species again in 1926 but the two descriptions do not agree. There are two specimens in the collection labelled *A. mashunensis* type by Péringuey, SAM-ENT4460, 'Rhodesia, Sebakwe' (*D. Dods*), 190?, which could be the specimens on which the latter description is based.]
- mashunus* (*Abacetus*)—see *mashunensis* (*Abacetus*)
- mashunus* (*Graphipterus*) Péringuey, 1896b: 313, pl. 8 (fig. 2). LECTOTYPE: SAM-ENT519a, 'Mashunald, Salisbury' (*G. A. K. Marshall*), 1893. [Bears no Péringuey type labels, but labelled type by Basilewsky. There are four undesignated specimens of the same series, SAM-ENT519b-e.]
- mashunus* (*Pherosophus*) Péringuey, 1896b: 177. HOLOTYPE: SAM-ENT225 (1 ♂). [Specimen bears no collection details. Labelled *P. mashuanus* type by Péringuey and holotype by Basilewsky.]
- mashunus* (*Phloeozetus*) Péringuey, 1896b: 248. HOLOTYPE: SAM-ENT356. [Specimen bears no collection details. Labelled type by Péringuey. There is also an undesignated specimen, SAM-COL-A16653, 'Mashunaland, Salisbury' (*G. A. Marshall*).]
- mashunus* (*Siopelus*) Péringuey, 1896b: 440. HOLOTYPE: SAM-ENT198a (1 ♀), 'Mashunald, Salisbury' (*G. A. K. Marshall*), 1894. [Labelled type by Péringuey and bears a red type label. There are also undesignated specimens of the same series, SAM-ENT198b-f labelled *Aulacoryssus aciculatus* Dej. [Dejean] by Basilewsky.]
- mashunus* (*Trechus*) Péringuey, 1926: 645. HOLOTYPE: SAM-ENT741, 'Rhodesia, Umtali' (*A. Bodong*), 1903. [Labelled type by Péringuey.]
- mateui* (*Hystriichopus*) Ball & Hilchie, 1983: 170. Paratype: SAM-ENT3789, 'Mbabane, Swaziland' (*R. F. Lawrence*), Jan. 1937.
- maxillosus* (*Cratognathus*) Péringuey, 1896b: 423. HOLOTYPE: SAM-ENT125, 'Kimberley (Gr. W.)' (*E. Simon*), 1893. [Labelled type by Péringuey. Labelled *C. mandibularis* Dej. [Dejean] by Basilewsky.]
- meridionalis* (*Scolyptus*) Péringuey, 1896b: 404. HOLOTYPE: SAM-ENT571, 'Natal, Durban' (*C. N. Barker*). [Labelled type by Péringuey.]

- merus* (*Craspedophorus*) Péringuey, 1904a: 187. HOLOTYPE: SAM-ENT1048a-g, 'S. Rhodesia, Umtali' (*A. Bodong*), 190?. [Labelled type by Péringuey. There are also undesignated specimens, SAM-COL-A7137, same details but 1902, and SAM-COL-A7138a-b, same details but 1903.]
- metallescens* (*Abacetus*) Tschitschérine, 1898: 422, 439. Type: SAM-ENT660, 'Boma' (*M. Tschoffen*), 1891. [Reference not available for checking.]
- migrator* (*Tachys*) Péringuey, 1896b: 595. LECTOTYPE: SAM-ENT764a, 'C. T.', Aug. [18]87. PARALECTOTYPE: SAM-ENT764b, 'C. T.', Aug. [18]87. [The description suggests one specimen. Neither of the specimens is labelled type by Péringuey. Labelled holotype and paratype respectively by Basilewsky.]
- mima* (*Anthia*) Péringuey, 1896b: 362. LECTOTYPE: SAM-ENT3199, 'Carnarvon' (*Dr Hanan*), 1891. [Description suggests more than one specimen. The specimen does not bear the original Péringuey type designation. Labelled *Thermophilum mimum* Péringuey holotype by Basilewsky.]
- mimus* (*Graphipterus*) Péringuey, 1892b: 98. LECTOTYPE: SAM-ENT455a, 'Kimberley', Oct. [18]87. PARALECTOTYPE: SAM-ENT455b, same as SAM-ENT455, but Dec. [18]87. [The description suggests more than one specimen. Neither specimen is labelled type by Péringuey. Labelled *G. bilineatus* ssp. *mimus* Pér. holotype and paratype by Basilewsky.]
- minima* (*Lebia*) Péringuey, 1899: 335. SYNTYPE: SAM-ENT391, 'Port Elizabeth'. [Labelled type by Péringuey.]
- minor* (*Bohemia*) Péringuey, 1896b: 405. HOLOTYPE: SAM-COL-A6655, 'D'Urban, Natal'. [Labelled type, probably by Péringuey.]
- minor* (*Kenyacus*) Basilewsky, 1951a: 291. Paratype: SAM-ENT140, 'I.R.S.A.C. Mus. Congo. Kivu, Terr. d'Uvira, Luvubu 2 650 m' (*N. Leleup*), 24 Nov. 1950.
- minor* (*Teratotarsus*) Péringuey, 1926: 636. SYNTYPES: SAM-ENT696a-b (2 ♀♀), 'Oudebosch, Caledon Div.' (*R. W. Lightfoot*), Dec. 1920; SAM-ENT3794 (1 ♀), 'Oudebosch, Caledon 1 500 ft' (*K. H. Barnard*), Jan. 1919. [Only SAM-ENT696a labelled type by Péringuey. Both bear red type labels. The description suggests only one specimen.]
- minutissimus* (*Tachys*) Péringuey, 1908: 295. LECTOTYPE: SAM-ENT788a, 'Salisbury, Mashonaland' (*G. A. K. Marshall*), Apr. 1900. PARALECTOTYPES: SAM-ENT788b-c, same details; SAM-ENT789, same details but June [18]99. [Only SAM-ENT788a is labelled type by Péringuey and bears a red type label. SAM-ENT788b-c labelled paratype by Basilewsky. SAM-ENT789 is labelled 'in litt.' by Péringuey and paratype by Basilewsky.] (= *Polyderis brevicornis* Chd. [Chaudoir])
- miser* (*Caelostomus*) Straneo, 1942: 106, 122. Paratype: SAM-ENT59, 'Is. Fernando Poo, Basile 400-600 m' (*L. Fea*), Sept. 1901.
- modesta* (*Cophosomorpha*) Péringuey, 1926: 633. HOLOTYPE: SAM-ENT684, 'Pt Elizabeth, C. C.' (*A. Moorhouse*), 1905. [Labelled type by Péringuey.] (= *C. capicola* var. *modesta* Péringuey)

- modestus* (*Metaxymorphus*) Péringuey, 1896b: 209, pl. 5 (fig. 8.). SYNTYPES: SAM-ENT279a-f (6 specimens on same pin), 'Clanwilliam' (*R. M. Lightfoot*), [19]01; SAM-ENT280, 'Cape C.'. [Labelled types by Péringuey.]
- modestus* var. *pallidulus* (*Xenitenus*) Basilewsky, 1958b: 6, fig. 5. Holotype: SAM-ENT340, 'Calvinia, Zak River', 1917.
- modestus* (*Xenitenus*) Péringuey, 1896b: 228. Holotype: SAM-ENT339. Paratypes (7 plus 17 specimens on 2 pins): SAM-ENT4891a-x, 'Hope T.', Oct. [18]87. [None of the specimens labelled type by Péringuey. Labelled holotype and paratype by Basilewsky.]
- moestus* (*Tachys*) Péringuey, 1926: 652. HOLOTYPE: SAM-ENT797, 'Kaapmuiden, E. Transvaal' (*R. W. E. Tucker*), Oct. 1918. [Labelled type by Péringuey and bears a red Basilewsky type label. There is also an undesignated specimen of the same series but dated Nov. 1918, SAM-COL-A6921.]
- molossus* (*Tefflus*) Péringuey, 1896b: 473. HOLOTYPE: SAM-ENT1042 (1 ♀), 'Ovamboland' (*A. W. Eriksson*), 1890-1891. [Labelled type by Péringuey.]
- montanus* (*Graphipterus*) Péringuey, 1888: 80. HOLOTYPE: SAM-ENT500, 'Triangel', Jan. [18]85. [Labelled type by Péringuey.]
- monticola* (*Trechus*) Péringuey, 1926: 645. HOLOTYPE: SAM-ENT744, 'Hott. Holl. Mts, Caledon C. C.' (*K. H. Barnard*), 1915. [Labelled type by Péringuey.]
- namaquensis* (*Metaxymorphus*) Péringuey, 1896b: 209, pl. 5 (fig. 10). SYNTYPES: SAM-ENT281, SAM-ENT282a, 'Okiep', Nov. [18]85. [Only SAM-ENT281 is labelled type by Péringuey; SAM-ENT282 bears a printed cotype label. The name label of SAM-ENT282 has been folded over. There are also undesignated specimens of the same series, SAM-ENT282b-f.]
- namaquensis* (*Platynus*) Péringuey, 1896b: 574, 578. HOLOTYPE: SAM-ENT736, 'Namaqualand, Bushmanlnd'. [Labelled type by Péringuey and *Phimus namaquensis* by Basilewsky.]
- nanniscus* (*Abacetus*) Péringuey, 1896b: 546, 551. HOLOTYPE: SAM-ENT80. [No collection details. Labelled type by Péringuey.] (= *A. minutus* Dejean)
- nanniscus* (*Dromius*) Péringuey, 1899: 329. SYNTYPES: SAM-ENT344a-f (6 specimens on same pin), 'Mashunalnd, Salisbury' (*G. A. K. Marshall*), 1895. [Labelled type by Péringuey.]
- nanniscus* (*Graphipterus*) Péringuey, 1896b: 326. LECTOTYPE: SAM-ENT520, 'Mashunalnd, Salisbury' (*G. A. K. Marshall*), 1893. PARALECTOTYPES: SAM-ENT521a-d (4 specimens), same as SAM-ENT520 except dated 1894. [Only SAM-ENT520 bears a Péringuey type label. Labelled holotype and paratype by Basilewsky.]
- nanniscus* (*Harpalus*) Péringuey, 1896b: 446. HOLOTYPE: SAM-ENT203 (1 ♂). [Specimen bears no collection details. Labelled type by Péringuey.]
- nanniscus* (*Laemosthenes*) Péringuey, 1896b: 572. SYNTYPE: SAM-ENT735, 'C. T.', Sept. [18]87; SAM-ENT736, 'Namaqualand. Bushmanland'. [Labelled type by Péringuey. Labelled *Phimus nanniscus* (Pér.) by Basilewsky.]

- nanniscus* (*Tachys*) Péringuey, 1896b: 599. HOLOTYPE: SAM-ENT785, 'C. T.', Aug. [18]87. [Only the pin and label remain.]
- natalense* (*Drimostoma*) Péringuey, 1896b: 556. HOLOTYPE: SAM-ENT54, 'Natal, Escourt'. [Labelled type by Péringuey.]
- natalensis* (*Cratognathus*) Péringuey, 1908: 280. SYNTYPE: SAM-ENT126 (1 ♂), 'Colenso', 24 Aug. [19]05. [Labelled type by Péringuey. Labelled *C. grandiceps* Boh. [Boheman] by Basilewsky.]
- natalensis* (*Ega*) Péringuey, 1896b: 146, pl. 10 (fig. 10). SYNTYPE: SAM-ENT154, 'Mashunald, Salisbury' (*G. A. K. Marshall*), 189?. [Labelled type by Péringuey and holotype by Hesse. The description suggests more than one specimen.]
- natalensis* (*Microcosmos*) Péringuey, 1896b: 483. SYNTYPES: SAM-COL-A7187, 'Natal' (*Marshall*), Sept. [18]92; SAM-COL-A7188, 'Natal, Estcourt, Tugela' (*Haviland*), 1894. [This material is undesignated but could be type material.]
- natalicus* (*Acupalpus*) Péringuey, 1896b: 465. SYNTYPES: SAM-ENT137a-f (6 specimens on same pin), 'Natal, Escourt SAM760-765' (*E. Haviland*); SAM-ENT4892a-b (1 ♂ 1 ♀), same as SAM-ENT137 except 1894. [Only SAM-ENT137a-f is labelled type by Péringuey. SAM-ENT4892a-b bears a Hesse paratype label. There is also an undesignated specimen of the same series, SAM-ENT4892c, labelled *Egadroma natalicum* by Basilewsky.]
- natalicus* (*Amblystomus*) Péringuey, 1896b: 467. SYNTYPES: SAM-ENT152 (2 specimens on same pin), 'Natal, Escourt, SAM769-SAM770' (*E. Haviland*). [Labelled type by Péringuey.]
- natalicus* (*Bascanus*) Basilewsky, 1961b: 301 (fig. 5). Holotype: SAM-ENT646 (1 ♂), 'Natal' (*R. F. Lawrence*), Feb. 1935.
- natalicus* (*Brachinus*) Péringuey, 1896b: 182. LECTOTYPE: SAM-ENT247 (1 ♀). [Bears no collection details. This specimen is not labelled type by Péringuey, only holotype by Basilewsky. The description suggests more than one specimen.]
- natalicus* (*Crepidogaster*) Péringuey, 1896b: 191. SYNTYPES (2 specimens): SAM-ENT5216, SAM-ENT5217. [Specimens bear no collection details. Only SAM-ENT5216 is labelled type by Péringuey. Labelled holotype and paratype by Hesse. The description suggests only one specimen.]
- natalicus* (*Siopelus*) Péringuey—see *limbatus* (*Siopelus*) Péringuey.
- natalicus* (*Xenitenus*) Péringuey, 1904a: 176. Holotype: SAM-ENT337, 'Natal' (*Dr H. Martin*). [Labelled type by Péringuey and holotype by Basilewsky.]
- natalis* (*Callida*) Péringuey, 1899: 323. LECTOTYPE: SAM-ENT1731, 'Natal, Durban' (*J. P. Cregoe*), 1897. PARALECTOTYPE: SAM-ENT1732, 'Natal' (*Dr Martin*). [The description suggests only one specimen. Only SAM-ENT1731 is labelled type by Péringuey. Labelled *Stenocallida natalis* Péringuey holotype and paratype by Basilewsky.]
- natalis* (*Lebia*) Péringuey, 1899: 333. SYNTYPE: SAM-ENT395, 'Malvern, N.', July [18]97. [Labelled *Lebia natalica* type by Péringuey. This

specimen is assumed to be *N. natalis*, as the size of the specimen corresponds with that in the *L. natalis* description and not with the description of *L. natalensis*.]

- neglecta* (*Crepidogaster*) Basilewsky, 1959: 266, fig. 9. Paratypes: SAM-ENT5227, 'Salisbury' (Rev. J. O'Neil), 30 July 1919; SAM-COL-A5738, 'S. Rhodesia, Bulawayo' (R. W. Tucker), May 1917.
- neglecta* (*Drypta*) Basilewsky, 1960b: 148. Paratypes: SAM-ENT1719a-b, 'I.R.S.A.C. Mus. Congo, Kivu: riv. Natulonge, terr. Fizi' (*N. Leleup*), Jan. 1957; SAM-ENT5730, 'I.R.S.A.C. Mus. Congo. Kivu, terr. Uvira, Ht. Luvubu, 2 750 m' (*N. Leleup*), May 1954.
- niger* (*Neomegalonychus*) Basilewsky, 1950a: 295, fig. 25. Holotype: SAM-ENT730 (1 ♀), 'Tradouw Pass, Swellendam Dist. 3 000-4 000 ft' (K. H. Barnard), Oct. 1925.
- nigricornis* (*Drypta*) Basilewsky, 1960b: 162, fig. 3. Paratypes: SAM-ENT1725a-b, 'Congo Belge: P.N.U. Mabwe lac Upemba (585 m), Mis. G. F. de Witte (667a-b)', 1-12 Aug. 1947.
- nigripes* (*Callida*) Péringuey, 1904a: 173. LECTOTYPE: SAM-ENT1743, 'Zoulouland' (*Dr Martin*). [Labelled type by Péringuey and *Stenocallida nigripes* Péringuey holotype by Basilewsky. The description suggests more than one specimen.]
- nigrociliata* (*Perigona*) Basilewsky, 1953b: 166. Paratype: SAM-ENT1031, 'I.R.S.A.C. Mus. Congo, Kivu: T. Kalehe, Bitale N. O. Kahusi 1 600 m' (*N. Leleup*), 29 June 1951.
- nigrolimbatus* (*Tachys*) Péringuey, 1908: 293. SYNTYPES: SAM-ENT802a-b (2 specimens on same pin), 'Malvern, N.', Feb. [18]99. [Labelled type by Péringuey and Basilewsky. There is also an undesignated specimen, SAM-COL-A6926, 'Natal, Malvern' (*Barker*).]
- nigromaculatus* (*Crepidonellus*) Basilewsky, 1959: 336, fig. 35. Holotype: SAM-ENT5236, 'Steinkopf, N. Namaqualand' (*Museum Staff*), Mar. 1935.
- nobilis* (*Selousia*) Péringuey, 1896b: 202. Holotype: SAM-ENT1738, 'Manica' (*F. C. Selous*). [Specimen bears no Péringuey type label. Labelled holotype by Basilewsky.]
- notabilis* (*Arsinoe*) Péringuey, 1896b: 273. Neotype (Basilewsky, 1962a: 36): SAM-ENT1717a, 'Mashonaland, Umtali' (*A. Bodong*), 1903. [There are also undesignated specimens of the same series, SAM-ENT1717b-d.]
- notulatipennis* (*Crepidogaster*) Péringuey, 1896b: 603. HOLOTYPE: SAM-ENT5211, 'Touws River, Cape Col.'. [Labelled type by Péringuey and holotype by Hesse.]
- nuncius* (*Chlaenius*) Péringuey, 1908: 285. HOLOTYPE: SAM-ENT603. [Specimen bears no collection details. Labelled type by Péringuey. Labelled *Trachychlaenites discopictus* ssp. *nuncius* Pér. by Basilewsky.]
- nyassanus* (*Trimerus*) Péringuey, 'in litt.'. SYNTYPES: SAM-ENT3784a-b (1 ♂ 1 ♀), 'Pemba Bay, Nyassald' (*P. A. Sheppard*), 1904. [Labelled type by Péringuey. Although no reference can be found, this has been included as Hesse entered this species into the Junk catalogue. There are also undesignated specimens of the same series, SAM-ENT3785c-j.]

- obliteratus* ssp. *confertus* (*Graphipterus*) Basilewsky, 1977: 206, fig. 51c-d. Paratype: SAM-ENT508, 'Narugas, Gordonia' (*K. H. Barnard*), July 1925.
- obliterus* (*Brachinus*) Péringuey, 1896b: 602. Holotype: SAM-ENT235 (1 ♀), 'Natal, Estcourt' (*Haviland*), 1894. [Labelled type by Péringuey and holotype by Basilewsky.]
- obsequiosus* (*Platynus*) Péringuey, 1904a: 203. HOLOTYPE: SAM-ENT720 (1 ♀), 'Rhodesia, Umtali' (*A. Bodong*), 1903. [Labelled type by Péringuey.] (= *Metagonum obsequiosum* (Pér.))
- obtuseangula* (*Axinotoma*) Péringuey, 1896b: 439. HOLOTYPE: SAM-ENT201, 'Malvern, Natal', 13 Nov. [19]04. [Not labelled type by Péringuey but bears a red type label. Type locality is Durban.]
- omoplata* var. *algoensis* (*Anthia*) Péringuey, 1892a: 15. Holotype: SAM-ENT3205, 'Delagoa Bay', Dec. [19]24. [Labelled type by Péringuey and *Thermophilum homoplatum* var. *algoensis* Péringuey holotype by Basilewsky. The description suggests only one specimen.]
- omoplata* var. *cupiens* (*Anthia*) Péringuey, 1892a: 16. Lectotype: SAM-ENT3207. PARALECTOTYPE: SAM-ENT3213. [Specimens bear no collection details. Both specimens labelled type by Péringuey and lectotype and paratype by Basilewsky. SAM-ENT3207 labelled *Thermophilum homoplatum* var. *cupiens* Péringuey by Basilewsky.]
- omoplata* var. *heres* (*Anthia*) Péringuey, 1892a: 15. Lectotype: SAM-ENT3204, 'Ovampolnd' (*A. W. Eriksson*), 1890-1891. PARALECTOTYPE: SAM-ENT3206, 'Ochimborá'. [The description suggests more than one specimen. Both specimens labelled type by Péringuey. Labelled *Thermophilum homoplatum* var. *heres* Péringuey lectotype and paratype by Basilewsky.]
- omoplata* var. *incolata* (*Anthia*) Péringuey, 1892a: 16. HOLOTYPE: SAM-COL-A7809. [Labelled type by Péringuey. The description suggests only one specimen.]
- omoplata* var. *intempestiva* (*Anthia*) Péringuey, 1892a: 15. Lectotype: SAM-ENT3208a; PARALECTOTYPE: SAM-ENT3208b, 'N British Bechuanaland' (*G. Alston*). [Only SAM-ENT3208a is labelled type by Péringuey. Labelled *Thermophilum homoplatum* var. *intempestiva* Péringuey lectotype and paratype by Basilewsky.]
- omoplata* var. *vagans* (*Anthia*) Péringuey, 1892a: 16. Holotype: SAM-ENT3214, 'Omuramba' (*A. W. Eriksson*), Jan. [1]882. [Specimen bears no Péringuey type label. Labelled *Thermophilum homoplatum* var. *vagans* Péringuey holotype by Basilewsky.]
- oneili* (*Brachinus*) Péringuey, 1899: 321. Holotype: SAM-ENT244 (1 ♀), 'Dunbrody'. [Labelled type by Péringuey and holotype by Basilewsky.]
- optimus* (*Abacetus*) Péringuey, 1904a: 195. SYNTYPES: SAM-ENT4457a-c, 'Isipingo Beach', Jan. [18]99; SAM-ENT4458a-b, 'Salisbury', Nov. [18]98. [All labelled type by Péringuey.]
- optimus* (*Tachys*) Péringuey, 1899: 370. HOLOTYPE: SAM-ENT772, 'Malvern, Natal', May [18]97. [Labelled type by Péringuey.]

- optimus* (*Hypolithus*) Péringuey, 1908: 278. HOLOTYPE: SAM-ENT184 (1 ♂), 'Isipingo Beach, N. at light.', Mar. 1899. [Labelled type by Péringuey. Labelled *Orphanixus optimus* Pér. by Lecordier.]
- opulentum* (*Eudema*) Péringuey, 1899: 351, pl. 11 (fig. 4). HOLOTYPE: SAM-ENT1050a, 'Lower M'Komas, N.', Sept. [18]97. [Labelled type by Péringuey. There are also undesignated specimens of the same series, SAM-ENT1050b-c.]
- ornata* (*Graphipterus*) Péringuey, 1892a: 8. LECTOTYPE: SAM-ENT439a; PARALECTOTYPES: SAM-ENT439b-c, 'Ovambol.' (*A. W. Eriksson*), 1890-1891. [Only SAM-ENT439a bears a Péringuey type label. Labelled *G. vittatus* ssp. *ornatus* Péringuey holotype and paratype by Basilewsky.]
- ornatus* (*Hypolithus*) Péringuey, 1892a: 21. Holotype: SAM-ENT119 (1 ♂), 'Ovambol.' (*A. W. Eriksson*), 1890-1891. [Specimen bears no Péringuey type label. Labelled *Tukyellus ornatus* type by Basilewsky.]
- ornatus* (*Kleptromimus*) Péringuey, 1899: 328. LECTOTYPE: SAM-ENT322, 'Malvern', Mar. [18]97. PARALECTOTYPES (3 specimens): SAM-ENT323, SAM-ENT324, 'Natal' (*Dr Martin*); SAM-ENT325, 'Malvern', Feb. [18]97. [Only SAM-ENT322 and SAM-ENT323 are labelled type by Péringuey. Labelled holotype and paratype by Basilewsky.]
- orphanus* (*Chlaenius*) Péringuey, 1908: 286. SYNTYPES: SAM-ENT585a-b, 'Rhodesia, Sebakwe' (*D. Dods*), 1903. [Labelled type by Péringuey and *Stenodinodes orphanus* by Basilewsky.]
- ovalipennis* (*Cyrtomoscelis*) Straneo, 1991: 268. Paratype: SAM-ENT5446, 'S. Afr. Transkei, Dwesa Forest. Ground trap, banana bait, E-Y: 1676' (*S. Endrödy-Younga*), 11 Dec. 1979.
- ovampo* (*Chlaenius*) Péringuey, 1892a: 19. HOLOTYPE: SAM-ENT594. [Specimen bears no collection details. Labelled type by Péringuey and *Stenodinodes cribellatus* Chd. [Chaudoir] by Basilewsky.]
- ovampoanus* (*Hypolithus*) Péringuey, 1899: 348. HOLOTYPE: SAM-ENT194, 'Ovampol.' (*A. W. Eriksson*), 1890-1891. [Labelled type by Péringuey and *Nesiopelus interstitialis* ssp. *ovampoanus* Pér. by Basilewsky.]
- ovampoanus* (*Scarites*) Péringuey, 1899: 344. HOLOTYPE: SAM-ENT48, 'Ovampol.' (*A. W. Eriksson*), 1890-1891. [Labelled type by Péringuey.]
- ovampoensis* (*Piezia*) Péringuey, 1892a: 13. LECTOTYPE: SAM-ENT535, 'Ovampol.' (*A. W. Eriksson*), 1890-1891. PARALECTOTYPE: SAM-ENT536, no details. [Both specimens labelled type by Péringuey. Labelled *P. angusticollis* ssp. *ovampoensis* Péringuey holotype and paratype by Basilewsky.]
- ovipennis* (*Graphipterus*) Péringuey, 1892a: 9. LECTOTYPE: SAM-ENT502, 'Ochimbora' and another label 'Ovampol.' (*A. W. Eriksson*), 1890-1891. PARALECTOTYPES: SAM-ENT503a-d, 'Ovampol.' (*A. W. Eriksson*), 1890-1891. [Only SAM-ENT502 bears a Péringuey type label. Labelled *G. amabilis* ssp. *ovipennis* Péringuey holotype and paratype respectively by Basilewsky. There are also undesignated specimens of the second series, SAM-ENT503e-p.]
- pallida* var. *plagiata* (*Platycheila*) Péringuey, 1893: 19, pl. 2 (fig. 2). SYNTYPES: SAM-COL-A5269a-b (1 ♂ 1 ♀), 'Wallich Bay'; SAM-

- COL-A5270, 'Sandwich Harbour' (*C. Wilmer*), 1889. [Specimens bear no type designation but could be type material.]
- pallida* var. *suturalis* (*Platycheila*) Péringuey, 1893: 19, pl. 2 (fig. 1). SYNTYPES: SAM-COL-A5099a-e (3 ♂♂ 2 ♀♀), 'Walfich Bay'; SAM-COL-A5100, 'Walfich Bay', Jan. [18]92; SAM-COL-A5101a-e (1 ♂ 4 ♀♀), 'Walfich Bay' (*Wilmer*), May 1888; SAM-COL-A5104 (1 ♂), 'Sandwich Harbour' (*C. Wilmer*), 1889. [Specimens bear no type designation but could be type material.]
- pallidus* (*Anaulacus*) Péringuey, 1926: 611. HOLOTYPE: SAM-ENT652, 'Cape Town' (*L. Péringuey*), 1915. [Labelled type by Péringuey and *Aephnidius pallidus* (Pér.) by Basilewsky.]
- pallidus* (*Crepidogaster*) Péringuey, 1896b: 188, 192. HOLOTYPE: SAM-ENT5224, 'Cape C., Wynberg'. PARATYPE: SAM-ENT5225, no details. [Only SAM-ENT5224 labelled type by Péringuey. Labelled holotype and paratype respectively by Hesse. The description suggests one specimen.]
- pallidus* (*Polyaulacus*) Péringuey, 1908: 275. HOLOTYPE: SAM-ENT271, 'Salisbury', 12 Aug. 1905. [Labelled type by Péringuey and holotype by Basilewsky. The description suggests more than one specimen.]
- palustris* (*Abacetus*) Péringuey, 1896b: 547. SYNTYPE: SAM-ENT60 (1 ♂), 'Rikatla, Delagoa'. [Labelled type by Péringuey. There is also an undesignated specimen, SAM-COL-A9363, 'Upper Limpopo' (*A. W. Eriksson*), March 1897.] (= *A. pubescens palistris* Dejean)
- parallelicollis* (*Abacetus*) Péringuey, 1926: 621. HOLOTYPE: SAM-ENT70a (1 ♀♀), 'Southern Rhodesia, Umtali' (*A. Bodong*), 190?. [Labelled type by Péringuey. There is an undesignated specimen of the same series, SAM-ENT70b, determined as *A. servitulus* by Péringuey and *A. distinctus* Chaud. [Chaudoir] by Straneo.]
- parilis* (*Trechus*) Péringuey, 1908: 291. HOLOTYPE: SAM-ENT752, 'Museum Paris. Env. de Cape Town' (*A. Raffray*), 1899. [Labelled type by Péringuey.]
- partita* (*Siagona*) Lecordier, 1979: 183. Paratypes: SAM-ENT3773, 'Salisbury, Mashonaland' (*G. A. K. Marshall*), Feb. 1899, also labelled 'Mashonaland, Salisbury' (*G. A. K. Marshall*), 1894; SAM-ENT3774a-c, 'Rhodesia, Sebakwe' (*D. Dods*), 190?.
- parvulus* (*Dyschirius*) Péringuey, 1896b: 413. SYNTYPES: SAM-ENT576a-d (4 specimens on two pins), 'Grahamstown' (*Rev. J. O'Neil*), 1893. [No Péringuey type label; labelled 'probably types'. The description suggests only one specimen.]
- patruelis* (*Hypolithus*) Péringuey, 1899: 347. SYNTYPE: SAM-ENT193 (1 ♀). [Specimen bears no collection details. Labelled type by Péringuey and *Nesiopelus patruelis* Pér. by Basilewsky.]
- pauper* (*Platynus*) Péringuey, 1896b: 576. HOLOTYPE: SAM-ENT704 (1 ♀), 'Isipingo, Natal', Feb. [18]96. [Labelled type by Péringuey.] (= *Liagonum xantholoma* Chaudoir)
- pavoninus* (*Abacetus*) Péringuey, 1899: 360. HOLOTYPE: SAM-COL-A9349 (1 ♀), 'Natal'. [Locality written very faintly on supporting card.]

- peregrinator* (*Lebia*) Péringuey, 1896b: 262, pl. 6 (fig. 7). SYNTYPE: SAM-ENT389, 'Oudtshoorn', July [18]86. [Labelled type by Péringuey.]
- peringueyi* (*Cicindela*) Horn, 1895: 359. SYNTYPE: SAM-ENT32 (1 ♂), 'Togo' (*Conradi*). [Labelled type (by Horn) and holotype by Hesse. The description suggests two specimens.]
- perplexa* (*Clivina*) Péringuey, 1896b: 410. SYNTYPE: SAM-ENT575, 'Rikatla, Delagoa'. [Labelled type by Péringuey.]
- perplexus* (*Abacetus*) Péringuey, 1896b: 552. HOLOTYPE: SAM-ENT82 (1 ♀), 'Cape Town' (*E. Simon*), 1893. [Labelled type by Péringuey.]
- persimilis* (*Macrotelus*) Péringuey, 1896b: 387. SYNTYPES: SAM-COL-A6670a-b, 'Mashunald, Salisbury' (*G. A. Marshall*), 1894; SAM-COL-A6671, 'Zambes., Mazoe' (*Darling*), 1895. [These specimens are undesignated but could be type material.]
- perturbator* (*Abacetus*) Péringuey, 1899: 359. SYNTYPE: SAM-ENT4461, 'Dunbrody'. [Labelled type by Péringuey. The description suggests more than one specimen. There is another specimen from the same series: SAM-COL-A9349.]
- phantasma* (*Coptoptera*) Péringuey, 1899: 327. HOLOTYPE: SAM-ENT319, 'Malvern, Natal 7903', June [18]97. [Labelled type by Péringuey and *Coptopterina phantasma* holotype by Basilewsky.]
- phantasma* (*Lebia*) Péringuey, 1904a: 178. HOLOTYPE: SAM-ENT406. [Specimen bears no collection details. Labelled type by Péringuey.]
- pictus* (*Metaxymorphus*) Péringuey, 1896b: 206, 207, pl. 5 (fig. 2). SYNTYPES: SAM-ENT5725, no details; SAM-ENT5726, 'Oudtsh.', July [18]86. [Neither labelled type by Péringuey. SAM-ENT5725 labelled cotype.]
- pilosulus* (*Abacetus*) Péringuey, 1904a: 200. HOLOTYPE: SAM-ENT4474, 'Lower MKomaas', Sept. 1897. [No Péringuey type label but bears a subsequent red type label.] (= *A. piliger* Chaudoir)
- placens* (*Callistomimus*) Péringuey, 1904a: 186. HOLOTYPE: SAM-ENT625, 'Rhodesia, Sebakwe', (*D. Dods*), 1902. [Labelled type by Péringuey.]
- planulus* (*Abacetus*) Straneo, 1940: 170. HOLOTYPE: SAM-ENT4468, 'Dunbrody', 27 Aug. 1901.
- plausibilis* (*Arsinoe*) Péringuey, 1896b: 273. LECTOTYPE: SAM-ENT1722; PARALECTOTYPE: SAM-ENT418 (Purch. *T. Ayres*, 1879). [The description suggests more than one specimen. Neither specimen bears a Péringuey type label. Labelled holotype and paratype by Hesse.]
- plausibilis* (*Phloeozetus*) Péringuey, 1896b: 248. HOLOTYPE: SAM-ENT358, 'Cape C. Fraserburg'. [Labelled type by Péringuey.]
- plausibilis* (*Styphromerus*) Péringuey, 1904a: 173. LECTOTYPE: SAM-ENT258 (1 ♂). PARALECTOTYPE: SAM-ENT259 (1 ♀), 'Salisbury, Mashonaland, under stones' (*G. A. K. Marshall*), June 1899. [Only SAM-ENT258 is labelled type by Péringuey but bears no collection details. Labelled holotype and paratype respectively by Basilewsky. The description suggests only one specimen.]

- porrectus* (*Hypolithus*) Péringuey, 1896b: 434. Neotype (Lecordier): SAM-ENT3834 (1 ♂), 'Malvern', Aug. 1897. SYNTYPE: SAM-ENT3829a (1 ♀), 'Omaramba' (A. W. Eriksson), Jan. 1888. [Neither specimen bears a Péringuey type label. SAM-ENT3829a bears what appears to be a Basilewsky type label. The specimens are labelled *Hyparparlus tomentosus* Dejean by both Basilewsky and Lecordier. There is also an undesignated specimen of the same series, SAM-ENT3829b.]
- porrectus* (*Hystrichopus*) Péringuey, 1892b: 98. LECTOTYPE: SAM-ENT3893; PARALECTOTYPE: SAM-ENT3894a, 'C. T.', Aug. [18]86. [Specimens bear no Péringuey type labels. Labelled holotype and paratype by Basilewsky. The locality details on specimens do not correspond with those in the original description, but only to details provided subsequently in Péringuey 1896. Labelled *Leptosarcus porrectus* by Basilewsky. There is also an undesignated specimen of the same series, SAM-ENT3894b.]
- portentosus* (*Crepidogaster*) Péringuey, 1899: 323. HOLOTYPE: SAM-ENT5220, bears two labels, 'Mesikkwe R. Mash.', Nov. [18]97, 'Mashunaland, Salisbury' (G. A. K. Marshall). [Labelled type by Péringuey and holotype by Hesse.]
- posticalis* (*Axinotoma*) Péringuey, 1896b: 439. HOLOTYPE: SAM-ENT202. [Specimen bears no collection details. Labelled type by Péringuey.]
- posticalis* (*Crepidogaster*) Péringuey, 1896b: 188, 193. HOLOTYPE: SAM-ENT5212, 'Koetarrah', separate label (*De Vylder*). [Labelled type by Péringuey and holotype by Hesse.]
- posticalis* (*Phloeozetus*) Péringuey, 1896b: 251, pl. 6 (fig. 4). HOLOTYPE: SAM-ENT373, 'Cape T., Cape Col.'. [Labelled type by Péringuey.]
- posticalis* (*Singiliomimus*) Péringuey, 1896b: 244. Holotype: SAM-ENT349, 'O'Okiep' 16 Nov. [18]85. [Labelled type by Péringuey and holotype by Basilewsky.]
- praedator* (*Hystrichopus*) Péringuey, 1896b: 217. PARALECTOTYPES: SAM-ENT301a-f, 'Natal, Estcourt' (*Haviland*), 1894. [Specimens bear no Péringuey type labels. Labelled paratype by Basilewsky.]
- praeivus* (*Scarites*) Péringuey, 1899: 343. SYNTYPE: SAM-ENT569, 'Upper Limpopo' (A. W. Eriksson); SAM-ENT570, 'Ramoutsa, Bechuana'. [Labelled type by Péringuey. There is also an undesignated specimen, SAM-COL-A6790, 'Marandella'.]
- precarius* (*Harpalus*) Péringuey, 1896b: 452. HOLOTYPE: SAM-ENT204. [Specimen bears no collection details. Labelled type by Péringuey.]
- precarius* (*Tachys*) Péringuey, 1896b: 595. HOLOTYPE: SAM-ENT763, 'Betchuana. Ramoutsa' (*Rev. J. O'Neil*). [Labelled type by Péringuey.]
- procax* (*Abacetus*) Tschitschérine, 1898: 420, 429. HOLOTYPE: SAM-ENT663, 'Boma' (*M. Tschoffen*). [Labelled type.]
- procera* ssp. *congoensis* (*Galeritiola*) Basilewsky, 1963a: 51. Paratypes: SAM-ENT1710a-b, 'Congo Belge: PNU Mbuye Bala (1 750 m) Mis. G. F. de Witte 1548a', 17-22 Apr. 1948; SAM-ENT5731, 'Congo Belge P.N.U. Muno bif. Lupiala 890 m' (Mis. G. F. de Witte 1654a), 31 May-2 June 1948.

- proestans* (*Phloeozetus*) Péringuey, 1896b: 249, pl. 5 (fig. 20). SYNTYPES: SAM-ENT363a-g (on same pin), 'Stellenb., C. Col.' [Labelled type by Péringuey. There is also an undesignated specimen, SAM-COL-A16656, 'Stellenb.' (L. P.), 1892.]
- promontorii* (*Amblystomus*) Péringuey, 1896b: 467. HOLOTYPE: SAM-ENT149 (1 ♂), 'G/Tn' or 'C/Tn', Sept. 1893. [This specimen bears no Péringuey type label only the Basilewsky type label. The locality looks more like 'G/Tn' than 'C/Tn', although the locality cited in the description is Cape Town. There is also an undesignated specimen, SAM-COL-A14540, 'Cape T.' (Purcell), Dec. [18]85.]
- promontorii* (*Apristus*) Péringuey, 1899: 329. Holotype: SAM-ENT348a, 'Cape T.' (A. Raffray). [Labelled type by Péringuey and *Metadromius promontorii* Péringuey holotype by Basilewsky. This specimen needs to be checked as it was found loose in the drawer and might not be the type. There is also an undesignated specimen of the same series, SAM-ENT348b.]
- promontorii* (*Badister*) Péringuey, 1896b: 536. SYNTYPE: SAM-ENT629a, 'C. T.', Aug. [18]87. [Labelled type by Péringuey. There is also an undesignated specimen of the same series, SAM-ENT629b.]
- promontorii* (*Brachinus*) Péringuey, 1888: 74. HOLOTYPE: SAM-ENT230 (1 ♂), 'Cape T.' (L. Péringuey). [Labelled type by Péringuey and holotype by Basilewsky.]
- promontorii* (*Lebia*) Péringuey, 1908: 273. HOLOTYPE: SAM-ENT408, 'Museum Paris, Env. de Cape Town' (A. Raffray), 1899. [Labelled type by Péringuey.]
- promontorii* (*Pachytrachelus*) Péringuey, 1896b: 420. SYNTYPE: SAM-ENT146, 'Cape T.', Dec. [18]85. [Labelled type by Péringuey.]
- promontorii* (*Perileptus*) Péringuey, 1896b: 590. HOLOTYPE: SAM-ENT740, 'G. Tn.', Sept. 1893. [Labelled type by Péringuey.]
- pronus* (*Chlaenius*) Péringuey, 1904a: 185. Syntypes: SAM-ENT611a-d, 'Rhodesia, Umtali' (A. Bodong), 1903. [Labelled type by Péringuey and *C. obtusus* ssp. *mashunus* Pér. by Basilewsky.]
- propinqua* (*Cophosomorpha*) Péringuey, 1926: 633. HOLOTYPE: SAM-ENT682a (1 ♀), 'Cape Town' (L. Péringuey). [Labelled type by Péringuey and bears a red type label. There is also an undesignated specimen of the same series, SAM-ENT682b.]
- propinquus* (*Abacetus*) Péringuey, 1926: 619. HOLOTYPE: SAM-ENT71 (1 ♂), 'Insiza, S. Rhod.', (G. French), 1919. [Labelled type by Péringuey. The description consists of only a key.] (= *A. nitens* Tschitschérine)
- protuberata* (*Crepidogaster*) Basilewsky, 1959: 282, fig. 16. Paratypes: SAM-ENT5228, 'Bothaville, Orange Free State' (*Dr Brauns*); SAM-ENT5740a, 'Ongombeanvila?', 6 April [19]53. [There is also an undesignated specimen of the latter series, SAM-ENT5740b.]
- proximus* (*Abacetus*) Péringuey, 1899: 360. HOLOTYPE: SAM-ENT68 (1 ♂), 'Enon'. [Labelled type by Péringuey and holotype by Hesse. The abdomen and legs are fragments attached to the card.]

- proximus* (*Macrochilus*) Péringuey, 1896b: 167. HOLOTYPE: SAM-ENT1692, 'Natal, Durban' (*C. N. Barker*). [Labelled type by Péringuey and holotype by Hesse.]
- proximus* (*Melanodes*) Péringuey, 1926: 607. HOLOTYPE: SAM-ENT649, 'Beira' (*A. Bodong*). [Labelled type by Péringuey.] (= *Melanchiton proximum* (Pér.))
- pseudoclathrata* (*Dromica*) Péringuey, 1893: 74. HOLOTYPE: SAM-ENT4, 'Transvaal'. [Labelled *D. pseudogigantea* type by Péringuey and holotype by Hesse. The description suggests only one specimen.]
- pseudodichroa* (*Cophosomorpha*) Péringuey, 1926: 631. HOLOTYPE: SAM-ENT679 (1 ♂). [Specimen bears no collection details. Labelled type by Péringuey and holotype by Hesse. The description consists of only the key.]
- pseudosericeus* (*Hyparpalus*) Lecordier, 1982: 477. Paratypes: SAM-ENT3830, SAM-ENT3831 (2 specimens), 'Coll. Mus. Tervuren. Plaine de la Ruzizi (Burundi)' (*S. N'Dani*), 1 Mar. 1968.
- puberulus* (*Styphromerus*) Péringuey, 1896b: 602. HOLOTYPE: SAM-ENT260 (1 ♂), 'Dunbrody'. [Labelled type by Péringuey and holotype by Hesse.]
- pudica* var. *hypocrita* (*Cicindela*) Péringuey, 1893: 43. SYNTYPES: SAM-COL-A6082a-b (1 ♂ 1 ♀), 'Orange F. State, Parys' (*E. G. Alston*), Oct. [18]89; SAM-COL-A6083 (1 ♀), 'Transvaal, Klerksdorp' (*E. G. Alston*), Dec. [18]90; SAM-COL-A6088 (1 ♀), 'Transvaal, Potchefstroom' (Purch. T. Ayres, 1879). [Specimens bear no type designation but could be type material.]
- pugnator* (*Melanodes*) Péringuey, 1899: 358. HOLOTYPE: SAM-ENT3792, 'Durban', Dec. [18]97. [Labelled type by Péringuey.] (= *Melanchiton pugnator* (Pér.))
- pugnax* (*Klepsiphrus*) Péringuey, 1896b: 237. Holotype: SAM-ENT311, 'Delagoa Bay'. [Labelled type by Péringuey and *Coptoptera pugnax* (Péringuey) holotype by Basilewsky.]
- pulcher* (*Exocus*) Péringuey, 1926: 630. Holotype: SAM-ENT50, 'Insiza, S. Rhodes.' (*G. French*), Jan. 1919. [Labelled *E. conventus* type by Péringuey and *E. pulcher* holotype by Straneo.]
- pulchra* (*Lebistinida*) Péringuey, 1899: 338, pl. 2 (fig. 3). HOLOTYPE: SAM-ENT413, 'Umkomaas Mt, Natal', Sept. [18]97. [Labelled type by Péringuey.]
- punctatostrata* (*Coptoptera*) Péringuey, 1896b: 232. Holotype: SAM-ENT320, 'Stellenbosch', Sept. [18]86. [Labelled type by Péringuey and holotype by Basilewsky. Labelled *Coptoptera punctatostrata* by Basilewsky.]
- puncticollis* (*Abacetus*) Straneo, 1951b: 302, fig. 15c. Paratype: SAM-ENT664, 'I.R.S.A.C. Mus. Congo. Thysville: Grotte de Kanka (B. 34)' (*N. Leleup*), July 1949.
- purcelli* (*Graphipterus*) Péringuey, 1896b: 605. Holotype: SAM-ENT513. [Specimen bears no collection details. Labelled type by Péringuey and holotype by Basilewsky. Labelled *G. cinerarius* ssp. *purcelli* Péringuey by Basilewsky.]

- pusillimus* (*Tachys*) Péringuey, 1896b: 599. SYNTYPES: SAM-ENT804a-b (2 specimens on one pin), 'Natal, Estcourt' (*E. Haviland*), 1894; SAM-COL-A6929, no details. [Labelled type by Péringuey and SAM-ENT804 bears a red Basilewsky type label. There are also undesignated specimens, SAM-ENT804c, part of the first series, and SAM-COL-A6928, 'G/T', Sept. [18]93.]
- pusillus* (*Crepidogaster*) Péringuey, 1888: 76. HOLOTYPE: SAM-ENT5223, 'Klipfont.' (*L. Péringuey*), Nov. [18]86. [Labelled type by Péringuey and holotype by Hesse.]
- pusillus* (*Extromus*) Péringuey, 1896b: 587. HOLOTYPE: SAM-ENT153, 'Mashunald, Salisbury' (*G. A. K. Marshall*), 1894. [Labelled type by Péringuey.] (= *Trechicus nigriceps* Dejean)
- pusillus* (*Hystrichopus*) Basilewsky, 1954a: 70, fig. 39. Holotype: SAM-ENT307 (1 ♂), 'Krantzkop, Natal' (*K. H. Barnard*), Nov. 1917.
- pusillus* (*Metaxymorphus*) Péringuey, 1896b: 208. SYNTYPE: SAM-ENT287. [Specimen bears no collection details. Labelled type by Péringuey. The elytra and abdomen are damaged.]
- pusillus* (*Phloeozetus*) Péringuey, 1899: 331. HOLOTYPE: SAM-ENT361, 'Cape Colony'. [Labelled type by Péringuey.]
- pyriformis* ssp. *lualabana* (*Drypta*) Basilewsky, 1953a: 238, fig. 56. Paratypes: SAM-ENT1733a-b, 'Coll. Mus. Congo. Kaniama R. Massart', 1931; SAM-ENT5729, 'Coll. Mus. Congo. Lulua: Kapanga' (*G. F. Overlaet*), Feb. 1933.
- quadrinaculatus* (*Astastus*) Basilewsky, 1958a: 328. Holotype: SAM-ENT331, 'Dunbrody', 13 Sept. [19]00. Paratype: SAM-ENT332, 'Dunbrody', 15 Mar. [19]04.
- quadrinaculatus* var. *agraphus* (*Rhysotrachelus*) Basilewsky, 1949: 136. Holotype: SAM-ENT584 (1 ♀), 'Salisbury, Rhodesia' (*Rev. J. O'Neil*), 12 Dec. 1921.
- raffrayi* (*Abatus*) Péringuey, 1899: 362. SYNTYPES: SAM-ENT51a-b (2 ♂♂), SAM-ENT52 (1 ♂), 'Cape T.' (*A. Raffray*). [Labelled type by Péringuey. SAM-ENT51a bears an additional red type label; SAM-ENT51b bears a Hesse paratype label.]
- rebellis* (*Chlaenius*) Péringuey, 1926: 590. SYNTYPE: SAM-ENT588, 'Durban, Natal', 1908. [Labelled type by Péringuey. Labelled *Ocybatus rebellus* by Basilewsky.]
- recticollis* (*Hystrichopus*) Péringuey, 1896b: 218. Holotype: SAM-ENT302, 'Mashunald, Salisbury' (*G. A. K. Marshall*), 1893. [Labelled type by Péringuey and holotype by Basilewsky.]
- recticollis* (*Metaxymorphus*) Péringuey, 1899: 325. HOLOTYPE: SAM-ENT278, 'Enon'. [Labelled type by Péringuey.]
- regalis* ssp. *vansonii* (*Megacephala*) Basilewsky, 1966: 93, fig. 20c. Paratype: SAM-ENT2, 'Umtali, Mashonaland' (*A. Bodong*), 1902.
- rhodesiana* (*Trichisia*) Péringuey, 1908: 285. HOLOTYPE: SAM-ENT1051, 'S. Rhodesia, Umtali' (*A. Bodong*), 1902. [Labelled type by Péringuey.]

- rhodesianum* (*Egadroma*) Basilewsky, 1948: 76, fig. 14. Holotype: SAM-ENT134, 'Salisbury', 23 May 1913.
- rhodesianus* (*Disphaericus*) Péringuey, 1904a: 188. LECTOTYPE: SAM-ENT637, 'S. Rhodesia, Umtali' (*A. Bodong*). PARALECTOTYPE: SAM-ENT638a-b (2 specimens on same pin), same details, 1903; SAM-COL-A9121, same details, 1902. [All the specimens labelled type by Péringuey. Labelled holotype and paratype by Basilewsky.]
- rhodesianus* (*Klepterus*) Basilewsky, 1957: 252, fig. 8. Holotype: SAM-ENT329, 'Salisbury, Rhodesia' (*Rev. J. O'Neil*), 2 Apr. 1921.
- rhodesianus* (*Melanchiton*) Straneo, 1950: 85. Paratypes (3 specimens): SAM-ENT653, 'S. Rhodesia, Umtali' (*A. Bodong*), 190?; SAM654a-b, same details, 1903.
- rhodesianus* (*Metaxys*) Péringuey, 1908: 290. HOLOTYPE: SAM-ENT673, 'Rhodesia, Sebakwe' (*D. Dods*), 1903. [Labelled type by Péringuey.] (= *Metaxenus rhodesianus* (Pér.))
- rikatlae* (*Brachinus*) Péringuey, 1896b: 183. LECTOTYPE: SAM-ENT245 (1 ♀); PARALECTOTYPE: SAM-ENT246 (1 ♂), 'Rikatla, Delagoa'. [Only SAM-ENT245 labelled type by Péringuey. Labelled holotype and paratype, respectively, by Basilewsky and Hesse. The description suggests more than one specimen.]
- rikatlense* (*Eudema*) Péringuey, 1896b: 479. SYNTYPES (2 specimens): SAM-ENT1046a-b, 'Rikatla, Delagoa'; SAM-ENT1047a-e, 'Delagoa Bay', 1894. [Only one specimen of each series bears a red type label but no Péringuey type labels.]
- rivalis* (*Hypolithus*) Péringuey, 1908: 279. HOLOTYPE: SAM-ENT196 (1 ♂), 'Lower M'Komas', Sept. [18]97. [Labelled type by Péringuey. Labelled *Parasiopelus rivalis* by Péringuey.]
- robustus* (*Metaxymorphus*) Péringuey, 1904a: 174. HOLOTYPE: SAM-ENT285, 'Malvern N.', Feb. [18]99. [Labelled type by Péringuey.]
- rohani a.ap. lualabana* (*Cypholoba*) Basilewsky, 1955: 5. Paratype: SAM-ENT87 (1 ♀), 'Musée du Congo Lulua: r. Kasai-Luneni' (*G. F. Overlaet*), 19 Feb. 1932.
- ruandana* (*Leleupidia*) Basilewsky, 1951b: 21, fig. 3. Paratypes: SAM-ENT1035a-b, SAM-ENT1036 (2 specimens), 'I.R.S.A.C. Mus. Congo, Ruanda, Forêt Rugege, 2 000 m' (*N. Leleup*), Mar. 1951.
- rufipennis* (*Harpalomorphus*) Péringuey, 1896b: 455. SYNTYPE: SAM-ENT123, 'Constantia' (*F. Purcell*), April [18]85. [Labelled type by Péringuey. There is also an undesignated specimen, SAM-COL-A14405, 'C. T.', Aug. [18]87.]
- rutata* (*Polyhirma*) Péringuey, 1892b: 101. Lectotype: SAM-ENT90 (1 ♂), 'Zambesi' (*Bradshaw*), 1879. PARALECTOTYPE: SAM-ENT91 (1 ♀), 'Between Limpopo and Zambezi Rs' (*Purch. T. Ayres*, 1879). [Neither specimen is labelled type by Péringuey. Both specimens labelled paratype by Hesse and *Cypholoba rutata* Péringuey lectotype and paratype by Basilewsky.]

- salinae* ssp. *paratibialis* (*Graphipterus*) Basilewsky, 1977: 175, figs 41, 42a. Holotype: SAM-ENT481, 'Salisbury', 28 Nov. 1915. Paratypes: SAM-ENT482, 'Arcturus, Salisbury' (*Dr Melle*), 1915; SAM-ENT483, 'Salisbury', 14 Dec. 1914; SAM-ENT484, 'Rhodesia, Sebakwe' (*D. Dods*), 190?; SAM-ENT485, 'Zomba, Nyasa' (*C. F. Belcher*), 1922. [According to Basilewsky the holotype is in the Paris Museum but SAM-ENT481 bears a red type label and not a paratype label. There is also an undesignated specimen, SAM-COL-A8912, 'Rhodesia, Sebakwe' (*D. Dods*), 1901.]
- sambesina* (*Polyhirma*) Péringuey, 1908: 275. Lectotype: SAM-ENT95a (1 ♀), 'Feira, Zambesi' (*Dr Stoehr*), 1905. PARALECTOTYPE: SAM-ENT95b (1 ♀), same details. [Labelled type by Péringuey, paratype and holotype respectively by Hesse, and *Cypholoba sambesina* Péringuey lectotype and paratype respectively by Basilewsky.]
- schoutedeni* (*Dendragonum*) Basilewsky, 1950b: 23. Paratypes: SAM-ENT731 (1 ♂); SAM-ENT732 (1 ♂), 'Coll. Mus. Congo. I.R.S.A.C. Kivu Terr. Uvira Kiliama, 2900 m' (*Dr R. Laurent*), 2-8 Sept. 1950.
- scitulus* (*Trechus*) Péringuey, 1896b: 611. HOLOTYPE: SAM-ENT751. [Specimen bears no collection details. Labelled type by Péringuey.]
- scitus* (*Hypolithus*) Péringuey, 1896b: 438. HOLOTYPE: SAM-ENT200 (1 ♂), 'Delagoa B.' (*J. de Coster*), Jan. [18]90. [Labelled type by Péringuey. Labelled *Aulacoryssus venustulus* Boh. [Boheman] by Basilewsky.]
- scutellaris* (*Coptoptera*) Péringuey, 1896b: 232. Holotype: SAM-ENT321, 'C. T.', [18]87. [Labelled type by Péringuey and *Coptopterina scutellaris* Péringuey holotype by Basilewsky.]
- scutellaris* (*Crepidogaster*) Péringuey, 1896b: 189. HOLOTYPE: SAM-ENT5215, 'Pretoria, (Tr.)' (*E. Simon*), 1893. [Labelled type by Péringuey and holotype by Hesse.]
- sebakwana* (*Lebia*) Péringuey, 1908: 274. HOLOTYPE: SAM-ENT410, 'Rhodesia, Sebakwe' (*D. Dods*), 1903. [Labelled type by Péringuey.]
- sebakwana* (*Megacephala*) Péringuey, 1903: 338. LECTOTYPE: SAM-ENT1a (1 ♂), 'Rhodesia, Sebakwe' (*D. Dods*), 190?. [The specimen bears no Péringuey type label and is labelled *M. regalis* ssp. *sebakwana* holotype by Basilewsky. There are also undesignated specimens of the same series, SAM-ENT1b-h, dated Feb. 1902.]
- sebakwensis* (*Tachys*) Péringuey, 1926: 653. HOLOTYPE: SAM-ENT793, 'Rhodesia, Sebakwe' (*D. Dods*), 1903. [Labelled type by Péringuey and Basilewsky. There is also an undesignated specimen of the same series, SAM-ENT793b.]
- secutorius* (*Tachys*) Péringuey, 1908: 292. HOLOTYPE: SAM-ENT773, 'Salisbury', June [18]98. [Labelled type by Péringuey. There are also undesignated specimens, SAM-COL-A6906a-b, 'Rhodes., Salisbury' (*Marshall*), 190?, and SAM-COL-A6908, 'Mashunald, Salisbury' (*G. A. Marshall*), 189?.]
- selousi* (*Piezia*) Péringuey, 1896b: 334, pl. 8 (fig. 5). LECTOTYPE: SAM-ENT555 (1 ♂), 'Mashunald, Salisbury' (*G. A. K. Marshall*), 1894. PARALECTOTYPE: SAM-ENT556, same details but date 1893. [Neither of the

- specimens is labelled type by Péringuey. Labelled holotype and paratype by Basilewsky. The description suggests only one specimen.]
- servilis* (*Tachys*) Péringuey, 1899: 370. HOLOTYPE: SAM-ENT786, 'Malvern, Natal', May [18]97. [Labelled type by Péringuey.]
- servitulus* (*Abacetus*) Péringuey, 1904a: 194. LECTOTYPE: SAM-ENT72a (1 ♀), 'S. Rhodesia, Umtali' (*A. Bodong*), 1903. PARALECTOTYPE: SAM-ENT76 (1 ♂), same details but date unclear. [Both specimens labelled type Péringuey. SAM-ENT72 also bears a red type label and this pin bears two specimens but one has been labelled *A. nitens* by Straneo. There are also undesigned specimens of the first series, SAM-ENT72b-d.]
- severini* (*Abacetus*) Tschitschérine, 1898: 433. SYNTYPE: SAM-ENT659, 'Boma' (*M. Tschoffen*). [There is also an elytron of the same series on a pin.]
- shebanus* (*Graphipterus*) Péringuey, 1904a: 183. LECTOTYPE: SAM-ENT523 (1 ♀), 'Barberton' (*Levetzow?*). [The specimen bears no Péringuey type label. The description suggests more than one specimen. Labelled *G. bouvoulouri* ssp. *shebanus* Péringuey holotype by Basilewsky.]
- shilouvanus* (*Abacetus*) Péringuey, 1904a: 198. HOLOTYPE: SAM-ENT4469, 'Transvaal, Shilowane, Pietersburg' (*Rev. H. A. Junod*). [Labelled type by Péringuey.]
- shiluwanus* (*Tachys*) Péringuey, 1926: 651. HOLOTYPE: SAM-ENT783, 'Shilouwani, Pietersburg, Tvl' (*Rev. Junod*), [19]02. [Labelled type by Péringuey.]
- signatus* (*Phloeozetus*) Péringuey, 1896b: 249, pl. 5 (fig. 18). HOLOTYPE: SAM-ENT359, 'Bedford' [18]86. [Labelled type by Péringuey.]
- similis* (*Hystrichopus*) Péringuey, 1896b: 214. LECTOTYPE: SAM-ENT292, 'Transvaal, Leydenbg Dist.', (Purch. 1879 T. Ayres). PARALECTOTYPE: SAM-ENT293. [SAM-ENT293 bears no collection details. Both specimens labelled type by Péringuey. The holotype was labelled by Basilewsky but there is no indication that he examined the syntype. The description suggests more than one specimen.]
- simplex* (*Omostropus*) Péringuey, 1908: 281. HOLOTYPE: SAM-ENT209, 'L. 600. Hlangwana, Colenso SAM692' (*Dr G. B. Longstaff*), 24 Aug. 1905. [Labelled type by Péringuey and *O. vicarius* by Basilewsky.]
- simplex* (*Phloeozetus*) Péringuey, 1896b: 248, pl. 5 (fig. 17). HOLOTYPE: SAM-ENT357. [Specimen bears no collection details. Labelled type by Péringuey.]
- simplex* (*Diagona*) Péringuey, 1892a: 6. SYNTYPES: SAM-ENT3777; SAM-COL-A6902, 'Ovampol.' (*Eriksson*), 1890-1891. [SAM-ENT3777 bears no collection details and is labelled type, probably by Hesse, and by Lecordier. SAM-COL-A6902 is labelled type by Péringuey but this specimen was probably not seen by Lecordier.]
- simplex* (*Stenolophus*) Péringuey, 1896b: 462. SYNTYPES: SAM-ENT143a-b, 'Escourt, Natal'. [Labelled type by Péringuey. Labelled *Acupalpus simplex* by Basilewsky.]

- simulans* (*Brachinus*) Péringuey, 1896b: 181. LECTOTYPE: SAM-ENT233 (1 ♂); PARALECTOTYPE: SAM-ENT234 (1 ♂), 'Rikatla, Delagoa'. [Both specimens labelled type by Péringuey. Labelled holotype and paratype by Basilewsky.]
- simulator* (*Graphipterus*) Péringuey, 1892a: 11. LECTOTYPE: SAM-ENT475, 'Ovambol.' (A. W. Eriksson), 1890-1891. PARALECTOTYPE: SAM-ENT476, 'Cunene River, Ondonga'. [Both specimens labelled type by Péringuey. Labelled *G. bivittis* ssp. *simulator* Péringuey holotype and paratype by Basilewsky.]
- simulatoria* (*Lebia*) Péringuey, 1904a: 178. SYNTYPES: SAM-ENT396, 'Malvern N.', Apr. 1900; SAM-ENT397, with two labels, 'Natal, Durban' (N. Barker), 189?, and 'Malvern, Natal', May [18]97. [Labelled type by Péringuey.]
- singularis* (*Procletus*) Péringuey, 1896b: 570, pl. 10 (fig. 8). HOLOTYPE: SAM-ENT623. [Specimen bears no collection details. Labelled type by Péringuey.]
- sobrina* (*Drypta*) Péringuey, 1896b: 157. LECTOTYPE: SAM-ENT1704 (1 ♂), 'C. T.', Aug. [18]87. PARALECTOTYPES: SAM-ENT1705a-c (3 ♀♀), 'C. T.', Aug. [18]86; SAM-ENT217 (1 ♂), 'Constant.' (W. F. Purcell), Sept. [18]86; SAM-ENT218 (1 ♀), 'Constantia', Sept. [18]85. [Only SAM-ENT1704 is labelled type by Péringuey. The description suggests only one specimen. Labelled holotype and paratype by Hesse. Labelled *Deserida distincta* var. *sobrina* Péringuey by Basilewsky.]
- sobrina* (*Microlestia*) Péringuey, 1896b: 354. Holotype: SAM-ENT559 (1 ♀). [Specimen bears no collection details. Labelled type by Péringuey and holotype by Basilewsky.]
- sobrinus* (*Anisodactylus*) Péringuey, 1896b: 425, 426. HOLOTYPE: SAM-ENT5716a (1 ♂), 'Upper Limpopo'. [Bears no Péringuey type label, only a red type label and labelled *Dichaetochilus caffr* Boh. [Boheman] by Basilewsky. There is also an undesignated specimen of the same series, SAM-ENT5716b.]
- solivagus* (*Chlaenius*) Péringuey, 1926: 596. SYNTYPE: SAM-ENT605, 'Beira, E. Afr.' (P. A. Sheppard), 19 Oct. [19]03. [Labelled type by Péringuey.] (= *Chlaeniostenus angustatus* Dejean)
- solutilis* (*Trechosia*) Péringuey, 1908: 291. HOLOTYPE: SAM-ENT746, 'Salisbury', June [18]98. [Labelled type by Péringuey.]
- speciosa* (*Lebia*) Péringuey, 1896b: 264. HOLOTYPE: SAM-ENT380, 'C. T.', Aug. [18]87. [Labelled type by Péringuey.]
- speciosa* (*Myrmecoptera*) Péringuey, 1896a: 120. SYNTYPE: SAM-ENT13 (1 ♂), 'Bulawayo, Zambezia'. [The specimen bears no Péringuey type label, only a Hesse paratype label. The description suggests more than one specimen.]
- spectabilis* (*Lebistina*) Péringuey, 1904a: 181. HOLOTYPE: SAM-ENT412. [Specimen bears no collection details. Labelled type by Péringuey.]

- spectandus* (*Macrochilus*) Péringuey, 1904a: 170. HOLOTYPE: SAM-ENT1735, 'S. Rhodesia, Umtali' (*A. Bodong*), 1903. [Labelled type by Péringuey and holotype by Hesse.]
- sperabilis* (*Lebia*) Péringuey, 1899: 334. HOLOTYPE: SAM-ENT381, 'Mashonaland, Salisbury' (*G. A. K. Marshall*). [Labelled type by Péringuey.]
- spurius* (*Stomonaxus*) Péringuey, 1926: 618. SYNTYPES: SAM-ENT55. [Specimen bears no collection details. Labelled type by Péringuey. There is also an undesignated specimen, SAM-COL-A9190, 'Malvern, Natal', Aug. 1915.]
- spurius* (*Tachys*) Péringuey, 1896b: 596. SYNTYPES: SAM-ENT776a-e (5 specimens on two pins), 'Mashonaland, Salisbury' (*G. A. K. Marshall*), 1893; SAM-COL-A6910a, same details but date 1894. [Labelled type by Péringuey and one specimen from SAM-ENT776 also bears a red type label. There is also an undesignated specimen, SAM-COL-A6910b.]
- stenotrachela* (*Piezia*) Fairmaire, 1884: 71. Paratype: SAM-ENT558 (1 ♀), 'Makdischu.'
- stigma* (*Phloeozetus*) Péringuey, 1896b: 246, pl. 5 (fig. 14). HOLOTYPE: SAM-ENT350a, 'C. T.', Sept. [18]87. [Labelled type by Péringuey. There are also undesignated specimens from the same series, SAM-ENT350b-c.]
- stigmatellus* (*Metaxymorphus*) Péringuey, 1896b: 208, pl. 5 (fig. 7). HOLOTYPE: SAM-ENT277, 'C. T.', Oct. [18]86. [Labelled type by Péringuey. Abdomen and one elytron are missing.]
- strenuus* (*Abacetus*) Tschitschérine, 1898: 423, 441. SYNTYPES: SAM-ENT661a-b, 'Matadi' (*M. Tschoffen*).
- strenuus* (*Hypolithus*) Péringuey, 1899: 347. HOLOTYPE: SAM-ENT182 (1 ♀). [Specimen bears no collection details. Labelled type by Péringuey. Labelled *Hyparpalinus strenuus* by Lecordier.]
- stuhlmanni* ssp. *punctatum* (*Stereostoma*) Straneo, 1958: 327. Paratype: SAM-ENT49, 'Beira, E. Afr.' (*P. A. Sheppard*), Jan. 1906.
- subcaecus* (*Kenyacus*) Basilewsky, 1956a: 104, fig. 25. Paratypes: SAM-ENT141, SAM-ENT142 (2 specimens), 'Coll. Mus. Congo, Ruanda: Rutovu forêt du Rugege 2 350 m', 20-23 Jan. 1953.
- suboccidentalis* (*Abacetus*) Straneo, 1953: 4. Paratype: SAM-ENT665, 'Congo, Lukonzolwa' (*G. F. de Witte*), 1931.
- sulcifrons* (*Perigona*) Burgeon, 1935: 221. Paratypes (2 specimens): SAM-ENT1029, SAM-ENT1030, 'Musée du Congo, Lulua: Kapanga' (*F. G. Overlaet*), Aug. 1932.
- sulcostriatus* (*Disphaericus*) Fairmaire, 1887: 99. PARATYPE: SAM-COL-A9123, two locality labels, 'Kipalapala' and 'Tanganyika'.
- superciliaris* (*Barnardia*) Péringuey, 1926: 637. SYNTYPE: SAM-ENT697 (1 ♀), 'Oudebosch, Caledon, 1 500 ft' (*K. H. Barnard*), Jan. 1919; SAM-ENT698a, 'Oudebosch, Caledon Div.' (*R. Lightfoot*), 1920. [Labelled type by Péringuey, although he mentioned having seen 3 specimens. There are also undesignated specimens from one series, SAM-ENT698b-c.] (= *Teratotarsa superciliaris* (Péringuey) and labelled as such by Péringuey.)

- superstes* (*Chlaenius*) Péringuey, 1926: 600. HOLOTYPE: SAM-ENT617, 'Rhodesia, Sebakwe' (*D. Dods*), 190?. [Labelled type by Péringuey.]
- suturalis* (*Casnonia*) Péringuey, 1896*b*: 151. SYNTYPES (2 specimens): SAM-ENT160, 'Rikatla, Delagoa'; SAM-ENT161, 'Delagoa' (*L. Péringuey*). [Only SAM-ENT160 labelled type by Péringuey. Labelled holotype and paratype by Hesse.] (= *Eucolliuris olivieri* Buquet)
- suturata* (*Piezia*) Burgeon, 1929*b*: 202, fig. 5. Holotype: SAM-ENT553 (1 ♂), 'Beira, E. Afr.' (*P. A. Sheppard*), Sept. 1906.
- tabulae* (*Trechus*) Péringuey, 1899: 368. HOLOTYPE: SAM-ENT750, 'Cape T.' (*A. Raffray*). [Labelled type by Péringuey.]
- taedatus* (*Macrochilus*) Basilewsky, 1960*a*: 46, fig. 2*b*, *e*. Paratype: SAM-ENT1726, 'Coll. Mus. Congo, Kibali—Ituri: Luma près. Djalasiga' (*R. P. Gérard*), 1939.
- tembena* (*Polyhirma*) Péringuey, 1896*b*: 605. LECTOTYPE: SAM-ENT3778 (1 ♀), 'Mozamb. Tembe', [18]99. [Labelled type by Péringuey. Labelled *Cypholoba tembena* Péringuey holotype by Basilewsky. The description suggests more than one specimen.]
- tenella* (*Lebia*) Péringuey, 1908: 274. HOLOTYPE: SAM-ENT405, 'Umtali, Rhodesia' (*A. Bodong*). [Labelled type by Péringuey.]
- tenuicollis* (*Hystrihopus*) Péringuey, 1896*b*: 217. PARALECTOTYPE: SAM-ENT300. [Specimen bears no collection details and no Péringuey type label, only a printed cotype label and what appears to be a Basilewsky paratype label. The description suggests more than one specimen.]
- terminalis* (*Acupalpus*) Péringuey, 1896*b*: 464. SYNTYPES: SAM-ENT135*a-f* (6 specimens on same pin), 'Cape T.', Nov. [18]86. [Labelled type by Péringuey. Labelled *Acupalpus involutus* by Basilewsky.]
- tesseliatus* (*Acupalpus*) Péringuey, 1892*a*: 22. SYNTYPES: SAM-ENT138*a-b* (on same pin), 'Ovambol.' (*A. W. Eriksson*), 1890–1891. [Labelled type by Péringuey. There are also undesignated specimens of the same series, SAM-ENT138*c-i*. Labelled *Egadroma tesselatum* by Basilewsky.]
- tessellatus* (*Xenitenus*) Péringuey, 1896*b*: 230. HOLOTYPE: SAM-ENT341, 'Stellenb.', 1883. [This specimen is no longer in the collection; only the label remains.]
- tetricus* (*Hypolithus*) Péringuey, 1908: 280. Holotype: SAM-ENT183, 'Salisbury, Mashonaland' (*G. A. K. Marshall*), Dec. 1900. [Labelled type by Péringuey and *Hyparpalus tetricus* type by Lecordier.]
- thoracicus* (*Hystrihopus*) Ball & Hilchie, 1983: 169, fig. 81. Holotype: SAM-ENT3790, 'Grahamstown' (*Rev. J. O'Neil*), 14 Jan. [19]19.
- tibialis* (*Brachinus*) Péringuey, 1899: 321. Holotype: SAM-ENT227 (1 ♀), 'Malvern N', July [18]98. [Labelled type by Péringuey and *Brachynomorphus tibialis* Péringuey holotype by Basilewsky.]
- tibialis* (*Dromius*) Péringuey, 1896*b*: 235. SYNTYPES: SAM-ENT1709*a-b* (2 ♂♂), 'Mashonaland, Salisbury' (*G. A. K. Marshall*), 1895. [Labelled type by Péringuey and *Microlestes flavipes* ssp. *tibialis* by Basilewsky.]
- torva*—see *cephalotes* var. *torva* (*Anthia*)

- trachelocyphoides* ssp. *punctata* (*Basilewsky*) Straneo, 1958: 387. Holotype: SAM-ENT675; paratypes: SAM-ENT676 and SAM-ENT677, 'Oudebosch, R. Zonderend', Oct. 1933. [Head missing from SAM-ENT676.]
- transitoria* (*Cosmema*) Péringuey, 1896a: 112. HOLOTYPE: SAM-ENT26 (1 ♂). [Labelled type by Péringuey. The specimen bears no collection details. The description suggests only one specimen.]
- transvaalensis* (*Lebia*) Péringuey, 1896b: 259. SYNTYPE: SAM-ENT384. [Specimen bears no collection details. Labelled type by Péringuey.]
- transvaalensis* (*Pherosophus*) Péringuey, 1896b: 177. Holotype: SAM-ENT224 (1 ♂), 'Marico, Transv.'. [Labelled type by Péringuey and holotype by Basilewsky.]
- transvaalensis* (*Platynus*) Péringuey, 1926: 642. SYNTYPES: SAM-ENT705a-b (1 ♂ 1 ♀ on same pin), 'Jo'burg' (*W. F. Purcell*). [Labelled type by Péringuey.] (= *Agonum transvaalense* (Péringuey))
- trechoides* (*Abacetus*) Péringuey, 1896b: 551. SYNTYPE: SAM-ENT4465, 'G/T', Nov. [18]92. [Labelled type by Péringuey.]
- trimaculatum* (*Zuphium*) Péringuey, 1899: 318. Holotype: SAM-ENT1746 (1 ♂), 'Mashonalnd, Salisbury' (*G. A. K. Marshall*), 1895. [Labelled type by Péringuey and holotype by Basilewsky.]
- tristis* (*Zeloticus*) Péringuey, 1892a: 17. HOLOTYPE: SAM-ENT620. [Specimen bears no collection details. Labelled type by Péringuey and *Homalolachnus lineatus* ssp. *tristis* by Basilewsky.]
- trivialoides* (*Cyrtotelus*) Straneo, 1958: 395, fig. 109. Paratype: SAM-ENT667, 'Mfongosi, Zululand' (*Misses Jones*), Jan. 1923.
- turbatus* (*Hypolithus*) Péringuey, 1908: 279. HOLOTYPE: SAM-ENT195a-d (b-d on same pin), 'Salisbury, Mashonalnd' (*G. A. K. Marshall*), Nov. 1900. [Labelled type by Péringuey. Labelled *Nesiopelus melancholicus* Boh. [Boheman] by Basilewsky.]
- umtaliensis* (*Abacetus*) Péringuey, 1926: 624. SYNTYPE: SAM-ENT4451 (2 specimens on same pin), 'S. Rhodesia, Umtali' (*A. Bodong*), 1904. [Labelled type by Péringuey.] (= *A. nanus* Chaudoir)
- umtaliensis* (*Tachys*) Péringuey, 1926: 651. HOLOTYPE: SAM-ENT770, 'Umtali, Mashonalnd' (*A. Bodong*), [19]02. [Labelled type by Péringuey. There is also an undesignated specimen, SAM-COL-A6904, 'Umtali' (*Bodong*).]
- umtalianus* (*Platynus*) Péringuey, 1904a: 201. SYNTYPES (2 specimens): SAM-ENT713a, 'S. Rhodesia, Umtali' (*A. Bodong*), 1902; SAM-ENT714a, same details but no date. [Labelled type by Péringuey. SAM-ENT714a head and thorax missing. There are additional undesignated specimens of the same series, SAM-ENT713b-o and SAM-ENT714c-d.]
- umtalianus* (*Zeloticus*) Péringuey, 1904a: 185. HOLOTYPE: SAM-ENT621, 'Umtali, Mashonalnd' (*A. Bodong*), 1902. [Labelled 'in litt.' by Péringuey. Labelled *Homolachnus lineatus* ssp. *umtalianus* by Basilewsky.]
- umtalina* (*Hexagonia*) Péringuey, 1904a: 169. LECTOTYPE: SAM-ENT213, 'S. Rhod. Umta.' (*A. Bodong*), 190?. PARALECTOTYPES: SAM-ENT214a-b

- (2 specimens on same pin), 'S. Rhodesia, Umtali' (*A. Bodong*), 1903. [All specimens labelled type by Péringuey, and holotype and paratype by Basilewsky. There are also undesignated specimens of the same series, SAM-ENT214c-m, on two pins.]
- umtalinus* (*Phloeozetus*) Péringuey, 1904a: 177. SYNTYPES (3 specimens): SAM-ENT353a-b (2 specimens on same pin), 'Umtali, Mashonaland' (*A. Bodong*), 1903; SAM-ENT354, same as SAM-ENT353 but 'S. Rhodesia, Umtali'. [Labelled type by Péringuey.]
- umvotianus* (*Brachinus*) Péringuey, 1904a: 172. Holotype: SAM-ENT228 (1 ♀), 'Natal, Umvoti' (*H. Fry*). [Labelled type by Péringuey and *Brachynomorphus umvotianus* Péringuey holotype by Basilewsky. Genitalia missing.]
- vaciva* (*Lebia*) Péringuey, 1899: 333. SYNTYPES: SAM-ENT392a-f (6 specimens on same pin), 'Rhode. Umtali' (*A. Bodong*), 1903; SAM-ENT393, 'Mashunal. Salisbury' (*G. A. K. Marshall*). [Labelled type by Péringuey, although dated after publication. There are also undesignated specimens, SAM-ENT392g-i.]
- vagans* (*Lebia*) Péringuey, 1896b: 262, pl. 6 (fig. 8). SYNTYPES: SAM-ENT390a-f (6 specimens on same pin), 'Prieska', Oct. [18]87. [Labelled type by Péringuey.]
- vagans* (*Tachys*) Péringuey, 1896b: 596. SYNTYPES: SAM-ENT777a-f (6 specimens on same pin), 'Natal, Estcourt' (*E. Haviland*), 1894; SAM-ENT778a-f (6 specimens on same pin), same details but no date. [Labelled type by Péringuey. There are also undesignated specimens of the same series, SAM-ENT777g-l, on one pin.]
- vagus* (*Brachinus*) Péringuey, 1899: 320. Holotype: SAM-ENT231 (1 ♀), 'Dunby'. [This specimen bears no Péringuey type label. Labelled holotype by Basilewsky.]
- varians* (*Macrochilus*) Péringuey, 1904a: 171. HOLOTYPE: SAM-ENT1736, 'S. Rhodesia, Umtali' (*A. Bodong*), 1903. [Labelled type by Péringuey and holotype by Hesse. There is also a specimen designated as paratype by Hesse but this is the holotype of *M. varians* var. *eugrammus*. The description suggests more than one specimen.]
- varians* var. *eugrammus* (*Macrochilus*) Basilewsky, 1960a: 49. Holotype: SAM-ENT1739, 'S. Rhodesia, Umtali' (*A. Bodong*), 1903. Paratype: SAM-ENT5732, same details. [SAM-ENT1739 was originally designated by Péringuey as a syntype of *M. varians* Péringuey. SAM-ENT5732 has no head.]
- velox* (*Hystrichopus*) Péringuey, 1904a: 174. HOLOTYPE: SAM-ENT306 (1 ♀), 'Umtata' (*Rev. F. C. Kolbe*), 1900. [Labelled type by Péringuey and holotype by Basilewsky.]
- velox* (*Platynus*) Péringuey, 1899: 367. HOLOTYPE: SAM-ENT733 (1 ♂), 'Ulundi, Natal', Sept. 1896. [Labelled type by Péringuey. Labelled *Neocolpodes velox*.]
- velutinus* ssp. *pseudogriseus* (*Graphipterus*) Burgeon, 1929a: 313. Holotype: SAM-ENT491, 'Omuramba' (*A. W. Eriksson*), Jan. [18]89. Paratypes

- (3 specimens): SAM-ENT492, 'SWA Africa, Karibib' (*A. Ullmaun*), 1917; SAM-ENT493, 'SWA Kamanyab Mus. Exp.', Jan. 1926; SAM-ENT494, 'NE Damaral.' (*A. W. Eriksson*), Oct. [18]99. [SAM-ENT494 badly damaged.]
- velutinus* ssp. *umtaliensis* (*Graphipterus*) Burgeon, 1930: 313. Holotype: SAM-ENT488, 'Umtali (Rhod.)' (*A. Bodong*). Paratypes: SAM-ENT489, 'S. Rhodesia, Umtali' (*A. Bodong*), 1903.
- venator* (*Phloeozetus*) Péringuey, 1896*b*: 251. HOLOTYPE: SAM-ENT371. [Specimen bears no collection details. Labelled type by Péringuey.]
- venusta* (*Hexagonia*) Péringuey, 1904*a*: 168. Holotype: SAM-ENT212*a*, 'Salisbury, Edmond's Farm in reeds', Oct. 1898. [Labelled type by Péringuey and holotype by Basilewsky. There are also undesignated specimens, SAM-ENT212*b-c*. There is another specimen, SAM-COL-A17195, 'S. Rhodesia, Umtali' (*Bodong*), 1903, labelled type by Péringuey but its type status is refuted by Basilewsky.]
- verschureni* (*Abacetus*) Straneo, 1963: 36. Paratype: SAM-ENT5393, 'Congo Belge, P.N.G. Mis. H. de Saeger 2/gc/9 3781' (*H. de Saeger*), 14 July 1952.
- vertagus* (*Abacetus*) Péringuey, 1904*a*: 196. SYNTYPES: SAM-ENT4452*a-b*, 'Beira' (*P. A. Sheppard*), 11 Jul. [19]03; SAM-ENT4453*a*, same as details but 12 Jul. [19]03. [Labelled type by Péringuey. SAM-ENT4452*a* also bears a red type label. There are also undesignated specimens of the above series, SAM-ENT4453*b* and SAM-COL-A9397, same locality but dated 14 July 1903.]
- vescus* (*Tachys*) Péringuey, 1908: 294. HOLOTYPE: SAM-ENT771, 'Malvern, N.', Feb. [18]99. [Labelled type by Péringuey. There is also an undesignated specimen, SAM-COL-A6907, 'Natal, Malvern' (*Barker*), June [18]97.]
- vexator* (*Abacetus*) Péringuey, 1904*a*: 190. HOLOTYPE: SAM-ENT62 (1 ♂), 'Upper Limpopo' (*A. W. Eriksson*), March [18]87. [Labelled type by Péringuey.]
- vicaria* (*Paralebia*) Péringuey, 1899: 336. HOLOTYPE: SAM-ENT377*a*, 'Malvern', Sept. 1897. [Labelled type by Péringuey. There is also an undesignated specimen from the same series, SAM-ENT377*b*.]
- vicarius* (*Omostropus*) Péringuey, 1896*b*: 431. SYNTYPE: SAM-ENT208, 'Natal, Escourt' (*E. Haviland*). [Bears no Péringuey type label, only a subsequent red type label.]
- vicarius* (*Tachys*) Péringuey, 1908: 293. HOLOTYPE: SAM-ENT767, 'Malvern, N.' (*C. N. Barker*), Feb. [18]99. [Labelled 'in litt.' by Péringuey.]
- vicinus* (*Triaenogenius*) Péringuey, 1896*b*: 170. Holotype: SAM-ENT1711, 'Transvaal, Middelburg' (*G. A. K. Marshall*). [Specimen bears no Péringuey type label. Labelled *Triaenogenius carinulatus* ssp. *vicinus* Péringuey and holotype by Basilewsky.]

- vidua* (*Dyoriche*) Péringuey, 1896b: 456. HOLOTYPE: SAM-ENT191 (1 ♂), 'Natal, Durban' (C. N. Barker), 1893. [Labelled type by Péringuey. Labelled *Platymetopus viduus* by Basilewsky.]
- viduatus* (*Macrochilus*) Péringuey, 1899: 317. HOLOTYPE: SAM-ENT1691. [Specimen bears no collection details. Labelled type by Péringuey and holotype by Hesse.]
- vinctus* (*Macrochilus*) Basilewsky, 1960a: 42, fig. 1. Paratype: SAM-ENT1702, 'Musée du Congo, Ulele: Tukupwo' (L. Leconte), Sept. 1937.
- violaceus* (*Parachlaenius*) Péringuey, 1899: 356. HOLOTYPE: SAM-ENT622, 'Enkeldoorn, Salisbry'. [Labelled type by Péringuey.]
- virescens* (*Abacetus*) Straneo, 1940: 170. Holotype: SAM-ENT4471, 'Sebakwe, Rhodesia' (D. Dods), 1902.
- virgatus* (*Phloeozetus*) Péringuey, 1896b: 246, pl. 5 (fig. 15). SYNTYPES: SAM-ENT351a-e (5 specimens on same pin), 'Strand, Stellenbosch'. [Labelled type by Péringuey.]
- vittiger* (*Graphipterus*) Péringuey, 1888: 78. LECTOTYPE: SAM-ENT507, 'Kimberley' (R. Tucker), Sept. [18]?7. [Specimen bears no Péringuey type label. Péringuey mentioned two specimens in the description and, therefore, the status has been interpreted as syntype. Labelled type (holotype) by Basilewsky.]
- vivax* (*Trechus*) Péringuey, 1896b: 590. SYNTYPES: SAM-ENT753, 'Ramoutsa' (Rev. J. O'Neil), 1894; SAM-COL-A7099, 'Natal, Frere' (A. Marshall), 1893. [Labelled type by Péringuey.]
- zambesianus* (*Abacetus*) Péringuey, 1926: 624. HOLOTYPE: SAM-ENT4470, 'N. Rhodesia, Pamba' (Father Casset), 1918. [Labelled type by Péringuey.] (= *A. shilouvanus* Pér.)
- zambeianum* (*Eudema*) Péringuey, 1896b: 477. HOLOTYPE: SAM-ENT1045. [Specimen bears no collection details. Labelled type by Péringuey. There is an undesignated specimen, SAM-COL-A7122, 'Mashunald, Salisbry' (Marshall), 1894.]
- zambeianus* (*Graphipterus*) Péringuey, 1892b: 99. HOLOTYPE: SAM-ENT425. [Specimen bears no collection details. Labelled type by Péringuey.]
- zuluana* (*Dromica*) Péringuey, 1908: 272. HOLOTYPE: SAM-ENT28 (1 ♀), 'Eshowe, Zululand'. [Labelled type by Péringuey. The description suggests only one specimen. Head and 3 legs missing.]

ACKNOWLEDGEMENTS

I wish to thank the late Dr P. Basilewsky (formerly of the Koninklijke Museum voor Midden-Afrika, Tervuren, Belgium), and Drs H. G. Robertson and V. B. Whitehead (South African Museum) and S. L. Straneo (Milan, Italy) for their valuable assistance in the compilation of this list.

REFERENCES

- BALL, G. E. & HILCHIE, G. J. 1983. Cymindine Lebiini of authors: redefinition and reclassification of genera (Coleoptera: Carabidae). *Quaestiones Entomologicae* **19** (1-2): 93-218.
- BASILEWSKY, P. 1948. Carabidae africaines nouveaux. *Mémoires de la Société entomologique de Belgique* **25**: 57-105.
- BASILEWSKY, P. 1949. Études sur les *Chlaenius* d'Afrique (Col. Caraboidea Callistidae). *Mémoires du Muséum nationale d'histoire naturelle* **28** (3): 133-166.
- BASILEWSKY, P. 1950a. Révision des Anchomeninae (Coleoptera Carabidae) de l'Afrique du sud. *Arkiv för zoologi* **1** (3): 275-299.
- BASILEWSKY, P. 1950b. Le genre *Dendragonum* Burgeon (Col. Carabidae). *Revue de zoologie et de botanique africaines* **44**: 19-24.
- BASILEWSKY, P. 1951a. Coléoptères Carabidae africaines nouveaux. *Revue de zoologie et de botanique africaines* **44**: 281-294.
- BASILEWSKY, P. 1951b. Sur le genre *Leleupidia* Basilewsky (Col. Carabidae). *Revue de zoologie et de botanique africaines* **45**: 19-23.
- BASILEWSKY, P. 1951c. Carabiques anophtalmes ou microptalmes nouveaux du Kahuzi (Col. Carabidae). *Revue de zoologie et de botanique africaines* **45**: 84-89.
- BASILEWSKY, P. 1951d. Quelques *Reicheia* nouvelles de l'Est du Congo belge (Col. Carabidae Scaritinae). *Revue de zoologie et de botanique africaines* **45**: 134-141.
- BASILEWSKY, P. 1953a. Carabidae (Coleoptera Adephaga). *Exploration du Parc National de l'Upemba. Mission G. F. de Witte* **10**: 1-251.
- BASILEWSKY, P. 1953b. Coléoptères Carabidae africains nouveaux. VI. *Revue de zoologie et de botanique africaines* **47**: 160-170.
- BASILEWSKY, P. 1953c. Descriptions de trois Carabiques anophtalmes nouveaux du Kivu et du Ruanda-Urundi (Col. Carabidae). *Revue de zoologie et de botanique africaines* **47**: 171-176.
- BASILEWSKY, P. 1953d. Révision des *Leleupidiini* (Col. Carabidae Zuphiinae). *Revue de zoologie et de botanique africaines* **47**: 263-281.
- BASILEWSKY, P. 1954a. Révision des genres *Hystriichopus* Boheman et *Plagiopyga* Boheman (Coleoptera Carabidae Lebiinae). *Annales du Musée r. du Congo belge. Série in 8vo* (Sciences zoologiques) **31**: 7-99.
- BASILEWSKY, P. 1954b. Le genre *Leptosarcus* Péringuey (Col. Carabidae Lebiinae). *Bulletin et annales de la Société r. entomologique de Belgique* **90**: 83-88.
- BASILEWSKY, P. 1955. Notes sur des Cypholobini (Col. Carabidae Anthiinae). I. *Bulletin de l'Institut Royal des sciences naturelles de Belgique* **31** (1, fasc. 25): 1-8.
- BASILEWSKY, P. 1956a. Contributions à l'étude de la faune entomologique du Ruanda-Urundi (Mission P. Basilewsky 1953). *Annales du Musée r. du Congo belge. Série in 8vo* (Sciences zoologiques) **51**: 41-157.
- BASILEWSKY, P. 1956b. Contributions à la connaissance des Lebiinae d'Afrique (Coleoptera Carabidae). II. *Bulletin et annales de la Société r. entomologique de Belgique* **92**: 236-248.
- BASILEWSKY, P. 1956c. Coléoptères recueillis par N. Leleup au lac Tumba. I. Carabidae. *Revue de zoologie et de botanique africaines* **53**: 418-434.
- BASILEWSKY, P. 1957. Contributions à la connaissance des Lebiinae d'Afrique (Coleoptera Carabidae). III. *Bulletin et annales de la Société r. entomologique de Belgique* **93**: 239-256.
- BASILEWSKY, P. 1958a. Contributions à la connaissance des Lebiinae d'Afrique. IV. (Coleoptera Carabidae). *Bulletin et annales de la Société r. entomologique de Belgique* **94**: 323-341.
- BASILEWSKY, P. 1958b. Trois espèces et une forme nouvelles du genre *Xenitenus* Péringuey (Col. Carabidae). *Novos taxa entomológicos* **4**: 1-7.
- BASILEWSKY, P. 1959. Révision de 'Crepidogastrini' (Coleoptera Carabidae Brachininae). *Revista de entomologia de Moçambique* **2** (1): 229-352.
- BASILEWSKY, P. 1960a. Sur le genre *Macrocheilus* Hope (Col. Carabidae Helluoninae). *Bulletin et annales de la Société r. entomologique de Belgique* **96**: 39-51.
- BASILEWSKY, P. 1960b. Etude des Dryptinae d'Afrique (Coleoptera Carabidae). *Bulletin et annales de la Société r. entomologique de Belgique* **96**: 133-182.

- BASILEWSKY, P. 1961a. Sur les types de Carabidae africains décrits par V. Motschulsky. *Bulletin et annales de la Société r. entomologique de Belgique* **97**: 205–224.
- BASILEWSKY, P. 1961b. Sur le genre *Bascanus* Péringuey (Coleoptera Carabidae). *Bulletin et annales de la Société r. entomologique de Belgique* **97**: 287–303.
- BASILEWSKY, P. 1962a. Descriptions de Coléoptères Carabidae nouveaux d'Afrique et notes diverses sur des espèces déjà connues, 10. *Bulletin de la Société Entomologique de France* **67**: 33–37.
- BASILEWSKY, P. 1962b. Carabidae. I. (Coleoptera Adephaga). *Exploration du Parc National de la Garamba. Mission H. de Saeger* **29**: 1–152.
- BASILEWSKY, P. 1963a. Révision des Galeritinae d'Afrique et de Madagascar (Coleoptera Carabidae). *Annales du Musée r. de l'Afrique centrale. Série in 8vo* (Sciences zoologiques) **120**: 1–93.
- BASILEWSKY, P. 1963b. Révision des Promecognathinae d'Afrique (Coleoptera, Carabidae). *Annals of the Transvaal Museum* **24**: 305–312.
- BASILEWSKY, P. 1964. Description d'un *Brachinus* nouveau d'Afrique du Sud. *Revue de zoologie et de botanique africaines* **70**: 295–296.
- BASILEWSKY, P. 1965. Coléoptères Carabidae africains nouveaux, 15. *Revue de zoologie et de botanique africaines* **72**: 138–151.
- BASILEWSKY, P. 1966. Révision des Megacephala d'Afrique (Coleoptera Carabidae Cicindelinae). *Annales du Musée r. de l'Afrique centrale. Série in 8vo*. (Sciences zoologiques) **152**: 1–149.
- BASILEWSKY, P. 1977. Révision du genre *Graphipterus* Latreille (Coleoptera Carabidae). *Annales du Musée r. de l'Afrique centrale. Série in 8vo*. (Sciences zoologiques) **221**: 1–472.
- BASILEWSKY, P. 1981. Révision de genres *Piezia* Brullé et *Trichopiezia* Nègre (Coleoptera Carabidae). *Annales du Musée r. de l'Afrique centrale. Série in 8vo*. (Sciences zoologiques) **234**: 1–75.
- BASILEWSKY, P. & STRANO, S. L. 1950. Descriptions de Coléoptères Carabidae nouveaux du Congo Belge découverts par M. N. Leleup. *Revue de zoologie et de botanique africaines* **43**: 188–196.
- BURGEON, L. 1928. Description d'espèces nouvelles de *Graphipterus*. *Revue de zoologie et de botanique africaines* **16**: 221–232.
- BURGEON, L. 1929a. Monographie du genre *Graphipterus* Latr. *Bulletin et annales de la Société r. entomologique de Belgique* **69**: 273–351.
- BURGEON, L. 1929b. Notes sur les *Piezia* (Coléoptères Carabidae). *Revue de zoologie et de botanique africaines* **18**: 190–212.
- BURGEON, L. 1931. Une nouvelle espèce Congolaise de *Cyclosomus* (Col. Carabidae). *Revue de zoologie et de botanique africaines* **20**: 307–309.
- BURGEON, L. 1935. Catalogues raisonnés de la faune entomologique du Congo Belge. Coléoptères–Carabides (première partie). *Annales du Musée r. du Congo belge* (Sciences zoologiques, série 3, sect. 2) **2** (3): 135–257.
- BURGEON, L. 1936. Catalogues raisonnés de la faune entomologique du Congo Belge. Coléoptères–Carabides (deuxième partie). *Annales Musée r. du Congo belge* (Sciences zoologiques, série 3, sect. 2) **2** (3): 265–314.
- FAIRMAIRE, M. L. 1884. Diagnoses de Coléoptères de l'Afrique Orientale. *Bulletin de la Société entomologique de Belgique* **28**: 70–87.
- FAIRMAIRE, M. L. 1887. Coléoptères des Voyages de M. G. Revoil chez les Somâlis et dans l'intérieur du Zanzuebar. *Annales de la Société entomologique de France* (ser. 6) **7**: 69–186.
- HORN, W. 1894. Neue Cicindeleten. *Deutsche entomologische Zeitschrift* **1894**: 109–112.
- HORN, W. 1895. Novae Cicindelidarum Species. *Deutsche entomologische Zeitschrift* **1895**: 353–361.
- HORN, W. 1909. Drei neue Dromica-Arten. *Entomologische Rundschau* **26**: 101–102.
- JEANNEL, R. 1930. Monographie des Trechinae. Morphologie comparée et distribution géographique d'un groupe de Coléoptères. (Quatrième livraison.) *Abeille de France* (Supplement) **34**: 59–122.
- LECORDIER, C. 1979. Les *Siagoninae* d'Afrique noire [Col. Carabidae]. *Annales de la Société entomologique de France* (n.s.) **15** (1): 179–192.

- LECORDIER, C. 1982. *Hyparpalus* nouveaux d'Afrique (Col. Carabidae). *Annales de la Société entomologique de France* (n.s.) **18** (4): 475-482.
- LECORDIER, C. 1984. Les espèces du groupe de *Hyparpalus escheri* Dejean (Coléoptères, Carabidae, Harpalinae). *Annales de la Société entomologique de France* (n.s.) **20** (1): 47-50.
- LIEBKE, M. 1934. Die Brachyninae des afrikanischen Festlandes. *Mémoires de la Société entomologique de Belgique* **24**: 5-94.
- PÉRINGUEY, L. 1885. First contribution to the South African coleopterous fauna. *Transactions of the South African Philosophical Society* **3** (2): 74-149.
- PÉRINGUEY, L. 1888. Second contribution to the South African coleopterous fauna. *Transactions of the South African Philosophical Society* **4** (2): 67-194.
- PÉRINGUEY, L. 1892a. Third contribution to the South African coleopterous fauna. *Transactions of the South African Philosophical Society* **6** (2): 1-94.
- PÉRINGUEY, L. 1892b. Fourth contribution to the South African coleopterous fauna. *Transactions of the South African Philosophical Society* **6** (2): 95-136.
- PÉRINGUEY, L. P. 1893. A descriptive catalogue of the Coleoptera of South Africa. Part I. Order: Coleoptera. Family: Cicindelidae. *Transactions of the South African Philosophical Society* **7** (1): 1-98.
- PÉRINGUEY, L. P. 1894. Description of new Cicindelidae. *Transactions of the Entomological Society of London* **1894**: 447-453.
- PÉRINGUEY, L. P. 1896a. A descriptive catalogue of the Coleoptera of South Africa. Family Cicindelidae. Supplement. *Transactions of the South African Philosophical Society* **7** (2): 99-121.
- PÉRINGUEY, L. 1896b. [A descriptive catalogue of] The Coleoptera of South Africa. Part II. Order Coleoptera. Family Carabidae. *Transactions of the South African Philosophical Society* **7** (2): 125-623.
- PÉRINGUEY, L. 1899. Descriptive catalogue of the Coleoptera of South Africa. Family Carabidae. First supplement. *Transactions of the South African Philosophical Society* **10** (3): 315-374.
- PÉRINGUEY, L. P. 1903. Description d'une Cicindèle nouvelle. *Bulletin de la Société entomologique de France* **1903** (20): 338-339.
- PÉRINGUEY, L. 1904a. Sixth contribution to the South African coleopterous fauna. *Annals of the South African Museum* **3** (6): 167-300.
- PÉRINGUEY, L. P. 1904b. Some new Coleoptera collected by Rev. Henri A. Junod at Shilouvane, near Leydsdorp, in the Transvaal. *Novitates Zoologicae* **11**: 448-451.
- PÉRINGUEY, L. 1908. Seventh contribution to the South African coleopterous fauna. *Annals of the South African Museum* **5** (6): 271-348.
- PÉRINGUEY, L. 1926. Descriptions of new species of Carabidae (Coleoptera), with notes and additional localities of some already known species. *Annals of the South African Museum* **23**: 579-659.
- STRANEO, S. L. 1939a. On some new species of African Pterostichini (Col. Carab.). Part 1. *Proceedings of the Royal Entomological Society of London* (Series B, Taxonomy) **8** (8): 167-174.
- STRANEO, S. L. 1939b. On some new species of African Pterostichini (Col.). Part 2. *Proceedings of the Royal Entomological Society of London* (Series B, Taxonomy) **8** (9): 175-180.
- STRANEO, S. L. 1940. Descrizioni preliminari di nuove specie africane del gen. *Abacetus* Dej. (Coleopt. Carabid.) *Memorie della Società entomologica italiana* **19**: 164-172.
- STRANEO, S. L. 1941. Descrizioni preliminari di nuovi Caelostomini africani (Coleopt. Carabid.). *Annali del Museo Civico di Storia Naturale. Genova* **61**: 1-17.
- STRANEO, S. L. 1942. Revisione dei Caelostomini africani (Coleopt. Carabid.). *Memorie della Società entomologica italiana* **21**: 21-164.
- STRANEO, S. L. 1947. Studi sul gen. *Abacetus* Dej. (Coleopt. Carabidae). III. *Atti della Società italiana di scienze naturali, e del Museo civico di storia naturale* **86**: 23-30.
- STRANEO, S. L. 1950. Revisione delle specie africane del gen. *Melanchiton* Andrewes (*Melanodes* Chaudoir et Auctt.) (Col. Carab.) *Revue de zoologie et de botanique africaines* **44**: 61-104.
- STRANEO, S. L. 1951a. On Some African Pterostichini (Coleoptera—Carabidae). *Annals of the Transvaal Museum* **21**: 419-425.

- STRANEO, S. L. 1951*b*. Su alcuni Pterostichini (Coleoptera, Carabidae) nuovi o poco noti, del Congo belga. *Bulletin et annales de la Société r. entomologique de Belgique* **87**: 285-313.
- STRANEO, S. L. 1953. Nuovi Pterostichini. VII (Coleopt. Carabidae). *Doriana* **1** (36): 1-12.
- STRANEO, S. L. 1958. Coleoptera Carabidae: Pterostichinae. A revision of the South African Pterostichinae. *South African Animal Life* **5**: 318-455.
- STRANEO, S. L. 1963. Carabidae. Subfam. Pterostichinae. *Exploration du Parc National de la Garamba. Mission H. de Saeger* **40**: 3-76.
- TSCHITSCHÉRINE, T. 1898. *Drimostomides* et *Abacétides* du Congo du Musée Royal d'Histoire naturelle de Belgique. *Trudy Russkago Entomologicheskago Obschestva* **32**: 412-443.

6. SYSTEMATIC papers must conform to the *International code of zoological nomenclature* (particularly Articles 22 and 51).

Names of new taxa, combinations, synonyms, etc., when used for the first time, must be followed by the appropriate Latin (not English) abbreviation, e.g. gen. nov., sp. nov., comb. nov., syn. nov., etc.

An author's name when cited must follow the name of the taxon without intervening punctuation and not be abbreviated; if the year is added, a comma must separate author's name and year. The author's name (and date, if cited) must be placed in parentheses if a species or subspecies is transferred from its original genus. The name of a subsequent user of a scientific name must be separated from the scientific name by a colon.

Synonymy arrangement should be according to chronology of names, i.e. all published scientific names by which the species previously has been designated are listed in chronological order, with all references to that name following in chronological order, e.g.:

Family **Nuculanidae**

Nuculana (*Lembulus*) *bicuspidata* (Gould, 1845)

Figs 14–15A

Nucula (*Leda*) *bicuspidata* Gould, 1845: 37.

Leda plicifera A. Adams, 1856: 50.

Laeda bicuspidata Hanley, 1859: 118, pl. 228 (fig. 73). Sowerby, 1871: pl. 2 (fig. 8a–b).

Nucula largillierii Philippi, 1861: 87.

Leda bicuspidata: Nicklès, 1950: 163, fig. 301; 1955: 110. Barnard, 1964: 234, figs 8–9.

Note punctuation in the above example:

comma separates author's name and year

semicolon separates more than one reference by the same author

full stop separates references by different authors

figures of plates are enclosed in parentheses to distinguish them from text-figures

dash, not comma, separates consecutive numbers.

Synonymy arrangement according to chronology of bibliographic references, whereby the year is placed in front of each entry, and the synonym repeated in full for each entry, is not acceptable.

In describing new species, one specimen must be designated as the holotype; other specimens mentioned in the original description are to be designated paratypes; additional material not regarded as paratypes should be listed separately. The complete data (registration number, depository, description of specimen, locality, collector, date) of the holotype and paratypes must be recorded, e.g.:

Holotype

SAM-A13535 in the South African Museum, Cape Town. Adult female from mid-tide region, King's Beach, Port Elizabeth (33°51'S 25°39'E), collected by A. Smith, 15 January 1973.

Note standard form of writing South African Museum registration numbers and date.

7. SPECIAL HOUSE RULES

Capital initial letters

- The Figures, Maps and Tables of the paper when referred to in the text
e.g. '... the Figure depicting *C. namacolus* . . .'; '... in *C. namacolus* (Fig. 10) . . .'
- The prefixes of prefixed surnames in all languages, when used in the text, if not preceded by initials or full names
e.g. Du Toit but A. L. du Toit; Von Huene but F. von Huene
- Scientific names, but not their vernacular derivatives
e.g. Therocephalia, but therocephalian

Punctuation should be loose, omitting all not strictly necessary

Reference to the author should preferably be expressed in the third person

Roman numerals should be converted to arabic, except when forming part of the title of a book or article, such as

'Revision of the Crustacea. Part VIII. The Amphipoda.'

Specific name must not stand alone, but be preceded by the generic name or its abbreviation to initial capital letter, provided the same generic name is used consecutively. The generic name should not be abbreviated at the beginning of a sentence or paragraph.

Name of new genus or species is not to be included in the title; it should be included in the abstract, counter to Recommendation 23 of the Code, to meet the requirements of Biological Abstracts.



3 9088 01206 7179

M. A. COCHRANE

COLEOPTERA TYPE MATERIAL IN
THE SOUTH AFRICAN MUSEUM
PART 1. CARABIDAE